




**TAB**

**EQUIPMENT SYSTEMS**



**T.E. Berry & Associates**

PO Box 9606

Wichita, KS 67277-0606

316 942-4100

[info@teberry.com](mailto:info@teberry.com)

**FEBRUARY 2012 SPECIFICATION GUIDE**

# TERMS & CONDITIONS

## MINIMUM ORDER

Minimum order is \$25.00. Orders for less than 25.00 will be invoiced at the minimum charge.

## TERMS

Net 10 days from date of invoice.

## FREIGHT

Freight charges are for shipment from factory to the receiving dock at the destination. Inside delivery may carry additional charges. Purchaser takes title of the merchandise on shipment from factory and remains responsible for filing any freight claims.

## DESTINATION INSPECTION

Merchandise should be fully inspected upon receipt for any evidence of damage or shortage before acceptance. If shortage or damage occurs, refuse acceptance until a transportation agent endorses extent of damage or shortage. Transportation agent notification must be made within 10 days of delivery to your premises. Call your TAB Representative and notify him/her of the damage or shortage. If external appearance has not indicated damage, but upon opening, contents are found damaged, unpacking should be stopped and an inspector of the delivering carrier immediately called. All cartons should be saved for inspection. The inspector should indicate on the delivery receipt the exact condition of the contents. Notify your TAB Representative of the damage. Your cooperation in damaged shipments will help us to promptly replace the damaged product, and protect our mutual rights against the transportation carrier.

## RETURNS

### STANDARD PRODUCTS:

TAB will issue an authorization to return and replace incorrectly produced/manufactured product, at no additional cost to the customer if it is a TAB error. If it is a customer error, we will authorize the return of product, and charge a 20% restocking fee. Requires pre authorization from Customer Service.

## SPECIALS: MADE-TO-ORDER PRODUCTS

TAB will issue an authorization to return and replace the incorrect product, at no additional cost to the customer if it is a TAB error. If the customer makes the error, TAB Products will not authorize the return for custom, made-to-order products without the approval of the Director of Customer Service.

Note: Laminate and wood edge credenza tops are considered custom products.

## CANCELLATIONS

Prior to production there is no charge for cancellation.

## CHANGES

Standard product changes may be made prior to production at no charge. After production, order changes will be handled as a new standard product order with a four week lead time.

## INSTALLATION

List prices do not include installation. Contact your local TAB representative for assistance in determining charges for those items requiring inside delivery and/or installation.

## REPAIRS AND ADJUSTMENTS

Claims for repairs or adjustments will not be accepted unless authorized in advance by TAB Products Co., Mayville, WI.

## WARRANTY

All products are warranted to be free from manufacturing defects under normal use in their unaltered condition for a period of five (5) years parts and two (2) years labor from date of purchase.

# DESIGNER CABINETS

## PART NUMBER LOGIC - PRE CONFIGURED CABINETS

The Designer Cabinets are built with logical Part Numbers.

The chart below explains the logic for a preconfigured cabinet. Always check description for more details.

Prefix	Width	Tiers	Opening Height	Opening Type	Posting Shelf	Lock
MDGA 18.5"	30"	2	12"	OS Open Shelf	P With Post- ing Shelf	L With Ganglock
MDGB 18.5"	36"	3	15"	DS Doors with Shelf		
MDGC 18.5"	42"	4		DR Door with 12" Roll- Out		
		5		FF Fixed Front Drawer		
		6		FR Fixed Fronts on lower openings Top Opening 12" Door & Roll-Out		
				FS Fixed Fronts on lower openings Top Opening 12" Door & Shelf		
				FB Fixed Fronts on lower openings Top Binder Opening 15" Door and Shelf		

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# DESIGNER CABINETS

## PRODUCT SUMMARY AND SPECIFICATIONS

### PRODUCT SUMMARY

Designer Cabinets are available in a variety of configurations for the storage of letter, legal and data media for the storage of binders and computer printouts. These cabinets are engineered to provide quick and easy access to media through the use of fixed shelves, roll-outs, and drawers. All Designer Cabinets are freestanding and may not be stacked.

### COLOR PLAN

See the TAB Color Chart for details and information regarding color selection and plan.

### PACKAGING

Cabinets are shipped with top and bottom caps and pads. Four corner posts protect the corners and the entire unit is securely encased in stretch wrap. Other types of packaging require a Request for Quotation.

### DELIVERY

Shipped FOB Mayville, Wisconsin. Consult TAB's Sales Support for lead times and availability.

### CABINET SHELL

The cabinet shell components, including the non adjustable shelves, are resistance welded into a rigid structural unit. Torsion rigidity of the cabinet is enhanced by overlapping welded flanges at the top and bottom of the cabinet, also, the box section created by the four glide mounting gussets in the bottom of the cabinet.

Note: All welding flanges are concealed for a smooth, uninterrupted exterior appearance.

### SHELL MATERIAL & GAUGES

CRS = Cold Rolled Steel

Back Panel	20 gauge CRS
Bottom & Side Panels	18 gauge CRS
Inner Panels	20 gauge CRS
Top Panel	20 gauge CRS
Glide Mount Gussets (4)	12 gauge CRS

- All cabinet shells are equipped with four hex-shaped leveling glides mounted in the cabinet base. Maximum glide adjustment is 1 $\frac{1}{8}$ ". Glides have a  $\frac{3}{8}$ ", 16 threaded stem. Glides are adjustable from both inside and outside the cabinet.
- Shelves are slotted to accept file supports at 2" intervals.
- Painted finish is powder coated.

### GENERAL FILING CAPABILITIES

Side to side suspended filing of letter and legal media is achieved by the adjustable file bar positioned at the drawer/rollout back in all model cabinets equipped with drawers or full height rollouts.

Counterweights are required for all two or three compartment cabinets with rollouts (model MDA-CW for 30", model MDB-CW for 36" wide cabinets, and model MDC-CW for 42" wide cabinets.) Cabinet bases are designed with provisions for easy installation of counterweights.

Label holders with inserts are included with all cabinets doors and drawers.

### FILE SUPPORT

File supports are available for all letter, legal, and data media cabinets. It may be used to support partial shelf loads of media or to compartmentalize a shelf. File Supports are composed of 20-gauge cold-rolled steel (CRS) with a baked enamel finish.

### RECEDING DOORS

Cabinet doors are formed from 20-gauge cold-rolled steel. Doors are hinge-mounted to a door stabilizer that travels over two 16-gauge door tracks. The door tracks are fastened to the cabinet side panel.

### DRAWERS

Drawers are formed from 20-gauge cold-rolled steel. All drawer fronts are fastened to the 20-gauge steel drawer bodies. Drawer bottoms are formed of 18-gauge cold rolled steel and are furnished with slots for file dividers. Adjustable file bar positions for side to side suspended filing are: EDP - 15 $\frac{3}{4}$ "; Legal - 15 $\frac{3}{16}$ "; Laser - 13"; Letter - 12 $\frac{3}{16}$ " and Metric - 14 $\frac{3}{8}$ ".

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# DESIGNER CABINETS

## PRODUCT SUMMARY AND SPECIFICATIONS

### SUSPENSIONS

All drawers and rollout shelves are equipped with three member, full extension suspensions. Suspension members are formed from 14-gauge cold-rolled steel and painted to prevent rust.

Upon opening the drawer or rollout, the intermediate and inner member roll out together. After a certain travel point, the inner member extends from the intermediate member to provide the strength to support the drawers fully loaded.

Suspensions are held to the cabinet inner panel by a unique hook and slot arrangement and then secured with one screw at the front. Drawers and rollouts drop into place on the suspensions by hand, making field installation a simple matter.

All suspensions support BIFMA load requirements and are equipped with rubber cushioned stops on both ends for quiet operation.

### SAFETY INTERLOCKS

Cabinets with more than one drawer/shelf rollout will be equipped with a mechanical interlock device. The interlock device prevents more than one drawer/shelf rollout from being extended simultaneously. The interlock system is incorporated into the drawer or rollout suspension.

Roll-out components should be located adjacent to each other to insure proper function of the interlock mechanism.

### GANGLOCK ASSEMBLY

An optional central locking mechanism will secure all doors and drawers with a single action. Locks will be keyed alike. Horizontal lock arms engage vertical lock bars which are attached to the cabinet side panel.

For all lockable units the standard key is D101AR. Contact your local TAB representative for special keyed locks.

### SWINGAWAY LOCK ASSEMBLY - RFQ CALL

#### FOR PRICING

Security bar locks provide a greater degree of security than a standard ganglock assembly. Two hinged assemblies mount to the front of the cabinet, one on each side. The hinges close over the face of the receding doors and are retained in position by a self-storing cross bar. The cross bar is secured in place by a customer supplied padlock. Hinges overlap the door by  $1\frac{1}{16}$ " on each side. Security bar locks are field installed and require drilling. Do not specify on SIDE-TRAC stationary units.

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

## SIDE-TRAC PRODUCT SUMMARY AND SPECIFICATIONS

### SIDE-TRAC

SIDE-TRAC with TAB lateral filing cabinets enhances the high density feature of the TAB cabinet by further expanding the filing inches while minimizing additional floor space. SIDE-TRAC adds only two inches to cabinet height and can be built in almost any configuration (3/2, 4/3, 5/4, etc.) and can be added to at a later date.

The purpose and function of SIDE-TRAC is to laterally mobilize cabinets directly in front of a stationary row of cabinets. Elimination of one cabinet in the mobilized row of cabinets allows for access to rear cabinets by simply moving cabinets in a left or right direction. By using the adjustable leveling glides built into SIDE-TRAC, the decking can be easily leveled. Releveling is also possible with this unique design. This eliminates one of the major problems associated with non-level track systems-drifting. This product consists of two distinct items: a wheel anti-tip assembly for mobilizing and stabilizing the cabinets and an arrangement of decks which support both stationary and mobile cabinets.

### DECK

Decks are made of 1½" thick, industrial grade particleboard core. The top and bottom of decks are thermally fused Melamine decorative panels. Deck front is finished with trim formed from 16 gauge 304 #4 stainless steel with a brushed finish. All other exposed edges are finished to match top surface. Tops are routed to provide positive location for wheel tracks.

Each deck section has a minimum of 10 leveling pins affixed to the underside. Levelers are accessible via access holes located in the deck surface and allow for post leveling after system is installed. The front wheel track is an integral part of the front trim piece. The splice strip is made of 11 gauge steel and will assure all deck pieces are flush for wheel movement. Tie plates are manufactured of 11 gauge steel and connect deck pieces together.

### TRACK

Tracks are 16 gauge 304-2B stainless steel formed into a "U" shaped configuration for maximum strength and straightness.

### WHEELS

Wheels are 1¾ inch diameter single row radial ball bearings. The front wheel assembly is constructed of 11 gauge steel and supports and attaches to the front portion of the mobile cabinet. The rear wheel assembly supports the rear of the mobile cabinet and also serves as the anti-tip device. TAB's anti tip is mounted underneath the cabinet. The anti-tip has a unique low profile design that eliminates the need for unsightly overhead anti-tip mechanisms. Wheels are permanently sealed and require no maintenance


### ANCHORING

Rear row cabinets are securely anchored to the deck with 11 gauge steel anchor plates, one (1) per every two (2) stationary cabinets.



# DESIGNER CABINETS

## SIDE-TRAC - 18.5" DEPTH CABINETS



A TYPICAL 5 + 4 COMBINATION  
REQUIRES:

- ☐ 1 STARTER DECK ASSEMBLY
- ☐ 4 ADD-ON DECK ASSEMBLY
- ☐ 4 WHEEL AND ANTI-TIP ASSEMBLIES
- ☐ 9 CABINETS
- ☐ LEVELER KIT


- ☐ SIDE-TRAC® systems use a deck to create a lateral mobile system for TAB cabinets.
- ☐ The recommended number of movables in a SIDE-TRAC configuration should not exceed six (6). Longer systems are acceptable depending on floor levelness.
- ☐ One starter deck assembly is required while add on deck assemblies are ordered as needed.
- ☐ Rollout Drawers should not be installed over 62" in height in Designer Cabinets.
- ☐ All rollouts, fixed front drawers and retracting doors in the Designer Cabinets should be fully closed before a cabinet is moved.
- ☐ Decks are available in Cool Grey or Sand.
- ☐ 30", 36" and 42" wide cabinets
- ☐ For system width, add length of back row of cabinets plus:
  - 2/1 - 2 1/4"
  - 3/2 - 3 1/4"
  - 4/3 - 4 1/4"
  - 5/4 - 5 1/4"
  - 6/5 - 6 1/4" etc.
- ☐ System Depth: 39"



Starter Deck Assembly



Add-on Deck Assembly



Description	Model Number	Lbs
<b>For 18 1/2" DEEP CABINETS</b>		
30"W Starter Deck Assembly . . . . .	DS3001-185-30	67
36"W Starter Deck Assembly . . . . .	DS3001-185-36	77
42"W Starter Deck Assembly . . . . .	DS3001-185-42	87
30"W Add-on Deck Assembly . . . . .	DS3003-185-30	67
36"W Add-on Deck Assembly . . . . .	DS3003-185-36	77
42"W Add-on Deck Assembly . . . . .	DS3003-185-42	87
30"W Cabinet Wheel & Anti-Tip Assy . . . . .	DS3004-30	24
36"W Cabinet Wheel & Anti-Tip Assy . . . . .	DS3004-36	26
42"W Cabinet Wheel & Anti-Tip Assy . . . . .	DS3004-42	30
Kit - Longer Levelers Recommend adding one kit per four or more decks.	MM3013	2
Deck End Cap . . . . .	DS-3014-185	1
Required when adding onto an existing system.		

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac


Twinfile Storage

File Trucks

# DESIGNER CABINETS

## PRECONFIGURED CABINETS - 18.5" DEPTH

### 12" OPENING- OPEN SHELVES



Model Number	Height	Width	Depth	Lbs.	Clear Filing Inches
--------------	--------	-------	-------	------	---------------------

#### NOTES:

- Purchase cabinet accessories separately.
  - File support for 12" shelves is 1900-xx at \$6.00 list each.
  - Posting shelf (add -P to model number) at \$139.00 list each.
  - Depth adapter for 12" fixed shelves - see options below
- Counterweights are included on all 2 or 3 high cabinets
- Weights are approximate.

#### 2 HIGH CABINET

Open Shelves spaced 12" apart yielding 11<sup>1</sup>/<sub>8</sub>" clear I.D. Counterweights are included.

MDGA-2-12OS	28	30	18½	70	56
MDGB-2-12OS	28	36	18½	90	68
MDGC-2-12OS	28	42	18½	115	80

#### 3 HIGH CABINET

Open Shelves spaced 12" apart yielding 11<sup>1</sup>/<sub>8</sub>" clear I.D. Counterweights are included.

MDGA-3-12OS	40.5	30	18½	95	84
MDGB-3-12OS	40.5	36	18½	115	102
MDGC-3-12OS	40.5	42	18½	140	120

#### 4 HIGH CABINET

Open Shelves spaced 12" apart yielding 11<sup>1</sup>/<sub>8</sub>" clear I.D. With 2" space for optional Posting Shelf. Located at nominal work height.

MDGA-4-12OS	54.5	30	18½	120	112
MDGB-4-12OS	54.5	36	18½	140	136
MDGC-4-12OS	54.5	42	18½	165	160

#### 5 HIGH CABINET

Open Shelves spaced 12" apart yielding 11<sup>1</sup>/<sub>8</sub>" clear I.D. With 2" space for optional Posting Shelf. Located at nominal work height.

MDGA-5-12OS	66.5	30	18½	145	140
MDGB-5-12OS	66.5	36	18½	165	170
MDGC-5-12OS	66.5	42	18½	190	200

#### 6 HIGH CABINET

Open Shelves spaced 12" apart yielding 11<sup>1</sup>/<sub>8</sub>" clear I.D. With 2" space for optional Posting Shelf. Located at nominal work height.

MDGA-6-12OS	78.5	30	18½	170	168
MDGB-6-12OS	78.5	36	18½	190	204
MDGC-6-12OS	78.5	42	18½	215	240

## DEPTH ADAPTERS FOR 12" AND 15" FIXED SHELVES

#### Options for 12" Fixed Shelves

##### Model Number

MDA-DA-12S  
MDB-DA-12S  
MDC-DA-12S

#### Options for 15" Fixed Shelves

##### Model Number

MDA-DA-15S  
MDB-DA-15S  
MDC-DA-15S

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage


File Trucks



# DESIGNER CABINETS

## PRECONFIGURED CABINETS - 18.5" DEPTH

### 15" OPENING- OPEN SHELVES



Model Number	Height	Width	Depth	Lbs.	Clear Filing Inches
--------------	--------	-------	-------	------	---------------------

#### NOTES:

- Purchase cabinet accessories separately.
  - File support for 15" shelves is 1900-xx at \$8.50 list each.
  - Posting shelf (add -P to model number) at \$139.00 list each.
  - Depth adapter for 15" fixed shelves - see options on page 6
- Counterweights are included on all 2 or 3 high cabinets
- Weights are approximate.

#### 2 HIGH CABINET

Open Shelves spaced 15" apart yielding 14<sup>1/8</sup>" clear I.D. Counterweights are included.

MDGA-2-15OS	34	30	18½	80	56
MDGB-2-15OS	34	36	18½	100	68
MDGC-2-15OS	34	42	18½	125	80

#### 3 HIGH CABINET

Open Shelves spaced 15" apart yielding 14<sup>1/8</sup>" clear I.D. Counterweights are included.

MDGA-3-15OS	49.5	30	18½	105	84
MDGB-3-15OS	49.5	36	18½	125	102
MDGC-3-15OS	49.5	42	18½	150	120

#### 4 HIGH CABINET

Open Shelves spaced 15" apart yielding 14<sup>1/8</sup>" clear I.D. With 2" space for optional Posting Shelf. Located at nominal work height.

MDGA-4-15OS	66.5	30	18½	130	112
MDGB-4-15OS	66.5	36	18½	150	136
MDGC-4-15OS	66.5	42	18½	175	160

#### 5 HIGH CABINET

Open Shelves spaced 15" apart yielding 14<sup>1/8</sup>" clear I.D. With 2" space for optional Posting Shelf. Located at nominal work height.

MDGA-5-15OS	81.5	30	18½	155	140
MDGB-5-15OS	81.5	36	18½	175	190
MDGC-5-15OS	81.5	42	18½	200	200

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage


File Trucks

# DESIGNER CABINETS

## PRECONFIGURED CABINETS - 18.5" DEPTH

### 12" OPENING

#### RECEDING DOORS WITH FIXED SHELVES



Model Number	Height	Width	Depth	Lbs.	Clear Filing Inches
--------------	--------	-------	-------	------	---------------------

#### NOTES:

- Purchase cabinet accessories separately; file dividers, posting shelf, and ganglocks.
  - File support for 12" shelves is 1900-xx at \$6.00 list each.
  - File support for 15" shelves is 1900-xx at \$6.00 list each
  - Posting shelf (add -P to model number) at \$139.00 list each.
  - Depth adapters for 12" and 15" fixed shelves - see options on page 6
  - Ganglock (add -L to model number) at \$69.00 list each.
- Counterweights are included on all 2 or 3 high cabinets
- Weights are approximate.

#### 2 HIGH CABINET

12" receding doors with fixed shelf. Yields 10<sup>3</sup>/<sub>8</sub>" clear height. Counterweights are included.

MDGA-2-12DS	28	30	18½	80	56
MDGB-2-12DS	28	36	18½	95	68
MDGC-2-12DS	28	42	18½	115	80

#### 3 HIGH CABINET

12" receding doors with fixed shelf. Yields 10<sup>3</sup>/<sub>8</sub>" clear height. Counterweights are included.

MDGA-3-12DS	40.5	30	18½	120	84
MDGB-3-12DS	40.5	36	18½	135	102
MDGC-3-12DS	40.5	42	18½	155	120

#### 4 HIGH CABINET

12" receding doors with fixed shelf. Yields 10<sup>3</sup>/<sub>8</sub>" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-4-12DS	54.5	30	18½	160	112
MDGB-4-12DS	54.5	36	18½	175	136
MDGC-4-12DS	54.5	42	18½	195	160

#### 5 HIGH CABINET

12" receding doors with fixed shelf. Yields 10<sup>3</sup>/<sub>8</sub>" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-5-12DS	66.5	30	18½	200	140
MDGB-5-12DS	66.5	36	18½	215	170
MDGC-5-12DS	66.5	42	18½	235	200

#### 6 HIGH CABINET

12" receding doors with fixed shelf. Yields 10<sup>3</sup>/<sub>8</sub>" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-6-12DS	78.5	30	18½	240	168
MDGB-6-12DS	78.5	36	18½	255	204
MDGC-6-12DS	78.5	42	18½	275	240

#### 2 HIGH CABINET

15" receding doors with fixed shelf. Yields 13<sup>3</sup>/<sub>8</sub>" clear height. Counterweights are included.

MDGA-2-15DS	34	30	18½	95	56
MDGB-2-15DS	34	36	18½	115	68
MDGC-2-15DS	34	42	18½	140	80

#### 3 HIGH CABINET

15" receding doors with fixed shelf. Yields 13<sup>3</sup>/<sub>8</sub>" clear height. Counterweights are included.

MDGA-3-15DS	49.5	30	18½	140	84
MDGB-3-15DS	49.5	36	18½	160	102
MDGC-3-15DS	49.5	42	18½	185	120

#### 4 HIGH CABINET

15" receding doors with fixed shelf. Yields 13<sup>3</sup>/<sub>8</sub>" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-4-15DS	66.5	30	18½	185	112
MDGB-4-15DS	66.5	36	18½	205	136
MDGC-4-15DS	66.5	42	18½	230	160

#### 5 HIGH CABINET

15" receding doors with fixed shelf. Yields 13<sup>3</sup>/<sub>8</sub>" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-5-15DS	81.5	30	18½	230	140
MDGB-5-15DS	81.5	36	18½	250	170
MDGC-5-15DS	81.5	42	18½	275	200

### 15" OPENING


#### RECEDING DOORS WITH FIXED SHELVES



# DESIGNER CABINETS

## PRECONFIGURED CABINETS - 18.5" DEPTH

### 12" OPENING RECEDING DOORS WITH ROLLOUT SHELVES



Model Number	Height	Width	Depth	Lbs.	Clear Filing Inches
--------------	--------	-------	-------	------	---------------------

#### NOTES:

- Purchase cabinet accessories separately.
  - File support for 12" shelves is 1900-xx at \$6.00 list each.
  - Posting shelf (add -P to model number) at \$139.00 list each.
  - Depth adapter for 12" fixed shelves - see options on page 6
  - Ganglock (add -L to model number) at \$69.00 list each.
- Counterweights are included on all 2 or 3 high cabinets
- Each file drawer or rollout is standard with 2 side to side hanging bars.
- Weights are approximate.

#### 2 HIGH CABINET

12" receding doors with Rollout shelf. Yields 9<sup>3</sup>/<sub>8</sub>" clear height. Counterweights are included.

MDGA-2-12DR	28	30	18½	115	53
MDGB-2-12DR	28	36	18½	135	65
MDGC-2-12DR	28	42	18½	160	77

#### 3 HIGH CABINET

12" receding doors with Rollout shelf. Yields 9<sup>3</sup>/<sub>8</sub>" clear height. Counterweights are included.

MDGA-3-12DR	40.5	30	18½	160	79
MDGB-3-12DR	40.5	36	18½	180	97
MDGC-3-12DR	40.5	42	18½	205	115

#### 4 HIGH CABINET

12" receding doors with Rollout shelf. Yields 9<sup>3</sup>/<sub>8</sub>" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-4-12DR	54.5	30	18½	205	105
MDGB-4-12DR	54.5	36	18½	225	129
MDGC-4-12DR	54.5	42	18½	250	153

#### 5 HIGH CABINET

12" receding doors with Rollout shelf. Yields 9<sup>3</sup>/<sub>8</sub>" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-5-12DR	66.5	30	18½	250	132
MDGB-5-12DR	66.5	36	18½	270	162
MDGC-5-12DR	66.5	42	18½	295	192

#### 6 HIGH CABINET

12" receding doors with Rollout shelf. Yields 9<sup>3</sup>/<sub>8</sub>" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-6-12DR	78.5	30	18½	295	158
MDGB-6-12DR	78.5	36	18½	315	194
MDGC-6-12DR	78.5	42	18½	340	230

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage


File Trucks

# DESIGNER CABINETS

## PRECONFIGURED CABINETS - 18.5" DEPTH

### 12" OPENING

#### FIXED FRONT FILE DRAWERS



#### NOTES:

- Purchase cabinet accessories separately.
  - File support for 12" shelves is 1900-xx at \$6.00 list each.
  - Posting shelf (add -P to model number) at \$139.00 list each.
  - Depth adapter for 12" fixed shelves - see options on page 6
  - Ganglock (add -L to model number) at \$69.00 list each.
- Counterweights are included on all 2 or 3 high cabinets
- Each file drawer or rollout is standard with 2 side to side hanging bars.
- Weights are approximate.

#### 2 HIGH CABINET

1ea 12" fixed front file drawer on bottom with 1 ea 12" receding door and shelf on top. Popular desk side configuration. Counterweights are included.

MDGA-2-12FS	28	30	18½	100	55
MDGB-2-12FS	28	36	18½	120	67
MDGC-2-12FS	28	42	18½	145	79



#### 2 HIGH CABINET

12" fixed front file drawers with 11⅛" clear height. Counterweights are included.

MDGA-2-12FF	28	30	18½	115	53
MDGB-2-12FF	28	36	18½	135	70
MDGC-2-12FF	28	42	18½	160	77

#### 3 HIGH CABINET


12" fixed front file drawers with 11⅛" clear height. Counter height. Counterweights are included.

MDGA-3-12FF	40.5	30	18½	160	79
MDGB-3-12FF	40.5	36	18½	180	97
MDGC-3-12FF	40.5	42	18½	205	115

#### 4 HIGH CABINET

12" fixed front file drawers with 11⅛" clear height. With 2" Filler Bar. Located at nominal work height.

MDGA-4-12FF	54.5	30	18½	205	105
MDGB-4-12FF	54.5	36	18½	225	129
MDGC-4-12FF	54.5	42	18½	250	153



#### 5 HIGH CABINET - WITH TOP ROLLOUT

4 ea 12" fixed front file drawers with 1ea 12" receding door and rollout in top opening. With 2" Filler Bar. Located at nominal work height.

MDGA-5-12FR	66.5	30	18½	250	132
MDGB-5-12FR	66.5	36	18½	270	162
MDGC-5-12FR	66.5	42	18½	295	192

#### 5 HIGH CABINET - WITH TOP BINDER SHELF

4 ea 12" fixed front file drawers with 1ea 15" receding door and shelf in top opening. With 2" Filler Bar. Located at nominal work height.

MDGA-5-12FB	69.5	30	18½	240	133
MDGB-5-12FB	69.5	36	18½	260	163
MDGC-5-12FB	69.5	42	18½	285	193

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage



File Trucks

# DESIGNER CABINETS

## PRECONFIGURED CABINETS - 18.5" DEPTH

### 15" OPENING

#### FIXED FRONT FILE DRAWERS



Model Number	Height	Width	Depth	Lbs.	Clear Filing Inches
--------------	--------	-------	-------	------	------------------------

#### NOTES:

- Purchase cabinet accessories separately.
  - File support for 15" shelves is 1900-xx at \$6.00 list each
  - Posting shelf (add -P to model number) at \$139.00 list each.
  - Depth adapter for 15" fixed shelves - see options on page 6
  - Ganglock (add -L to model number) at \$69.00 list each.
- Counterweights are included on all 2 or 3 high cabinets
- Each file drawer or rollout is standard with 2 side to side hanging bars.
- Weights are approximate.

#### 2 HIGH CABINET

15" fixed front file drawers with 14<sup>1/8</sup>" clear height. Counterweights are included.

MDGA-2-15FF	34	30	18½	125	53
MDGB-2-15FF	34	36	18½	145	65
MDGC-2-15FF	34	42	18½	170	77

#### 3 HIGH CABINET

15" fixed front file drawers with 14<sup>1/8</sup>" clear height. Counterweights are included.

MDGA-3-15FF	49.5	30	18½	180	79
MDGB-3-15FF	49.5	36	18½	200	97
MDGC-3-15FF	49.5	42	18½	225	115

#### 4 HIGH CABINET

With 3ea 15" fixed front file drawers and 1 ea 15" receding door with shelf in top opening. Located at nominal work height.

MDGA-4-15FB	66.5	30	18½	225	107
MDGB-4-15FB	66.5	36	18½	245	131
MDGC-4-15FB	66.5	42	18½	270	155

#### 5 HIGH CABINET

With 3ea 15" fixed front file drawers and 2 ea 15" receding door with shelf in top openings. Located at nominal work height.

MDGA-5-15FB2	81.5	30	18½	270	135
MDGB-5-15FB2	81.5	36	18½	290	165
MDGC-5-15FB2	81.5	42	18½	315	197

#### Front to Back Hanging Channels

MDG-FTB	-	-	-	1	-
---------	---	---	---	---	---

# SPACEFINDER CABINETS

## PRODUCT SUMMARY AND SPECIFICATIONS

### PRODUCT SUMMARY

Spacefinder Cabinets are available in a variety of configurations for the storage of letter, legal and data media for the storage of binders and computer printouts. These cabinets are engineered to provide quick and easy access to media through the use of fixed shelves. All Spacefinder Cabinets are freestanding and may not be stacked.

### COLOR PLAN

See the TAB Color Chart for details and information regarding color selection and plan.

### PACKAGING

Cabinets are shipped with top and bottom caps and pads. Four corner posts protect the corners and the entire unit is securely encased in stretch wrap. Other types of packaging require a Request for Quotation.

### DELIVERY

Shipped FOB Mayville, Wisconsin. Consult TAB's Sales Support for lead times and availability.

### CABINET SHELL

The cabinet shell components, including the non adjustable shelves, are resistance welded into a rigid structural unit. Torsion rigidity of the cabinet is enhanced by (1) welded-in shelves, (2) box section created by inner-top panel, (3) overlapping welded flanges at the top and bottom of the cabinet, (4) box section created by the four glide mounting gussets in the bottom of the cabinet.

Note: All welding flanges are concealed for a smooth, uninterrupted exterior appearance.

### SHELL MATERIAL & GAUGES

CRS = Cold Rolled Steel

Exterior skin	20 gauge CRS
Bottom	18 gauge CRS
Front Uprights (2)	20 gauge CRS
Shelves	18 gauge CRS
Inner Top Panel	18 gauge CRS
Glide Mount Gussets (4)	14 gauge CRS

- All cabinet shells are equipped with four hexshaped leveling glides mounted in the cabinet base. Maximum glide adjustment is 11/8". Glides have a 3/8", 16 threaded stem. Glides are adjustable from both inside and outside the cabinet.

- Shelves are slotted to accept file supports at 23/16" intervals.
- All necessary mounting holes are provided for filed installation of all accessory components and receding doors.
- Painted finish is powder coated.

### EURO DOOR

If Euro door is required, change the S to C on the model number (ie. S2261 would be C2261).

### RECEDING DOOR MECHANISM

Receding door closures are provided for letter, legal and data media compartment sizes. Doors may be factory or field installed.

### DOOR TRACKING FEATURES

The door panel is pivotally mounted to a full width tracking equalizer bar. The doors are hinge-mounted to door stabilizers that travel on injection molded high lubricity plastic glide blocks. This door system provides high stability and prevents the doors from racking while traversing in and out of the cabinet. All door movements are cushioned by bumpers.

### DOOR MATERIAL & GAUGES

CRS = Cold Rolled Steel

Door Panel	20 gauge CRS
Tracking Equalizer	18 gauge CRS
Door Hinges (2)	18 gauge CRS
Door Tracks	16 gauge CRS

### DOOR FINISH

Powder Coated

### DOOR DIMENSIONS

(excluding tracking mechanism)

	Height (in)	Width (in)	Thickness/Depth (in)
Letter/Legal	11 <sup>3/16"</sup>	28 <sup>1/8"</sup> , 34 <sup>1/8"</sup> , 38 <sup>1/8"</sup>	5/8"
Data Media	14 <sup>5/16"</sup>	28 <sup>1/8"</sup> , 34 <sup>1/8"</sup> , 38 <sup>1/8"</sup>	5/8" 3/4" Space between door for access of concealed full-length door handle area.

### GANGLOCK SYSTEM

All Spacefinder cabinets can be equipped with a factory installed ganglock system. A single key locks doors simultaneously. Closures are latched at both the right and left hand sides. Individual locking doors are also available. The ganglock can be used in combination with individual locking doors or doors can have individual locks without a ganglock.

Door locking latches are concealed inside the structure of the cabinet when unlocked, providing an uninterrupted file compartment. When locked, the latches extend a full 9/16" into the door for maximum security. The latch's hook shape resists prying open. Key turning force does not exceed 11/2 inch pound.

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post

Twinfile Storage

File Trucks

Side-Trac



# SPACEFINDER CABINETS

## PRODUCT SUMMARY AND SPECIFICATIONS

### GANGLOCK MATERIAL & GAUGES

CRS = Cold Rolled Steel

Lock Latch	14 gauge CRS
Ganglock uprights (2)	20 gauge CRS
Actuator arms (2)	14 gauge CRS
Lock latch housing Nylon	6
Lock latch pivot	0.187" diameter hardened steel ball

- Lock is a 4-tumbler removable core type.
- Standard lock core number is D101.
- Other optional core numbers are available contact Customer Support for RFQ.

### SHELF CAPACITY

Spacefinder cabinet shelves are permanently welded into the structure of the cabinet shell. This increases the torsion rigidity of the cabinet. All welded-in shelves have a double 18 gauge thickness front flange for increased stiffness.

### FILE SUPPORT

A file support (London Fog) is available for both letter, legal and data media cabinets. It may be used to support partial shelf loads of media or to compartmentalize a shelf. Spacing between supports is 23/16 inches. File Supports are composed of 18-gauge cold-rolled steel (CRS) with a baked enamel finish.

### SECURITY BAR LOCKS

Security bar locks provide a greater degree of security than a standard ganglock assembly. Two hinged assemblies mount to the front of the cabinet, one on each side. The hinges close over the face of the receding doors and are retained in position by a selfstoring cross bar. The cross bar is secured in place by a customer supplied padlock. Hinges overlap the door by 11/16" on each side. Security bar locks are field installed and require drilling. Do not specify on SIDETRAC stationary units. **If swingaway bar locks need to be welded contact Customer Support.**

### SECURITY BAR LOCK MATERIAL & GAUGES

CRS = Cold Rolled Steel

Hinge	16 gauge CRS
Hinge Stiffener	16 gauge CRS
Cross bar	12 gauge CRS
Padlock staple	12 gauge CRS
Hinge Pin	0.120" diameter steel

- Hinge pins are welded in place to prevent removal.
- Finish: Baked enamel painted to match color of cabinet.

**• NOTE: Security bar locks cannot be used in conjunction with standard ganglock assemblies.**

### SIDE-TRAC

SIDE-TRAC with TAB lateral filing cabinets enhances the high density feature of the TAB cabinet by further expanding the filing inches while minimizing additional floor space. SIDE-TRAC adds only two inches to cabinet height and can be built in the following configurations (3/2, 4/3, 5/4, etc.) and can be added to at a later date. The purpose and function of SIDE-

TRAC is to laterally mobilize cabinets directly in front of a stationary row of cabinets. Elimination of one cabinet in the mobilized row of cabinets allows for access to rear cabinets by simply moving cabinets in a left or right direction. By using the adjustable leveling glides built into SIDE-TRAC, the decking can be easily leveled. Releveling is also possible with this unique design. This eliminates one of the major problems associated with non-level track systems-drifting. This product consists of two distinct items: a wheel anti-tip assembly for mobilizing and stabilizing the cabinets and an arrangement of decks which support both stationary and mobile cabinets.

### DECKS

Decks shall be made of high-grade 11/4 inch thick, 45 pound density particleboard core. Top and bottom shall be of a high pressure plastic laminate of .060 thickness. Visible edges to be finished with a matching vinyl molding. Tops to be routed to provide positive location of wheel tracks, cabinet levelers and cabinet anchors. Each deck section to have a minimum of ten (10) leveling pads affixed to the underside. Levelers shall be accessible throughout access holes located in the deck surface. Deck shall be finished with front trim formed from 16 gauge stainless steel with a brushed finish. The front wheel track shall be an integral part of the front trim piece.

### TRACK

Track shall be formed of 16 gauge stainless steel and formed in a U-shaped configuration for maximum strength and straightness. Recessed bumpers shall be permanently fastened at each end of the track to provide a cushioned stop for mobile cabinets. Metal stops are also added at the end of each track to prevent cabinets from riding over cushioned stop.

### WHEELS

Wheels to be 27/16 inch diameter single row radial ball bearings. The front wheel assembly is constructed of 11 gauge and shall support and attach to the front portion of the mobile cabinet. The rear wheel assembly supports the rear of the mobile cabinet and also serves as the anti-tip device. TAB's anti tip is mounted underneath the cabinet. The anti-tip has a unique low profile design that eliminates the need for unsightly overhead anti-tip mechanisms. Wheels shall be permanently sealed and require no maintenance

### ANCHORING

Rear row cabinets must be securely anchored to the deck with 12 gauge anchor plates one (1) per every two (2) stationary cabinets.

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post

Twinfile Storage


File Trucks

Side-Trac



# SPACEFINDER CABINETS

## LETTER CABINET SIDE-TRAC



A TYPICAL 5 + 4 COMBINATION  
REQUIRES:

- ☐ 1 STARTER DECK ASSEMBLY
- ☐ 4 ADD-ON DECK ASSEMBLY
- ☐ 4 WHEEL AND ANTI-TIP ASSEMBLIES
- ☐ 9 CABINETS
- ☐ LEVELER KIT

SIDE-TRAC systems use a deck to create a lateral mobile system for TAB cabinets.

- ☐ The recommended number of movables in a SIDE-TRAC configuration should not exceed six (6). Longer systems are acceptable depending on floor levelness.
- ☐ One starter deck assembly is required while add on deck assemblies are ordered as needed.
- ☐ Decks are available in Cool Grey or Sand.
- ☐ 30", 36", or 42" wide cabinets
- ☐ Swingaway barlocks can be installed on a SIDE-TRAC Mobile System. Contact Customer Support for RFQ.
- ☐ For system width, add length of back row of cabinets plus:
  - 2/1 - 2 1/4"
  - 3/2 - 3 1/4"
  - 4/3 - 4 1/4"
  - 5/4 - 5 1/4"
  - 6/5 - 6 1/4" etc.
- ☐ System Depth - 30"


Description	Ship Weight In Lbs	Model Number
<b>For 18 1/2" DEEP CABINETS</b>		
30"W Starter Deck Assembly	72	S3001-14-30
36"W Starter Deck Assembly	74	S3001-14-36
42"W Starter Deck Assembly	78	S3001-14-42
30"W Add-on Deck Assembly	68	S3003-14-30
36"W Add-on Deck Assembly	70	S3003-14-36
42"W Add-on Deck Assembly	74	S3003-14-42
30" Cabinet Wheel & Anti-Tip Assy	24	SM3004-30
36" Cabinet Wheel & Anti-Tip Assy	26	SM3004-36
42" Cabinet Wheel & Anti-Tip Assy	30	SM3004-42
Kit - Longer Levelers Recommend adding one kit per four or more decks.	2	MM3013
Deck End Cap Required when adding onto an existing system.	1	S-3014-14



Starter Deck Assembly



Add-on Deck Assembly



Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# SPACEFINDER CABINETS

## LETTER CABINETS (30" WIDE)

☐ Specify finish color for:  
Cabinet



Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>2 COMPARTMENT</b>						
Without doors	S1021	27	30	14	57	62
With doors	S1121	27	30	14	57	76
With doors & ganglock	S1221	27	30	14	57	78
<b>3 COMPARTMENT</b>						
Without doors	S1031	40 <sup>3/16</sup>	30	14	85.5	85
With doors	S1131	40 <sup>3/16</sup>	30	14	85.5	104
With doors & ganglock	S1231	40 <sup>3/16</sup>	30	14	85.5	104
<b>4 COMPARTMENT</b>						
Without doors	S1041	51 <sup>3/4</sup>	30	14	114	104
With doors	S1141	51 <sup>3/4</sup>	30	14	114	135
With doors & ganglock	S1241	51 <sup>3/4</sup>	30	14	114	135
<b>5 COMPARTMENT</b>						
Without doors	S1051	63 <sup>3/8</sup>	30	14	142.5	125
With doors	S1151	63 <sup>3/8</sup>	30	14	142.5	160
With doors & ganglock	S1251	63 <sup>3/8</sup>	30	14	142.5	160
<b>6 COMPARTMENT</b>						
Without doors	S1061	78 <sup>1/8</sup>	30	14	171	138
With doors	S1161	78 <sup>1/8</sup>	30	14	171	180
With doors & ganglock	S1261	78 <sup>1/8</sup>	30	14	171	180
<b>7 COMPARTMENT</b>						
Without doors	S1071	86 <sup>1/2</sup>	30	14	199.5	150
With doors	S1171	86 <sup>1/2</sup>	30	14	199.5	200
With doors & ganglock*	S1271	86 <sup>1/2</sup>	30	14	199.5	202
*keyed lock is located at the bottom of the cabinet						

\*keyed lock is located at the bottom of the cabinet

INTERIOR COMPARTMENT DIMENSIONS			
	Height	Width	Depth
<b>With Doors</b>	9 <sup>13/16</sup>	28 <sup>1/4</sup>	12 <sup>3/4</sup>
<b>Without Doors</b>	10 <sup>3/4</sup>	28 <sup>1/4</sup>	12 <sup>3/4</sup>

### OPTIONAL LETTER CABINET BACK PANELS

- └ SPECIFY FINISH COLOR FOR STEEL BACK PANEL
- └ BACK PANEL APPLIED TO CABINET AT FACTORY

Description	Model Number	Height (in)	Width (in)	Ship Weight
2 Hi Back Panel	S2LLB-30	27	30	4
3 Hi Back Panel	S3LLB-30	40 <sup>3/16</sup>	30	7
4 Hi Back Panel	S4LLB-30	51 <sup>3/4</sup>	30	10
5 Hi Back Panel	S5LLB-30	63 <sup>3/8</sup>	30	13
6 Hi Back Panel	S6LLB-30	78 <sup>1/8</sup>	30	18
7 Hi Back Panel	S7LLB-30	86 <sup>1/2</sup>	30	23

# SPACEFINDER CABINETS

## LETTER CABINETS (36" WIDE)

☐ Specify finish color for:  
Cabinet



Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>2 COMPARTMENT</b>						
Without doors	S2021	27	36	14	69	72
With doors	S2121	27	36	14	69	89
With doors & ganglock	S2221	27	36	14	69	89
<b>3 COMPARTMENT</b>						
Without doors	S2031	40 <sup>3/16</sup>	36	14	103.5	100
With doors	S2131	40 <sup>3/16</sup>	36	14	103.5	121
With doors & ganglock	S2231	40 <sup>3/16</sup>	36	14	103.5	121
<b>4 COMPARTMENT</b>						
Without doors	S2041	51 <sup>3/4</sup>	36	14	138	120
With doors	S2141	51 <sup>3/4</sup>	36	14	138	155
With doors & ganglock	S2241	51 <sup>3/4</sup>	36	14	138	155
<b>5 COMPARTMENT</b>						
Without doors	S2051	63 <sup>3/8</sup>	36	14	172.5	145
With doors	S2151	63 <sup>3/8</sup>	36	14	172.5	185
With doors & ganglock	S2251	63 <sup>3/8</sup>	36	14	172.5	185
<b>6 COMPARTMENT</b>						
Without doors	S2061	78 <sup>1/8</sup>	36	14	207	160
With doors	S2161	78 <sup>1/8</sup>	36	14	207	210
With doors & ganglock	S2261	78 <sup>1/8</sup>	36	14	207	210
<b>7 COMPARTMENT</b>						
Without doors	S2071	86 <sup>1/2</sup>	36	14	241.5	175
With doors	S2171	86 <sup>1/2</sup>	36	14	241.5	235
With doors & ganglock*	S2271	86 <sup>1/2</sup>	36	14	241.5	235
*keyed lock is located at the bottom of the cabinet						

\*keyed lock is located at the bottom of the cabinet

INTERIOR COMPARTMENT DIMENSIONS			
	Height	Width	Depth
<b>With Doors</b>	9 <sup>13/16</sup>	34 <sup>1/4</sup>	12 <sup>3/4</sup>
<b>Without Doors</b>	10 <sup>3/4</sup>	34 <sup>1/4</sup>	12 <sup>3/4</sup>

### OPTIONAL LETTER CABINET BACK PANELS

- └ SPECIFY FINISH COLOR FOR STEEL BACK PANEL
- └ BACK PANEL APPLIED TO CABINET AT FACTORY

Description	Model Number	Height (in)	Width (in)	Ship Weight
2 Hi Back Panel	S2LLB-36	27	36	5
3 Hi Back Panel	S3LLB-36	40 <sup>3/16</sup>	36	8
4 Hi Back Panel	S4LLB-36	51 <sup>3/4</sup>	36	12
5 Hi Back Panel	S5LLB-36	63 <sup>3/8</sup>	36	15
6 Hi Back Panel	S6LLB-36	78 <sup>1/8</sup>	36	20
7 Hi Back Panel	S7LLB-36	86 <sup>1/2</sup>	36	25

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# SPACEFINDER CABINETS

## LETTER CABINETS (42" WIDE)

☐ Specify finish color for:  
Cabinet



Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>2 COMPARTMENT</b>						
Without doors	S3021	27	42	14	81	82
With doors	S3121	27	42	14	81	104
With doors & ganglock	S3221	27	42	14	81	104
<b>3 COMPARTMENT</b>						
Without doors	S3031	40 <sup>3/16</sup>	42	14	121.5	115
With doors	S3131	40 <sup>3/16</sup>	42	14	121.5	140
With doors & ganglock	S3231	40 <sup>3/16</sup>	42	14	121.5	140
<b>4 COMPARTMENT</b>						
Without doors	S3041	51 <sup>3/4</sup>	42	14	162	140
With doors	S3141	51 <sup>3/4</sup>	42	14	162	178
With doors & ganglock	S3241	51 <sup>3/4</sup>	42	14	162	178
<b>5 COMPARTMENT</b>						
Without doors	S3051	63 <sup>3/8</sup>	42	14	202.5	165
With doors	S3151	63 <sup>3/8</sup>	42	14	202.5	210
With doors & ganglock	S3251	63 <sup>3/8</sup>	42	14	202.5	210
<b>6 COMPARTMENT</b>						
Without doors	S3061	78 <sup>1/8</sup>	42	14	243	185
With doors	S3161	78 <sup>1/8</sup>	42	14	243	240
With doors & ganglock	S3261	78 <sup>1/8</sup>	42	14	243	240
<b>7 COMPARTMENT</b>						
Without doors	S3071	86 <sup>1/2</sup>	42	14	283.5	200
With doors	S3171	86 <sup>1/2</sup>	42	14	283.5	270
With doors & ganglock*	S3271	86 <sup>1/2</sup>	42	14	283.5	270
*keyed lock is located at the bottom of the cabinet						

\*keyed lock is located at the bottom of the cabinet

INTERIOR COMPARTMENT DIMENSIONS			
	Height	Width	Depth
<b>With Doors</b>	9 <sup>13/16</sup>	40 <sup>1/4</sup>	12 <sup>3/4</sup>
<b>Without Doors</b>	10 <sup>3/4</sup>	40 <sup>1/4</sup>	12 <sup>3/4</sup>

### OPTIONAL LETTER CABINET BACK PANELS

- └ SPECIFY FINISH COLOR FOR STEEL BACK PANEL
- └ BACK PANEL APPLIED TO CABINET AT FACTORY

Description	Model Number	Height (in)	Width (in)	Ship Weight
2 Hi Back Panel	S2LLB-42	27	42	6
3 Hi Back Panel	S3LLB-42	40 <sup>3/16</sup>	42	10
4 Hi Back Panel	S4LLB-42	51 <sup>3/4</sup>	42	13
5 Hi Back Panel	S5LLB-42	63 <sup>3/8</sup>	42	17
6 Hi Back Panel	S6LLB-42	78 <sup>1/8</sup>	42	22
7 Hi Back Panel	S7LLB-42	86 <sup>1/2</sup>	42	28


# SPACEFINDER CABINETS

## LETTER CABINET COMPONENTS AND ACCESSORIES

- Specify finish color for:**

Indicate the quantity of top shelf doors required, because TAB must provide a "Top Channel" per each top shelf door.

### Doors




Description	Model Number	Exterior Dimensions In Inches			Ship Weight In Lbs.
		Height	Width	Depth	
Designer door	S2912-30	11 <sup>1/2</sup>	28	5/8	9
Individual Locking Des Door	S2803-30	11 <sup>1/2</sup>	28	5/8	10
Designer door	S2912-36	11 <sup>1/2</sup>	34	5/8	10
Individual Locking Des Door	S2803-36	11 <sup>1/2</sup>	34	5/8	11
Designer door	S2912-42	11 <sup>1/2</sup>	40	5/8	12
Individual Locking Des Door	S2803-42	11 <sup>1/2</sup>	40	5/8	13
Euro door	C2912-30	11 <sup>1/2</sup>	28	5/8	9
Individual Locking Euro Door	C2803-30	11 <sup>1/2</sup>	28	5/8	10
Euro door	C2912-36	11 <sup>1/2</sup>	34	5/8	10
Individual Locking Euro Door	C2803-36	11 <sup>1/2</sup>	34	5/8	11
Euro door	C2912-42	11 <sup>1/2</sup>	40	5/8	12
Individual Locking Euro Door	C2803-42	11 <sup>1/2</sup>	40	5/8	13

### Ganglocking Devices

Two-Compartment	S332-30	-	-	-	3
Three-Compartment	S333-30	-	-	-	4
Four-Compartment	S334-30	-	-	-	5
Five-Compartment	S335-30	-	-	-	6
Six-Compartment	S336-30	-	-	-	7
Seven-Compartment	S337-30	-	-	-	10
Two-Compartment	S332-36	-	-	-	4
Three-Compartment	S333-36	-	-	-	5
Four-Compartment	S334-36	-	-	-	6
Five-Compartment	S335-36	-	-	-	7
Six-Compartment	S336-36	-	-	-	8
Seven-Compartment	S337-36	-	-	-	11
Two-Compartment	S332-42	-	-	-	5
Three-Compartment	S333-42	-	-	-	6
Four-Compartment	S334-42	-	-	-	7
Five-Compartment	S335-42	-	-	-	8
Six-Compartment	S336-42	-	-	-	9
Seven-Compartment	S337-42	-	-	-	12

### Swingaway Bar Locks



Swingaway bar locks are field installed and can be painted to match the cabinet. Do not specify on SIDE-TRAC stationary units. If swingaway bar locks need to be welded contact Customer Support.

Bar Lock f/4 High Cabinet	S356-30	48	-	-	11
Bar Lock f/5 High Cabinet	S357-30	60	-	-	14
Bar Lock f/6 High Cabinet	S358-30	72	-	-	16
Bar Lock f/7 High Cabinet	S359-30	72	-	-	18
Bar Lock f/4 High Cabinet	S356-36	48	-	-	12
Bar Lock f/5 High Cabinet	S357-36	60	-	-	16
Bar Lock f/6 High Cabinet	S358-36	72	-	-	20
Bar Lock f/7 High Cabinet	S359-36	72	-	-	20
Bar Lock f/4 High Cabinet	S356-42	48	-	-	13
Bar Lock f/5 High Cabinet	S357-42	60	-	-	16
Bar Lock f/6 High Cabinet	S358-42	72	-	-	18
Bar Lock f/7 High Cabinet	S359-42	72	-	-	22

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


# SPACEFINDER CABINETS

## Miscellaneous



File Support (London Fog)	S2631-LF	-	-	1/8	1
---------------------------	----------	---	---	-----	---

## Anti-Tip Hardware Kit



Anti-Tip Hardware is designed to provide seismic anchoring for static cabinets. This kit includes the anchor bolts necessary to secure a TAB cabinet to concrete floors. (2000 P.S.I.) Other floor types will require different anchor bolts with equivalent pullout strength. Alternative anchors must be provided locally. Contact local vendors for substitutes. Product specifications and installation instructions are included with each kit.

Anti-Tip Hardware	1925	-	-	-	3
-------------------	------	---	---	---	---

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac


Twinfile Storage

File Trucks

# SPACEFINDER CABINETS

## LEGAL CABINET SIDE-TRAC

### SIDE-TRAC



A TYPICAL 5 + 4 COMBINATION  
REQUIRES:

- ☐ 1 STARTER DECK ASSEMBLY
- ☐ 4 ADD-ON DECK ASSEMBLY
- ☐ 4 WHEEL AND ANTI-TIP ASSEMBLIES
- ☐ 9 CABINETS
- ☐ LEVELER KIT

SIDE-TRAC systems use a deck to create a lateral mobile system for TAB cabinets.

- ☐ The recommended number of movables in a SIDE-TRAC configuration should not exceed six (6). Longer systems are acceptable depending on floor levelness.
- ☐ One starter deck assembly is required while add on deck assemblies are ordered as needed.
- ☐ Decks are available in Cool Grey or Sand.
- ☐ 30", 36", or 42" wide cabinets
- ☐ Swingaway barlocks can be installed on a SIDE-TRAC Mobile System. Contact Customer Support for RFQ.
- ☐ For system width, add length of back row of cabinets plus:
  - 2/1 - 2 1/4"
  - 3/2 - 3 1/4"
  - 4/3 - 4 1/4"
  - 5/4 - 5 1/4"
  - 6/5 - 6 1/4" etc.
- ☐ System Depth - 36 1/2"



Description	Ship Weight In Lbs	Model Number
<b>For 18 1/2" DEEP CABINETS</b>		
30"W Starter Deck Assembly	72	S3001-1725-30
36"W Starter Deck Assembly	74	S3001-1725-36
42"W Starter Deck Assembly	78	S3001-1725-42
30"W Add-on Deck Assembly	68	S3003-1725-30
36"W Add-on Deck Assembly	70	S3003-1725-36
42"W Add-on Deck Assembly	74	S3003-1725-42
30" Cabinet Wheel & Anti-Tip Assy	24	S3004-30
36" Cabinet Wheel & Anti-Tip Assy	26	S3004-36
42" Cabinet Wheel & Anti-Tip Assy	30	S3004-42
Kit - Longer Levelers	2	MM3013
Recommend adding one kit per four or more decks.		
Deck End Cap	1	S-3014-1725
Required when adding onto an existing system.		



Starter Deck Assembly



Add-on Deck Assembly



Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks



# SPACEFINDER CABINETS

## LEGAL CABINETS (30" WIDE)

☐ Specify finish color for:  
Cabinet



Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>2 COMPARTMENT</b>						
Without doors	S1022	27	30	17 <sup>1/4</sup>	57	70
With doors	S1122	27	30	17 <sup>1/4</sup>	57	86
With doors & ganglock	S1222	27	30	17 <sup>1/4</sup>	57	88
<b>3 COMPARTMENT</b>						
Without doors	S1032	40 <sup>3/16</sup>	30	17 <sup>1/4</sup>	85.5	95
With doors	S1132	40 <sup>3/16</sup>	30	17 <sup>1/4</sup>	85.5	116
With doors & ganglock	S1232	40 <sup>3/16</sup>	30	17 <sup>1/4</sup>	85.5	118
<b>4 COMPARTMENT</b>						
Without doors	S1042	51 <sup>3/4</sup>	30	17 <sup>1/4</sup>	114	114
With doors	S1142	51 <sup>3/4</sup>	30	17 <sup>1/4</sup>	114	143
With doors & ganglock	S1242	51 <sup>3/4</sup>	30	17 <sup>1/4</sup>	114	145
<b>5 COMPARTMENT</b>						
Without doors	S1052	63 <sup>3/8</sup>	30	17 <sup>1/4</sup>	142.5	135
With doors	S1152	63 <sup>3/8</sup>	30	17 <sup>1/4</sup>	142.5	170
With doors & ganglock	S1252	63 <sup>3/8</sup>	30	17 <sup>1/4</sup>	142.5	172
<b>6 COMPARTMENT</b>						
Without doors	S1062	78 <sup>1/8</sup>	30	17 <sup>1/4</sup>	171	148
With doors	S1162	78 <sup>1/8</sup>	30	17 <sup>1/4</sup>	171	190
With doors & ganglock	S1262	78 <sup>1/8</sup>	30	17 <sup>1/4</sup>	171	192
<b>7 COMPARTMENT</b>						
Without doors	S1072	86 <sup>1/2</sup>	30	17 <sup>1/4</sup>	199.5	160
With doors	S1172	86 <sup>1/2</sup>	30	17 <sup>1/4</sup>	199.5	210
With doors & ganglock*	S1272	86 <sup>1/2</sup>	30	17 <sup>1/4</sup>	199.5	212
*keyed lock is located at the bottom of the cabinet						

\*keyed lock is located at the bottom of the cabinet

INTERIOR COMPARTMENT DIMENSIONS			
	Height	Width	Depth
<b>With Doors</b>	9 <sup>13/16</sup>	28 <sup>1/4</sup>	16
<b>Without Doors</b>	10 <sup>3/4</sup>	28 <sup>1/4</sup>	16

### OPTIONAL LETTER CABINET BACK PANELS

- ┘ SPECIFY FINISH COLOR FOR STEEL BACK PANEL
- ┘ BACK PANEL APPLIED TO CABINET AT FACTORY

Description	Model Number	Height (in)	Width (in)	Ship Weight
2 Hi Back Panel	S2LLB-30	27	30	4
3 Hi Back Panel	S3LLB-30	40 <sup>3/16</sup>	30	7
4 Hi Back Panel	S4LLB-30	51 <sup>3/4</sup>	30	10
5 Hi Back Panel	S5LLB-30	63 <sup>3/8</sup>	30	13
6 Hi Back Panel	S6LLB-30	78 <sup>1/8</sup>	30	18
7 Hi Back Panel	S7LLB-30	86 <sup>1/2</sup>	30	23

# SPACEFINDER CABINETS

## LEGAL CABINETS (36" WIDE)

☐ Specify finish color for:  
Cabinet



Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>2 COMPARTMENT</b>						
Without doors	S2022	27	36	17 <sup>1/4</sup>	69	80
With doors	S2122	27	36	17 <sup>1/4</sup>	69	98
With doors & ganglock	S2222	27	36	17 <sup>1/4</sup>	69	98
<b>3 COMPARTMENT</b>						
Without doors	S2032	40 <sup>3/16</sup>	36	17 <sup>1/4</sup>	103.5	110
With doors	S2132	40 <sup>3/16</sup>	36	17 <sup>1/4</sup>	103.5	134
With doors & ganglock	S2232	40 <sup>3/16</sup>	36	17 <sup>1/4</sup>	103.5	137
<b>4 COMPARTMENT</b>						
Without doors	S2042	51 <sup>3/4</sup>	36	17 <sup>1/4</sup>	138	130
With doors	S2142	51 <sup>3/4</sup>	36	17 <sup>1/4</sup>	138	169
With doors & ganglock	S2242	51 <sup>3/4</sup>	36	17 <sup>1/4</sup>	138	172
<b>5 COMPARTMENT</b>						
Without doors	S2052	63 <sup>3/8</sup>	36	17 <sup>1/4</sup>	172.5	160
With doors	S2152	63 <sup>3/8</sup>	36	17 <sup>1/4</sup>	172.5	200
With doors & ganglock	S2252	63 <sup>3/8</sup>	36	17 <sup>1/4</sup>	172.5	204
<b>6 COMPARTMENT</b>						
Without doors	S2062	78 <sup>1/8</sup>	36	17 <sup>1/4</sup>	207	178
With doors	S2162	78 <sup>1/8</sup>	36	17 <sup>1/4</sup>	207	226
With doors & ganglock	S2262	78 <sup>1/8</sup>	36	17 <sup>1/4</sup>	207	231
<b>7 COMPARTMENT</b>						
Without doors	S2072	86 <sup>1/2</sup>	36	17 <sup>1/4</sup>	241.5	195
With doors	S2172	86 <sup>1/2</sup>	36	17 <sup>1/4</sup>	241.5	257
With doors & ganglock*	S2272	86 <sup>1/2</sup>	36	17 <sup>1/4</sup>	241.5	257
*keyed lock is located at the bottom of the cabinet						

\*keyed lock is located at the bottom of the cabinet

INTERIOR COMPARTMENT DIMENSIONS			
	Height	Width	Depth
<b>With Doors</b>	9 <sup>13/16</sup>	34 <sup>1/4</sup>	16
<b>Without Doors</b>	10 <sup>3/4</sup>	34 <sup>1/4</sup>	16

### OPTIONAL LETTER CABINET BACK PANELS

- ┘ SPECIFY FINISH COLOR FOR STEEL BACK PANEL
- ┘ BACK PANEL APPLIED TO CABINET AT FACTORY

Description	Model Number	Height (in)	Width (in)	Ship Weight
2 Hi Back Panel	S2LLB-36	27	36	5
3 Hi Back Panel	S3LLB-36	40 <sup>3/16</sup>	36	8
4 Hi Back Panel	S4LLB-36	51 <sup>3/4</sup>	36	12
5 Hi Back Panel	S5LLB-36	63 <sup>3/8</sup>	36	15
6 Hi Back Panel	S6LLB-36	78 <sup>1/8</sup>	36	20
7 Hi Back Panel	S7LLB-36	86 <sup>1/2</sup>	36	25

# SPACEFINDER CABINETS

## LEGAL CABINETS (42" WIDE)

☐ Specify finish color for:  
Cabinet



Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>2 COMPARTMENT</b>						
Without doors	S3022	27	42	17 <sup>1/4</sup>	81	90
With doors	S3122	27	42	17 <sup>1/4</sup>	81	112
With doors & ganglock	S3222	27	42	17 <sup>1/4</sup>	81	114
<b>3 COMPARTMENT</b>						
Without doors	S3032	40 <sup>3/16</sup>	42	17 <sup>1/4</sup>	121.5	122
With doors	S3132	40 <sup>3/16</sup>	42	17 <sup>1/4</sup>	121.5	150
With doors & ganglock	S3232	40 <sup>3/16</sup>	42	17 <sup>1/4</sup>	121.5	152
<b>4 COMPARTMENT</b>						
Without doors	S3042	51 <sup>3/4</sup>	42	17 <sup>1/4</sup>	162	146
With doors	S3142	51 <sup>3/4</sup>	42	17 <sup>1/4</sup>	162	186
With doors & ganglock	S3242	51 <sup>3/4</sup>	42	17 <sup>1/4</sup>	162	188
<b>5 COMPARTMENT</b>						
Without doors	S3052	63 <sup>3/8</sup>	42	17 <sup>1/4</sup>	202.5	172
With doors	S3152	63 <sup>3/8</sup>	42	17 <sup>1/4</sup>	202.5	220
With doors & ganglock	S3252	63 <sup>3/8</sup>	42	17 <sup>1/4</sup>	202.5	222
<b>6 COMPARTMENT</b>						
Without doors	S3062	78 <sup>1/8</sup>	42	17 <sup>1/4</sup>	243	198
With doors	S3162	78 <sup>1/8</sup>	42	17 <sup>1/4</sup>	243	250
With doors & ganglock	S3262	78 <sup>1/8</sup>	42	17 <sup>1/4</sup>	243	252
<b>7 COMPARTMENT</b>						
Without doors	S3072	86 <sup>1/2</sup>	42	17 <sup>1/4</sup>	283.5	208
With doors	S3172	86 <sup>1/2</sup>	42	17 <sup>1/4</sup>	283.5	278
With doors & ganglock*	S3272	86 <sup>1/2</sup>	42	17 <sup>1/4</sup>	283.5	280
*keyed lock is located at the bottom of the cabinet						

\*keyed lock is located at the bottom of the cabinet

INTERIOR COMPARTMENT DIMENSIONS			
	Height	Width	Depth
<b>With Doors</b>	9 <sup>13/16</sup>	40 <sup>1/4</sup>	16
<b>Without Doors</b>	10 <sup>3/4</sup>	40 <sup>1/4</sup>	16

### OPTIONAL LETTER CABINET BACK PANELS

- ┘ SPECIFY FINISH COLOR FOR STEEL BACK PANEL
- ┘ BACK PANEL APPLIED TO CABINET AT FACTORY

Description	Model Number	Height (in)	Width (in)	Ship Weight
2 Hi Back Panel	S2LLB-42	27	42	6
3 Hi Back Panel	S3LLB-42	40 <sup>3/16</sup>	42	10
4 Hi Back Panel	S4LLB-42	51 <sup>3/4</sup>	42	13
5 Hi Back Panel	S5LLB-42	63 <sup>3/8</sup>	42	17
6 Hi Back Panel	S6LLB-42	78 <sup>1/8</sup>	42	22
7 Hi Back Panel	S7LLB-42	86 <sup>1/2</sup>	42	28

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


# SPACEFINDER CABINETS

## LEGAL CABINET COMPONENTS AND ACCESSORIES

- Specify finish color for:**

Indicate the quantity of top shelf doors required, because TAB must provide a "Top Channel" per each top shelf door.

### Doors




Description	Model Number	Exterior Dimensions In Inches			Ship Weight In Lbs.
		Height	Width	Depth	
Designer door	S2912-30	11 <sup>1/2</sup>	28	5/8	9
Individual Locking Des Door	S2803-30	11 <sup>1/2</sup>	28	5/8	10
Designer door	S2912-36	11 <sup>1/2</sup>	34	5/8	10
Individual Locking Des Door	S2803-36	11 <sup>1/2</sup>	34	5/8	11
Designer door	S2912-42	11 <sup>1/2</sup>	40	5/8	12
Individual Locking Des Door	S2803-42	11 <sup>1/2</sup>	40	5/8	13
Euro door	C2912-30	11 <sup>1/2</sup>	28	5/8	9
Individual Locking Euro Door	C2803-30	11 <sup>1/2</sup>	28	5/8	10
Euro door	C2912-36	11 <sup>1/2</sup>	34	5/8	10
Individual Locking Euro Door	C2803-36	11 <sup>1/2</sup>	34	5/8	11
Euro door	C2912-42	11 <sup>1/2</sup>	40	5/8	12
Individual Locking Euro Door	C2803-42	11 <sup>1/2</sup>	40	5/8	13

### Ganglocking Devices

Two-Compartment	S332-30	-	-	-	3
Three-Compartment	S333-30	-	-	-	4
Four-Compartment	S334-30	-	-	-	5
Five-Compartment	S335-30	-	-	-	6
Six-Compartment	S336-30	-	-	-	7
Seven-Compartment	S337-30	-	-	-	10
Two-Compartment	S332-36	-	-	-	4
Three-Compartment	S333-36	-	-	-	5
Four-Compartment	S334-36	-	-	-	6
Five-Compartment	S335-36	-	-	-	7
Six-Compartment	S336-36	-	-	-	8
Seven-Compartment	S337-36	-	-	-	11
Two-Compartment	S332-42	-	-	-	5
Three-Compartment	S333-42	-	-	-	6
Four-Compartment	S334-42	-	-	-	7
Five-Compartment	S335-42	-	-	-	8
Six-Compartment	S336-42	-	-	-	9
Seven-Compartment	S337-42	-	-	-	12

### Swingaway



Swingaway bar locks are field installed and can be painted to match the cabinet. Do not specify on SIDE-TRAC stationary units. If swingaway bar locks need to be welded contact Customer Support.

Bar Lock f/4 High Cabinet	S356-30	48	-	-	11
Bar Lock f/5 High Cabinet	S357-30	60	-	-	14
Bar Lock f/6 High Cabinet	S358-30	72	-	-	16
Bar Lock f/7 High Cabinet	S359-30	72	-	-	18
Bar Lock f/4 High Cabinet	S356-36	48	-	-	12
Bar Lock f/5 High Cabinet	S357-36	60	-	-	16
Bar Lock f/6 High Cabinet	S358-36	72	-	-	20
Bar Lock f/7 High Cabinet	S359-36	72	-	-	20
Bar Lock f/4 High Cabinet	S356-42	48	-	-	13
Bar Lock f/5 High Cabinet	S357-42	60	-	-	16
Bar Lock f/6 High Cabinet	S358-42	72	-	-	18
Bar Lock f/7 High Cabinet	S359-42	72	-	-	22

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


# SPACEFINDER CABINETS

## Miscellaneous



File Support (London Fog)	S2633-LF	-	-	1/8	1
Shelf Depth Adapter Legal to Letter Size	S2672	2 1/4	3	35 1/2	2

## Anti-Tip Hardware Kit



Anti-Tip Hardware is designed to provide seismic anchoring for static cabinets. This kit includes the anchor bolts necessary to secure a TAB cabinet to concrete floors. (2000 P.S.I.) Other floor types will require different anchor bolts with equivalent pullout strength. Alternative anchors must be provided locally. Contact local vendors for substitutes. Product specifications and installation instructions are included with each kit.

Anti-Tip Hardware	1925	-	-	-	3
-------------------	------	---	---	---	---

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac


Twinfile Storage

File Trucks

# SPACEFINDER CABINETS

## DATA MEDIA CABINET SIDE-TRAC

### SIDE-TRAC



A TYPICAL 5 + 4 COMBINATION  
REQUIRES:

- ☐ 1 STARTER DECK ASSEMBLY
- ☐ 4 ADD-ON DECK ASSEMBLY
- ☐ 4 WHEEL AND ANTI-TIP ASSEMBLIES
- ☐ 9 CABINETS
- ☐ LEVELER KIT

SIDE-TRAC systems use a deck to create a lateral mobile system for TAB cabinets.

- ☐ The recommended number of movables in a SIDE-TRAC configuration should not exceed six (6). Longer systems are acceptable depending on floor levelness.
- ☐ One starter deck assembly is required while add on deck assemblies are ordered as needed.
- ☐ Decks are available in Cool Grey or Sand.
- ☐ 30", 36", or 42" wide cabinets
- ☐ Swingaway barlocks can be installed on a SIDE-TRAC Mobile System. Contact Customer Support for RFQ.
- ☐ For system width, add length of back row of cabinets plus:
  - 2/1 - 2 1/4"
  - 3/2 - 3 1/4"
  - 4/3 - 4 1/4"
  - 5/4 - 5 1/4"
  - 6/5 - 6 1/4" etc.
- ☐ System Depth - 37 1/2"

Description	Ship Weight In Lbs	Model Number
<b>For 18 1/2" DEEP CABINETS</b>		




Starter Deck Assembly

30"W Starter Deck Assembly	72	S3001-1725-30
36"W Starter Deck Assembly	74	S3001-1725-36
42"W Starter Deck Assembly	78	S3001-1725-42



Add-on Deck Assembly

30"W Add-on Deck Assembly	68	S3003-1725-30
36"W Add-on Deck Assembly	70	S3003-1725-36
42"W Add-on Deck Assembly	74	S3003-1725-42



30" Cabinet Wheel & Anti-Tip Assy	24	S3004-30
36" Cabinet Wheel & Anti-Tip Assy	26	S3004-36
42" Cabinet Wheel & Anti-Tip Assy	30	S3004-42

Kit - Longer Levelers	2	MM3013
Recommend adding one kit per four or more decks.		



Deck End Cap	1	S-3014-1725
Required when adding onto an existing system.		

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks





# SPACEFINDER CABINETS

## DATA MEDIA CABINETS (36" WIDE)

☐ Specify finish color for:  
Cabinet



Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>2 COMPARTMENT</b>						
Without doors	S2023	34	36	17 <sup>1/4</sup>	69	86
With doors	S2123	34	36	17 <sup>1/4</sup>	69	106
With doors & ganglock	S2223	34	36	17 <sup>1/4</sup>	69	108
<b>3 COMPARTMENT</b>						
Without doors	S2033	48 <sup>3/4</sup>	36	17 <sup>1/4</sup>	103.5	115
With doors	S2133	48 <sup>3/4</sup>	36	17 <sup>1/4</sup>	103.5	144
With doors & ganglock	S2233	48 <sup>3/4</sup>	36	17 <sup>1/4</sup>	103.5	148
<b>4 COMPARTMENT</b>						
Without doors	S2043	63 <sup>3/8</sup>	36	17 <sup>1/4</sup>	138	145
With doors	S2143	63 <sup>3/8</sup>	36	17 <sup>1/4</sup>	138	185
With doors & ganglock	S2243	63 <sup>3/8</sup>	36	17 <sup>1/4</sup>	138	189
<b>5 COMPARTMENT</b>						
Without doors	S2053	78 <sup>1/8</sup>	36	17 <sup>1/4</sup>	172.5	172
With doors	S2153	78 <sup>1/8</sup>	36	17 <sup>1/4</sup>	172.5	222
With doors & ganglock	S2253	78 <sup>1/8</sup>	36	17 <sup>1/4</sup>	172.5	226

INTERIOR COMPARTMENT DIMENSIONS			
	Height	Width	Depth
<b>With Doors</b>	13	34 <sup>1/4</sup>	16
<b>Without Doors</b>	13 <sup>3/16</sup>	34 <sup>1/4</sup>	16

### OPTIONAL LETTER CABINET BACK PANELS

- ┐ SPECIFY FINISH COLOR FOR STEEL BACK PANEL
- ┐ BACK PANEL APPLIED TO CABINET AT FACTORY

Description	Model Number	Height (in)	Width (in)	Ship Weight
2 Hi Back Panel	S2DMB-36	34	36	5
3 Hi Back Panel	S3DMB-36	48 <sup>3/4</sup>	36	8
4 Hi Back Panel	S4DMB-36	63 <sup>3/8</sup>	36	12
5 Hi Back Panel	S5DMB-36	78 <sup>1/8</sup>	36	15

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# SPACEFINDER CABINETS

## DATA MEDIA CABINETS (42" WIDE)

☐ Specify finish color for:  
Cabinet



Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>2 COMPARTMENT</b>						
Without doors	S3023	34	42	17 <sup>1/4</sup>	81	94
With doors	S3123	34	42	17 <sup>1/4</sup>	81	114
With doors & ganglock	S3223	34	42	17 <sup>1/4</sup>	81	116
<b>3 COMPARTMENT</b>						
Without doors	S3033	48 <sup>3/4</sup>	42	17 <sup>1/4</sup>	121.5	124
With doors	S3133	48 <sup>3/4</sup>	42	17 <sup>1/4</sup>	121.5	152
With doors & ganglock	S3233	48 <sup>3/4</sup>	42	17 <sup>1/4</sup>	121.5	154
<b>4 COMPARTMENT</b>						
Without doors	S3043	64 <sup>3/8</sup>	42	17 <sup>1/4</sup>	162	152
With doors	S3143	64 <sup>3/8</sup>	42	17 <sup>1/4</sup>	162	192
With doors & ganglock	S3243	64 <sup>3/8</sup>	42	17 <sup>1/4</sup>	162	194
<b>5 COMPARTMENT</b>						
Without doors	S3053	78 <sup>1/8</sup>	42	17 <sup>1/4</sup>	202.5	180
With doors	S3153	78 <sup>1/8</sup>	42	17 <sup>1/4</sup>	202.5	230
With doors & ganglock	S3253	78 <sup>1/8</sup>	42	17 <sup>1/4</sup>	202.5	232

INTERIOR COMPARTMENT DIMENSIONS			
	Height	Width	Depth
<b>With Doors</b>	13	40 <sup>1/4</sup>	16
<b>Without Doors</b>	13 <sup>13/16</sup>	40 <sup>1/4</sup>	16

### OPTIONAL LETTER CABINET BACK PANELS

- └ SPECIFY FINISH COLOR FOR STEEL BACK PANEL
- └ BACK PANEL APPLIED TO CABINET AT FACTORY

Description	Model Number	Height (in)	Width (in)	Ship Weight
2 Hi Back Panel	S2DMB-42	34	42	6
3 Hi Back Panel	S3DMB-42	48 <sup>3/4</sup>	42	10
4 Hi Back Panel	S4DMB-42	63 <sup>3/8</sup>	42	13
5 Hi Back Panel	S5DMB-42	78 <sup>1/8</sup>	42	17

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage



File Trucks

# SPACEFINDER CABINETS

## DATA MEDIA CABINET COMPONENTS AND ACCESSORIES

- **Specify finish color for:**

Indicate the quantity of top shelf doors required, because TAB must provide a "Top Channel" per each top shelf door.

Doors	Description	Model Number	Exterior Dimensions In Inches			Ship Weight In Lbs.
			Height	Width	Depth	
	Designer door	S2913-30	15 <sup>1/2</sup>	28	5/8	13
	Individual Locking Des Door	S2804-30	15 <sup>1/2</sup>	28	5/8	14
	Designer door	S2913-36	15 <sup>1/2</sup>	34	5/8	14
	Individual Locking Des Door	S2804-36	15 <sup>1/2</sup>	34	5/8	15
	Designer door	S2913-42	15 <sup>1/2</sup>	40	5/8	15
	Individual Locking Des Door	S2804-42	15 <sup>1/2</sup>	40	5/8	16
	Euro door	C2913-30	15 <sup>1/2</sup>	28	5/8	13
	Individual Locking Euro Door	C2804-30	15 <sup>1/2</sup>	28	5/8	14
	Euro door	C2913-36	15 <sup>1/2</sup>	34	5/8	14
	Individual Locking Euro Door	C2804-36	15 <sup>1/2</sup>	34	5/8	15
Ganglocking Devices	Euro door	C2913-42	15 <sup>1/2</sup>	40	5/8	15
	Individual Locking Euro Door	C2804-42	15 <sup>1/2</sup>	40	5/8	16
	Two-Compartment	S342-30	-	-	-	10
	Three-Compartment	S343-30	-	-	-	12
	Four-Compartment	S344-30	-	-	-	14
	Five-Compartment	S345-30	-	-	-	16
	Two-Compartment	S342-36	-	-	-	11
	Three-Compartment	S343-36	-	-	-	13
	Four-Compartment	S344-36	-	-	-	15
	Five-Compartment	S345-36	-	-	-	17
Swingaway Bar Locks	Two-Compartment	S342-42	-	-	-	12
	Three-Compartment	S343-42	-	-	-	14
	Four-Compartment	S344-42	-	-	-	16
	Five-Compartment	S345-42	-	-	-	18
	Swingaway bar locks are field installed and can be painted to match the cabinet. Do not specify on SIDE-TRAC stationary units. If swingaway bar locks need to be welded contact Customer Support.					
	Bar Lock f/2 High Cabinet	S354-30	34	-	-	-
	Bar Lock f/3 High Cabinet	S355-30	48	-	-	14
	Bar Lock f/4 High Cabinet	S357-30	60	-	-	16
	Bar Lock f/5 High Cabinet	S358-30	72	-	-	18
	Bar Lock f/2 High Cabinet	S354-36	34	-	-	-
	Bar Lock f/3 High Cabinet	S355-36	48	-	-	12
	Bar Lock f/4 High Cabinet	S357-36	60	-	-	16
	Bar Lock f/5 High Cabinet	S358-36	72	-	-	20
	Bar Lock f/2 High Cabinet	S354-42	34	-	-	-
	Bar Lock f/3 High Cabinet	S355-42	48	-	-	16
	Bar Lock f/4 High Cabinet	S357-42	60	-	-	18
	Bar Lock f/5 High Cabinet	S358-42	72	-	-	22

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


# SPACEFINDER CABINETS

## Miscellaneous



File Support (London Fog)	S2633-LF	-	-	1/8	1
---------------------------	----------	---	---	-----	---

## Anti-Tip Hardware Kit



Anti-Tip Hardware is designed to provide seismic anchoring for static cabinets. This kit includes the anchor bolts necessary to secure a TAB cabinet to concrete floors. (2000 P.S.I.) Other floor types will require different anchor bolts with equivalent pullout strength. Alternative anchors must be provided locally. Contact local vendors for substitutes. Product specifications and installation instructions are included with each kit.

Anti-Tip Hardware	1925	-	-	-	3
-------------------	------	---	---	---	---

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# UNIT SPACEFINDER

## PRODUCT SUMMARY AND SPECIFICATIONS

### PRODUCT SUMMARY

Unit Spacefinder is a unique filing system designed to accommodate a wide variety of media. Through the use of rails, posts, and unit boxes, both letter and legal size documents can be filed. Tilt and flat shelves are used for filing bulky documents as well as binders, books, printouts, and/or general storage. With media trays, documents or cards can be filed for lateral reference. Hanging racks are available for the storage and filing of magnetic tape and computer printouts. All of the various media storage components can be utilized alone or in combination with one another in a single installation. This is accomplished through the use of various components in conjunction with the basic post to provide the necessary filing framework.

### COLOR PLAN

See current price list for details and information regarding TAB's color selection and plan.

### DIMENSIONS

Unit Spacefinder is available in letter and legal size depths. Units are available in both 30" and 42" widths in both single- and double-faced assemblies. The units are freestanding and are available in standard heights of 62, 73, and 84 inches. Post extenders are available as an accessory item to increase the height. Any Unit Spacefinder installation which exceeds 90" in height should have a brace across each aisle and/or be anchored to the wall or floor.

### WEIGHT LOAD CAPACITIES

Letter size Unit Spacefinder will withstand a total load of 770 lbs. evenly distributed on a single side of a 42 inch framework with a maximum deflection from the vertical of 9/16 of an inch at the top of the post. Double faced units will withstand 1,540 lbs. evenly distributed on both sides with no deflection at the top of the post. Legal size Unit Spacefinder will withstand a total load of 910 lbs. evenly distributed on a single side of a 42 inch unit with a maximum deflection from the vertical of 3/4 of an inch at the top of the post. Double-faced units will withstand 1,820 lbs. evenly distributed on both sides with no deflection at the top of the post.

### POSTS

Unit Spacefinder post assemblies are made of heavy 12-gauge steel consisting of a base channel and an upright post electrically welded into either an "L" (single face section) or "T" (double face section) shaped assembly. The front side of a single-faced post, and both the front and rear side of a double- faced post, are pierced with double rows of trapezoidal shaped holes on 1 inch centers. The foot of the post is box-formed so that it is completely closed, for use with or without trim. Leveling glides are provided for leveling the post regardless of floor condition.

### RAILS

Unit Spacefinder rails are made of 14-gauge steel channel formed at both top and bottom edges for strength and rigidity. The ends of the rails have engaging hooks and locking tabs pierced and die-formed to the proper shape and size to engage in post openings.

### UNIT BOXES

Plastic unit boxes are 4" or 6" wide, in letter or legal depths. They are molded from high impact polystyrene into a single piece with a reinforced hanging hook integrally molded at the top back of the box. Boxes have molded ribs to prevent records from sliding or slumping. 6" boxes are slotted to accept plastic file supports. The box has an Ivory Beige or Cool Grey surface finish to provide a semi-gloss appearance and maximum resistance to chipping.

### MEDIA TRAYS

Media trays for lateral filing of cards are made of 20-gauge steel with a hook formation at the top back edge for hanging on rails. Trays are electrically spotwelded into a secure assembly.

### FLAT SHELVES

Flat shelves are made of 14-gauge steel ends and 18-gauge steel bodies electrically spotwelded into a one-piece unit. The ends of the shelves have engaging hooks and locking tabs pierced and die-formed to the proper shape and size to engage in post openings.

### TILT SHELVES

Tilt shelves are made of 14-gauge steel ends and 18-gauge steel bodies electrically spotwelded into a one-piece unit that, when attached to a unit post, tilt at a 5 degree angle. The ends of the shelves have engaging hooks and locking tabs pierced and die-formed to the proper shape and size to engage in post openings. Both bottom and back are pierced with slots on 11/8" centers to accept file supports.

### WORKSHELVES

Retractable workselves in 30" and 42" widths are made of a 14-gauge steel framework with special hook and locking tab formation for engaging unit posts.

### TRIM

End panels are box-formed from 22-gauge cold-rolled steel for rigidity, and have brackets properly formed to engage the top and bottom panels. End panels are interchangeable left to right. Top and bottom panels are made of 22-gauge cold-rolled steel

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# UNIT SPACEFINDER

## ORDERING GUIDE

The following tables indicate the number of sections required to form rows of a desired length or filing capacity. One section in each row must be an initial section; the remainder of the row should be additional sections.

Find the length of the row or the filing capacity desired in the body of the table.

Read up to the top shaded row for the number of 42"W sections required; left to the first shaded column for the number of 30"W sections required.

GUIDE FOR ROW LENGTHS  
42"W SECTIONS

30" W		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	0		3'9"	7'3"	10'9"	14'3"	17'9"	21'3"	24'9"	28'3"	31'9"	35'3"	38'9"	42'3"	45'9"	49'3"	52'9"
	1	2'9"	6'3"	9'9"	13'3"	16'9"	20'3"	23'9"	27'3"	30'9"	34'3"	37'9"	41'3"	44'9"	48'3"	5'9"	
	2	5'3"	8'9"	12'3"	15'9"	19'3"	22'9"	26'3"	29'9"	33'3"	36'9"	40'3"	43'9"	47'3"	50'9"		
	3	7'9"	11'3"	14'9"	18'3"	21'9"	25'3"	28'9"	32'3"	35'9"	39'3"	42'9"	46'3"	49'9"			
	4	10'3"	13'9"	17'3"	20'9"	24'3"	27'9"	31'3"	34'9"	38'3"	41'9"	45'3"	48'9"	52'3"			
	5	12'9"	16'3"	19'9"	23'3"	26'9"	30'3"	33'9"	37'3"	40'9"	44'3"	47'9"	51'3"				
	6	15'3"	18'9"	22'3"	25'9"	29'3"	32'9"	36'3"	39'9"	43'3"	46'9"	50'3"					

GUIDE FOR FILING CAPACITY (84" SINGLE FACE UNIT WITH 4" UNIT BOXES)  
42"W SECTIONS

30" W		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	0		280	560	840	1120	1400	1680	1960	2240	2520	2800	3080	3360	3640	3920	4200
	1	196	476	756	1036	1316	1596	1876	2156	2436	2716	2996	3276	3556	3836	4116	4396
	2	392	672	952	1232	1512	1792	2072	2352	2632	2912	3192	3472	3752	4032	4312	
	3	588	868	1148	1428	1708	1988	2268	2548	2828	3108	3388	3668	3948	4228		
	4	784	1064	1344	1624	1904	2184	2464	2744	3024	3304	3584	3864	4144			
	5	960	1260	1540	1820	2100	2380	2660	2940	3220	3500	3780					
	6	1176	1456	1736	2016	2296	2576	2856	3136	3416	3696	3976					

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# UNIT SPACEFINDER

## COMPACT PARTS USED IN COMPLETE ASSEMBLIES

Complete Unit Spacefinder Assembly Model numbers include all component parts listed in the table below.  
Individual parts need not be specified when using assembly model numbers.

	USF	POST	STD.	WIDE	TOP	4 UNIT BOXES		6 UNIT BOXES		USF			END	BRACKET &
Description	POSTS	CAP	RAIL	TAIL	RAIL	30"W	42"W	30"W	42"W	WKSHELF	TOP	BOTTOM	PANEL	SHIM
<b>84" High Unit Assembly (7 Levels)</b>														
Initial, Single Entry	2	2	6	1	1	49	70	35	49	-	1	1	2	-
Same With Workshelf	2	2	6	-	1	49	70	35	49	1	1	1	2	-
Additional, Single Entry	1	-	6	1	1	49	70	35	49	-	1	1	-	1
Same With Workshelf	1	-	6	-	1	49	70	35	49	1	1	1	-	1
Initial, Double Entry	2	2	12	2	2	98	140	70	98	-	2	2	4	-
Same w/ One Workshelf	2	2	12	1	2	98	140	70	98	1	2	2	4	-
Same w/ Two Workshelves	2	2	12	-	2	98	140	70	98	2	2	2	4	-
Additional, Double Entry	1	-	12	2	2	98	140	70	98	-	2	2	-	2
Same w/ One Workshelf	1	-	12	1	2	98	140	70	98	1	2	2	-	2
Same w/ Two Workshelves	1	-	12	-	2	98	140	70	98	2	2	2	-	2
<b>73" High Unit Assembly (6 Levels)</b>														
Initial, Single Entry	2	2	5	1	1	42	60	30	42	-	1	1	2	-
Same With Workshelf	2	2	5	-	1	42	60	30	42	1	1	1	2	-
Additional, Single Entry	1	-	5	1	1	42	60	30	42	-	1	1	-	1
Same With Workshelf	1	-	5	-	1	42	60	30	42	1	1	1	-	1
Initial, Double Entry	2	2	10	2	2	84	120	60	84	-	2	2	4	-
Same w/ One Workshelf	2	2	10	1	2	84	120	60	84	1	2	2	4	-
Same w/ Two Workshelves	2	2	10	-	2	84	120	60	84	2	2	2	4	-
Additional, Double Entry	1	-	10	2	2	84	120	60	84	-	2	2	-	2
Same w/ One Workshelf	1	-	10	1	2	84	120	60	84	1	2	2	-	2
Same w/ Two Workshelves	1	-	10	-	2	84	120	60	84	2	2	2	-	2

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks



# UNIT SPACEFINDER

## COMPONENT PARTS USED TO FORM 62"H UNITS

Components can be ordered to create a partition (62") height unit. The table below lists the necessary components that must be specified.

STRUCTURE																	
	62"	POST	STD.	WIDE	TOP	4 UNIT BOXES		6 UNIT BOXES		USF			62" END	BRACKET &	REINFORCED	TOP TRIM	REINFORCED
Description	POSTS	CAP	RAIL	RAIL	RAIL	30"W	42"W	30"W	42"W	WKSHELF	TOP	BOTTOM	PANEL	SHIM	BRACKET & SHIM	FILLER STRIP	TOP BAR
Initial, Single Entry	2	2	4	1	1	35	50	25	35	-	1	1	2	-	-	1	1
Same With Workshelf	2	2	4	-	1	35	50	25	35	1	1	1	2	-	-	1	1
Additional, Single Entry	1	-	4	1	1	35	50	25	35	-	1	1	-	1	1	1	1
Same With Workshelf	1	-	4	-	1	35	50	25	35	1	1	1	-	1	1	1	1
Initial, Double Entry	2	2	8	2	2	70	100	50	70	-	2	2	4	-	-	-	1
Same w/ One Workshelf	2	2	8	1	2	70	100	50	70	1	2	2	4	-	-	-	1
Same w/ Two Workshelves	2	2	8	-	2	70	100	50	70	2	2	2	4	-	-	-	1
Additional, Double Entry	1	-	8	2	2	70	100	50	70	-	2	2	-	2	2	-	1
Same w/ One Workshelf	1	-	8	1	2	70	100	50	70	1	2	2	-	2	2	-	1
Same w/ Two Workshelves	1	-	8	-	2	70	100	50	70	2	2	2	-	2	2	-	1

Model Number		Description
Letter	Legal	
5319	5320	62"H Single Post
5321	5322	62"H Double Post
5380		Plastic Post Cap
5330		Standard Rail, 30"W
5342		Standard Rail, 42"W
5338		Wide Rail, 30"W
5348		Wide Rail, 42"W
5339		Top Rail, 30"W
5349		Top Rail, 42"W
5281	5282	4" Unit Box
5283	5284	6" Unit Box
5259		Workshelf, 30"W

Model Number		Description
Letter	Legal	
5258		Workshelf, 42"W
5275	5276	Top, 30"W
5277	5278	Top, 42"W
5271	5272	Bottom, 30"W
5273	5274	Bottom, 42"W
5265	5266	62"H End Panel
5391	5392	Top Bracket & Shim
5393	5394	Reinforced Bracket & Shim
5288		Top Trim Filler Strip, 30"W
5289		Top Trim Filler Strip, 42"W
5291		Top Trim Reinforced Bar, 30"W
5292		Top Trim Reinforced Bar, 42"W


# UNIT SPACEFINDER

## LETTER ASSEMBLIES WITH 4" UNIT BOXES

□ Specify finish color for:

Trim/Posts/Rails: TAB Color Chart

Unit Boxes: Ivory Beige; Cool Grey



Description	Model Number	Exterior Dimensions			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>84" HIGH SINGLE - LETTER DEPTH</b>						
Initial, 33"W	5101	84	33	15 <sup>3/4</sup>	196	183
Same w/ Workshelf	5111	84	33	15 <sup>3/4</sup>	196	210
Additional, 30"W	5103	84	30	15 <sup>3/4</sup>	196	120
Same w/ Workshelf	5113	84	30	15 <sup>3/4</sup>	196	147
Initial, 45"W	5121	84	45	15 <sup>3/4</sup>	280	218
Same w/ Workshelf	5131	84	45	15 <sup>3/4</sup>	280	248
Additional, 42"W	5123	84	42	15 <sup>3/4</sup>	280	155
Same w/ Workshelf	5133	84	42	15 <sup>3/4</sup>	280	185
<b>84" HIGH DOUBLE - LETTER DEPTH</b>						
Initial, 33"W	5105	84	33	29	392	317
Same w/1 Workshelf	5115	84	33	29	392	344
Same w/2 Workshelf	5109	84	33	29	392	371
Additional, 30"W	5107	84	30	29	392	217
Same w/1 Workshelf	5117	84	30	29	392	244
Same w/2 Workshelf	5119	84	30	29	392	271
Initial, 45"W	5125	84	45	29	560	389
Same w/1 Workshelf	5135	84	45	29	560	419
Same w/2 Workshelf	5129	84	45	29	560	449
Additional, 42"W	5127	84	42	29	560	289
Same w/1 Workshelf	5137	84	42	29	560	319
Same w/2 Workshelf	5139	84	42	29	560	349
<b>73" HIGH SINGLE - LETTER DEPTH</b>						
Initial, 33"W	5151	73	33	15 <sup>3/4</sup>	168	167
Same w/ Workshelf	5161	73	33	15 <sup>3/4</sup>	168	194
Additional, 30"W	5153	73	30	15 <sup>3/4</sup>	168	107
Same w/ Workshelf	5163	73	30	15 <sup>3/4</sup>	168	134
Initial, 45"W	5171	73	45	15 <sup>3/4</sup>	240	180
Same w/ Workshelf	5181	73	45	15 <sup>3/4</sup>	240	213
Additional, 42"W	5173	73	42	15 <sup>3/4</sup>	240	140
Same w/ Workshelf	5183	73	42	15 <sup>3/4</sup>	240	173
<b>73" HIGH DOUBLE - LETTER DEPTH</b>						
Initial, 33"W	5155	73	33	29	336	279
Same w/1 Workshelf	5165	73	33	29	336	306
Same w/2 Workshelf	5159	73	33	29	336	333
Additional, 30"W	5157	73	30	29	336	189
Same w/1 Workshelf	5167	73	30	29	336	216
Same w/2 Workshelf	5169	73	30	29	336	243
Initial, 45"W	5175	73	45	29	480	313
Same w/1 Workshelf	5185	73	45	29	480	343
Same w/2 Workshelf	5179	73	45	29	480	373
Additional, 42"W	5177	73	42	29	480	258
Same w/1 Workshelf	5187	73	42	29	480	288
Same w/2 Workshelf	5189	73	42	29	480	318

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


# UNIT SPACEFINDER

## LETTER ASSEMBLIES WITH 6" UNIT BOXES

☐ Specify finish color for:

Trim/Posts/Rails: TAB Color Chart

Unit Boxes: Ivory Beige; Cool Grey



	Model	Exterior Dimensions			Clear	Ship
Description	Number	Height	Width	Depth	Filing Inches	Weight In Lbs.
<b>84" HIGH SINGLE - LETTER DEPTH</b>						
Initial, 33"W	5001	84	33	15 <sup>3/4</sup>	196	183
Same w/ Workshelf	5011	84	33	15 <sup>3/4</sup>	196	210
Additional, 30"W	5003	84	30	15 <sup>3/4</sup>	196	120
Same w/ Workshelf	5013	84	30	15 <sup>3/4</sup>	196	147
Initial, 45"W	5021	84	45	15 <sup>3/4</sup>	280	218
Same w/ Workshelf	5031	84	45	15 <sup>3/4</sup>	280	248
Additional, 42"W	5023	84	42	15 <sup>3/4</sup>	280	155
Same w/ Workshelf	5033	84	42	15 <sup>3/4</sup>	280	185
<b>84" HIGH DOUBLE - LETTER DEPTH</b>						
Initial, 33"W	5005	84	33	29	392	317
Same w/1 Workshelf	5015	84	33	29	392	344
Same w/2 Workshelf	5009	84	33	29	392	371
Additional, 30"W	5007	84	30	29	392	217
Same w/1 Workshelf	5017	84	30	29	392	244
Same w/2 Workshelf	5019	84	30	29	392	271
Initial, 45"W	5025	84	45	29	560	389
Same w/1 Workshelf	5035	84	45	29	560	419
Same w/2 Workshelf	5029	84	45	29	560	449
Additional, 42"W	5027	84	42	29	560	289
Same w/1 Workshelf	5037	84	42	29	560	319
Same w/2 Workshelf	5039	84	42	29	560	349
<b>73" HIGH SINGLE - LETTER DEPTH</b>						
Initial, 33"W	5051	73	33	15 <sup>3/4</sup>	168	167
Same w/ Workshelf	5061	73	33	15 <sup>3/4</sup>	168	194
Additional, 30"W	5053	73	30	15 <sup>3/4</sup>	168	107
Same w/ Workshelf	5063	73	30	15 <sup>3/4</sup>	168	134
Initial, 45"W	5071	73	45	15 <sup>3/4</sup>	240	180
Same w/ Workshelf	5081	73	45	15 <sup>3/4</sup>	240	213
Additional, 42"W	5073	73	42	15 <sup>3/4</sup>	240	140
Same w/ Workshelf	5083	73	42	15 <sup>3/4</sup>	240	173
<b>73" HIGH DOUBLE - LETTER DEPTH</b>						
Initial, 33"W	5055	73	33	29	336	279
Same w/1 Workshelf	5065	73	33	29	336	306
Same w/2 Workshelf	5059	73	33	29	336	333
Additional, 30"W	5057	73	30	29	336	189
Same w/1 Workshelf	5067	73	30	29	336	216
Same w/2 Workshelf	5069	73	30	29	336	243
Initial, 45"W	5075	73	45	29	480	313
Same w/1 Workshelf	5085	73	45	29	480	343
Same w/2 Workshelf	5079	73	45	29	480	373
Additional, 42"W	5077	73	42	29	480	258
Same w/1 Workshelf	5087	73	42	29	480	288
Same w/2 Workshelf	5089	73	42	29	480	318

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


# UNIT SPACEFINDER

## LEGAL ASSEMBLIES WITH 4" UNIT BOXES

☐ **Specify finish color for:**

Trim/Posts/Rails: TAB Color Chart

Unit Boxes: Ivory Beige; Cool Grey



Description	Model	Exterior Dimensions			Clear	Ship
	Number	Height	Width	Depth	Filing Inches	Weight In Lbs.
<b>84" HIGH SINGLE - LEGAL DEPTH</b>						
Initial, 33"W	5402	84	33	18 <sup>1/4</sup>	196	202
Same w/ Workshelf	5412	84	33	18 <sup>1/4</sup>	196	235
Additional, 30"W	5404	84	30	18 <sup>1/4</sup>	196	133
Same w/ Workshelf	5414	84	30	18 <sup>1/4</sup>	196	166
Initial, 45"W	5422	84	45	18 <sup>1/4</sup>	280	242
Same w/ Workshelf	5432	84	45	18 <sup>1/4</sup>	280	279
Additional, 42"W	5424	84	42	18 <sup>1/4</sup>	280	173
Same w/ Workshelf	5434	84	42	18 <sup>1/4</sup>	280	280
<b>84" HIGH DOUBLE - LEGAL DEPTH</b>						
Initial, 33"W	5406	84	33	35	392	360
Same w/1 Workshelf	5416	84	33	35	392	387
Same w/2 Workshelf	5410	84	33	35	392	414
Additional, 30"W	5408	84	30	35	392	244
Same w/1 Workshelf	5418	84	30	35	392	271
Same w/2 Workshelf	5420	84	30	35	392	298
Initial, 45"W	5426	84	45	35	560	442
Same w/1 Workshelf	5436	84	45	35	560	479
Same w/2 Workshelf	5430	84	45	35	560	518
Additional, 42"W	5428	84	42	35	560	326
Same w/1 Workshelf	5438	84	42	35	560	363
Same w/2 Workshelf	5440	84	42	35	560	400
<b>73" HIGH SINGLE - LEGAL DEPTH</b>						
Initial, 33"W	5452	73	33	18 <sup>1/4</sup>	168	185
Same w/ Workshelf	5462	73	33	18 <sup>1/4</sup>	168	218
Additional, 30"W	5454	73	30	18 <sup>1/4</sup>	168	118
Same w/ Workshelf	5464	73	30	18 <sup>1/4</sup>	168	151
Initial, 45"W	5472	73	45	18 <sup>1/4</sup>	240	233
Same w/ Workshelf	5482	73	45	18 <sup>1/4</sup>	240	270
Additional, 42"W	5474	73	42	18 <sup>1/4</sup>	240	166
Same w/ Workshelf	5484	73	42	18 <sup>1/4</sup>	240	203
<b>73" HIGH DOUBLE - LEGAL DEPTH</b>						
Initial, 33"W	5456	73	33	35	336	318
Same w/1 Workshelf	5466	73	33	35	336	351
Same w/2 Workshelf	5460	73	33	35	336	384
Additional, 30"W	5458	73	30	35	336	215
Same w/1 Workshelf	5468	73	30	35	336	248
Same w/2 Workshelf	5470	73	30	35	336	281
Initial, 45"W	5476	73	45	35	480	394
Same w/1 Workshelf	5486	73	45	35	480	431
Same w/2 Workshelf	5480	73	45	35	480	468
Additional, 42"W	5478	73	42	35	480	291
Same w/1 Workshelf	5488	73	42	35	480	328
Same w/2 Workshelf	5490	73	42	35	480	365

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


# UNIT SPACEFINDER

## LEGAL ASSEMBLIES WITH 6" UNIT BOXES

□ Specify finish color for:

Trim/Posts/Rails: TAB Color Chart

Unit Boxes: Ivory Beige; Cool Grey



Description	Model Number	Exterior Dimensions			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<b>84" HIGH SINGLE - LEGAL DEPTH</b>						
Initial, 33"W	5602	84	33	18 <sup>1/4</sup>	196	202
Same w/ Workshelf	5612	84	33	18 <sup>1/4</sup>	196	235
Additional, 30"W	5604	84	30	18 <sup>1/4</sup>	196	133
Same w/ Workshelf	5614	84	30	18 <sup>1/4</sup>	196	166
Initial, 45"W	5622	84	45	18 <sup>1/4</sup>	280	242
Same w/ Workshelf	5632	84	45	18 <sup>1/4</sup>	280	279
Additional, 42"W	5624	84	42	18 <sup>1/4</sup>	280	173
Same w/ Workshelf	5634	84	42	18 <sup>1/4</sup>	280	280
<b>84" HIGH DOUBLE - LEGAL DEPTH</b>						
Initial, 33"W	5606	84	33	35	392	360
Same w/1 Workshelf	5616	84	33	35	392	387
Same w/2 Workshelf	5610	84	33	35	392	414
Additional, 30"W	5608	84	30	35	392	244
Same w/1 Workshelf	5618	84	30	35	392	271
Same w/2 Workshelf	5620	84	30	35	392	298
Initial, 45"W	5626	84	45	35	560	442
Same w/1 Workshelf	5636	84	45	35	560	479
Same w/2 Workshelf	5630	84	45	35	560	518
Additional, 42"W	5628	84	42	35	560	326
Same w/1 Workshelf	5638	84	42	35	560	363
Same w/2 Workshelf	5640	84	42	35	560	400
<b>73" HIGH SINGLE - LEGAL DEPTH</b>						
Initial, 33"W	5652	73	33	18 <sup>1/4</sup>	168	185
Same w/ Workshelf	5662	73	33	18 <sup>1/4</sup>	168	218
Additional, 30"W	5654	73	30	18 <sup>1/4</sup>	168	118
Same w/ Workshelf	5664	73	30	18 <sup>1/4</sup>	168	151
Initial, 45"W	5672	73	45	18 <sup>1/4</sup>	240	233
Same w/ Workshelf	5682	73	45	18 <sup>1/4</sup>	240	270
Additional, 42"W	5674	73	42	18 <sup>1/4</sup>	240	166
Same w/ Workshelf	5684	73	42	18 <sup>1/4</sup>	240	203
<b>73" HIGH DOUBLE - LEGAL DEPTH</b>						
Initial, 33"W	5656	73	33	35	336	318
Same w/1 Workshelf	5666	73	33	35	336	351
Same w/2 Workshelf	5660	73	33	35	336	384
Additional, 30"W	5658	73	30	35	336	215
Same w/1 Workshelf	5668	73	30	35	336	248
Same w/2 Workshelf	5670	73	30	35	336	281
Initial, 45"W	5676	73	45	35	480	394
Same w/1 Workshelf	5686	73	45	35	480	431
Same w/2 Workshelf	5680	73	45	35	480	468
Additional, 42"W	5678	73	42	35	480	291
Same w/1 Workshelf	5688	73	42	35	480	328
Same w/2 Workshelf	5690	73	42	35	480	365

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post Side-Trac

Twinfile Storage


File Trucks




# UNIT SPACEFINDER

## LETTER/LEGAL FILING COMPONENTS

### Posts



Letter Post




Legal Post



Post Extender 5371



5353



1265



9909



9910



5398

### Description

Unit Spacefinder posts are either "L" (single face section) or "T" (double face section) shaped and pierced with double rows of trapezoidal shaped holes. The foot of the post is box-formed so that it is completely closed for use with or without trim. Leveling glides are provided for leveling the post regardless of floor condition. Post extenders are available to increase the height. All posts over 90" high must be anchored to the floor, a wall, or crossbraced for safety. Posts are thoroughly cleaned, phosphatized, and painted with a high grade baked enamel.

☐ Specify finish color for:  
TAB Color Chart

### LETTER SIZE

Single, 84"H	5303	83 <sup>1/2</sup>	2 <sup>3/4</sup>	15 <sup>3/4</sup>	23
Double, 84"H	5307	83 <sup>1/2</sup>	2 <sup>3/4</sup>	29	27
Single, 73"H	5313	72 <sup>1/2</sup>	2 <sup>3/4</sup>	15 <sup>3/4</sup>	21
Double, 73"H	5317	72 <sup>1/2</sup>	2 <sup>3/4</sup>	29	24
Single, 62"H	5319	61 <sup>1/2</sup>	2 <sup>3/4</sup>	15 <sup>3/4</sup>	19
Double, 62"H	5321	61 <sup>1/2</sup>	2 <sup>3/4</sup>	29	22

### LEGAL SIZE

Single, 84"H	5304	83 <sup>1/2</sup>	2 <sup>3/4</sup>	18 <sup>3/4</sup>	24
Double, 84"H	5308	83 <sup>1/2</sup>	2 <sup>3/4</sup>	35	30
Single, 73"H	5314	72 <sup>1/2</sup>	2 <sup>3/4</sup>	18 <sup>3/4</sup>	22
Double, 73"H	5318	72 <sup>1/2</sup>	2 <sup>3/4</sup>	35	25
Single, 62"H	5320	61 <sup>1/2</sup>	2 <sup>3/4</sup>	18 <sup>3/4</sup>	20
Double, 62"H	5322	61 <sup>1/2</sup>	2 <sup>3/4</sup>	35	23

### ACCESSORIES

The base retainer clip must be ordered to secure the bottom Unit Spacefinder trim panel in situations where no bottom rail is specified.

Base Retainer Clips (Zinc Plate)	5228	-	2	-	1
Offset Anchor Plate (Zinc Plate)	5352	1/4	2 <sup>1/2</sup>	3 <sup>1/8</sup>	0.4
Adjustable Tie Rod (Ivory Beige)	5353	-	2	-	8
(adjustable 46" to 73" post to post, on 3" centers)					
Tie Rod Adapter (Ivory Beige)	5354	2	2 <sup>1/2</sup>	2 <sup>1/2</sup>	0.4
Post Extender, 11"H (Ivory Beige)	5371	11	2 <sup>1/2</sup>	2 <sup>1/2</sup>	4.5
Post Extender, 13"H (Ivory Beige)	5373	13	2 <sup>1/2</sup>	2 <sup>1/2</sup>	5
Plastic Post Cap	5380	-	-	-	-
73" Rail Stop Bar	5398	-	-	-	3
84" Rail Stop Bar	5399	-	-	-	5
Lok/Bolt Anchor (box of 50)	9909	-	-	-	0.9
Lok/Bolt Extender (box of 100)	9910	-	-	-	0.3

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# UNIT SPACEFINDER

## LETTER/LEGAL FILING COMPONENTS

### Rails



5330



5333



5339



5338

### Retractable Workshelves



5258


### Flat Shelves



5216



4788



5769



4253-42

### Description

Unit Spacefinder rails have engaging hooks and locking tabs to engage in post openings. The "C" rail is designed to take out the 5 degree tilt of the unit boxes. The wide rail is for use with workshelves. Rails are thoroughly cleaned, phosphatized, and painted with a high grade baked enamel. Structural components for Unit Spacefinder are furnished as a standard in Ivory Beige and Cool Grey.

☐ **Specify finish color for:**  
TAB Color Chart

Standard Rail, 30"W	5330	3 1/4	30	1 1/2	3.3
Standard Rail, 42"W	5342	3 1/4	42	1 1/2	4.5
"C" Type Rail, 30"W	5333	3 1/4	30	1 1/8	4.1
"C" Type Rail, 42"W	5345	3 1/4	42	1 1/8	5
Top Rail, 30"H	5339	2 1/4	30	1 3/8	2.8
Top Rail, 42"H	5349	2 1/4	42	1 3/8	6
Wide Rail, 30"H	5338	4 1/4	30	1 7/8	4
Wide Rail, 42"H	5348	4 1/4	42	1 7/8	6

\*Available in black only.

Retractable workshelves in 30" and 42" lengths have a special hook and locking tab formation for engaging unit posts. Letter or legal depth media will fit on these shelves. Shelves are available in Ivory Beige or Cool Grey.

☐ **Specify finish color for:**  
TAB Color Chart

Workshelf, 30"W	5259	7 1/4	30	14	27
Workshelf, 42"W	5258	7 1/4	42	14	34

Flat shelves have engaging hooks and locking tabs to engage in post openings. Shelves are thoroughly cleaned, phosphatized, and painted with a high grade baked enamel.

☐ **Specify finish color for:**  
TAB Color Chart

### LETTER SIZE SHELVES

30"W Shelf, 11" Deep	5216	7 1/4	30	11 3/4	13
42"W Shelf, 11" Deep	5217	7 1/4	42	11 3/4	16

### LEGAL SIZE SHELVES

30"W Shelf, 14" Deep	5218	7 1/4	30	15	17
42"W Shelf, 14" Deep	5219	7 1/4	42	15	20
48"W Shelf, 14" Deep	5220	7 1/8	48	15	24

### MIXED MEDIA SHELF IVORY BEIGE ONLY. INCLUDES TWO (2) SLIDING DIVIDERS

42"W Shelf, 6"D (4" interior depth)	4786	5 13/42	41 15/16	5 15/16	11
48"W Shelf, 6"D (4" interior depth)	4788	5 13/42	41 15/16	5 15/16	13
Mixed Media Divider Pair (2)	4800	-	-	-	2

### ACCESSORIES

Letter File Support (Cool Grey)	5769	6 3/8	1/8	11 3/8	1
Legal File Support (Cool Grey)	5779	6 3/8	1/8	14 3/8	1
Mixed Media Divider Pair (2)	4800	-	-	-	2
(Ivory Beige)	4800	-	-	-	2
Spacer Rod for 30"W Shelves	4253-30	1/4	29 3/4	-	0.3
Spacer Rod for 32"W Shelves	4253-32	1/4	31 3/4	-	0.3
Spacer Rod for 42"W Shelves	4253-42	1/4	41 3/4	-	0.3

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks



# UNIT SPACEFINDER


## LETTER/LEGAL FILING COMPONENTS

### Hardware Kit for Field Installation of Workshelves

Model					Ship
Description	Number	Height	Width	Depth	Weight In Lbs.
Allows a Unit Spacefinder workshelf, 5258 or 5259, to be mounted to a Unit Spacefinder flat shelf. Hardware kit allows conversion of six rows flat shelf filing with workshelf to seven full rows of filing. Extensive modification required					
<input type="checkbox"/> <b>Specify finish color for:</b> HARDWARE KIT: Ivory Beige, Cool Grey					

For letter workshelf (30"W or 42"W)	5260	1 <sup>47</sup> / <sub>64</sub>	3 <sup>15</sup> / <sub>64</sub>	11 <sup>1</sup> / <sub>4</sub>	3
For legal workshelf (30"W or 42"W)	5261	1 <sup>47</sup> / <sub>64</sub>	3 <sup>15</sup> / <sub>64</sub>	14 <sup>1</sup> / <sub>4</sub>	4

### Workshelves for Flat Shelf Installations




5212

Factory modified workshelves which can be field installed to flat shelves to allow for seven levels of filing. Some field modification to the flat shelf may be required.					
<input type="checkbox"/> <b>Specify finish color for:</b> HARDWARE KIT: Ivory Beige, Cool Grey					

30in letter workshelf for 5216 shelf	5212	1 <sup>47</sup> / <sub>64</sub>	28 <sup>15</sup> / <sub>16</sub>	14	17
42in letter workshelf for 5217 shelf	5213	1 <sup>47</sup> / <sub>64</sub>	40 <sup>15</sup> / <sub>16</sub>	14 <sup>1</sup> / <sub>4</sub>	19
30in legal workshelf for 5218 shelf	5214	1 <sup>47</sup> / <sub>64</sub>	28 <sup>15</sup> / <sub>16</sub>	17	18
42in legal workshelf for 5219 shelf	5215	1 <sup>47</sup> / <sub>64</sub>	40 <sup>15</sup> / <sub>16</sub>	17 <sup>1</sup> / <sub>4</sub>	20

### Tilt Shelves



Tilt shelves are one-piece units that, when attached to a unit post, tilt at a 5 degree angle. The ends of the shelves have engaging hooks and locking tabs to engage in post openings. Both bottom and back are pierced with slots to accept file supports. Shelves are thoroughly cleaned, phosphatized, and painted with a high grade Ivory Beige baked enamel.

<input type="checkbox"/> <b>Specify finish color for:</b> TILT SHELVES: TAB Color Chart					
--	--	--	--	--	--

#### LETTER SIZE SHELVES

42"W Shelf, 13" Deep	5762	7 <sup>1</sup> / <sub>4</sub>	42	13 <sup>3</sup> / <sub>4</sub>	17
----------------------	------	-------------------------------	----	--------------------------------	----

#### LEGAL SIZE SHELVES

42"W Shelf, 16" Deep	5772	7 <sup>1</sup> / <sub>4</sub>	42	16 <sup>3</sup> / <sub>4</sub>	18
----------------------	------	-------------------------------	----	--------------------------------	----

#### ACCESSORIES

Letter File Support (Cool Grey)	5769	6 <sup>3</sup> / <sub>8</sub>	1/8	11 <sup>3</sup> / <sub>8</sub>	1
Legal File Support (Cool Grey)	5779	6 <sup>3</sup> / <sub>8</sub>	1/8	14 <sup>3</sup> / <sub>8</sub>	1
Spacer Rod for 30"W Shelves	4253-30	1/4	29 <sup>3</sup> / <sub>4</sub>	-	0.3
Spacer Rod for 32"W Shelves	4253-32	1/4	31 <sup>3</sup> / <sub>4</sub>	-	0.3
Spacer Rod for 42"W Shelves	4253-42	1/4	41 <sup>3</sup> / <sub>4</sub>	-	0.3

<input type="checkbox"/> <b>Specify finish color for:</b> TAB Color Chart					
--	--	--	--	--	--

#### STEEL PARTITIONS

USF 6-Level, 1 Piece, Letter	USFP6LE	-	-	-	12
USF 6-Level, 1 Piece, Legal	USFP6LG	-	-	-	15
USF 7-Level, 1 Piece, Letter	USFP7LE	-	-	-	14
USF 7-Level, 1 Piece, Legal	USFP7LG	-	-	-	17

#### STEEL PARTITIONS

USF 6-Level, 2 Piece, Letter	USFP6LES	-	-	-	12
USF 6-Level, 2 Piece, Legal	USFP6LGS	-	-	-	15
USF 7-Level, 2 Piece, Letter	USFP7LES	-	-	-	14
USF 7-Level, 2 Piece, Legal	USFP7LGS	-	-	-	17

### Partitions



1 Piece

2 Piece

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage


File Trucks

# UNIT SPACEFINDER


## TRIM

End panels for Unit Spacefinder are interchangeable left to right and have brackets properly formed to engage the top and bottom panels. Trim is thoroughly cleaned, phosphatized and painted with a high grade baked enamel.

- When reinforced top brackets and shims are used with a tie rod, 4" post height is required above the tie rod.



End Panels



5392




5271



5275



5291



5288

Description	Model Number	Exterior Height	Exterior Width	Exterior Depth	Ship Weight In Lbs.
<input type="checkbox"/> <b>Specify finish color for:</b> TRIM: TAB Color Chart					
<b>LETTER SIZE SHELVES</b>					
Single End Panel for 84" section	5263	81	13 <sup>1/4</sup>	1 <sup>1/2</sup>	19
Single End Panel for 73" section	5233	70	13 <sup>1/4</sup>	1 <sup>1/2</sup>	15
Single End Panel for 62" section	5265	59	13 <sup>1/4</sup>	1 <sup>1/2</sup>	12
Bottom, 30"W	5271	3 <sup>3/4</sup>	30	12 <sup>3/4</sup>	6
Bottom, 42"W	5273	3 <sup>3/4</sup>	42	12 <sup>3/4</sup>	9
Top, 30"W	5275	1 <sup>1/2</sup>	30	14 <sup>3/4</sup>	6
Top, 42"W	5277	1 <sup>1/2</sup>	42	14 <sup>3/4</sup>	9
Top Bracket & Shim	5391	-	-	-	1.3
Reinforced Top Bracket & Shim	5393	-	-	-	2

### LEGAL SIZE

Legal trim is available from inventory in ivory beige. For other color selections, see the price list.

Single End Panel for 84" section	5264	81	16 <sup>1/4</sup>	1 <sup>1/2</sup>	20
Single End Panel for 73" section	5234	70	16 <sup>1/4</sup>	1 <sup>1/2</sup>	17
Single End Panel for 62" section	5266	59	16 <sup>1/4</sup>	1 <sup>1/2</sup>	14
Bottom, 30"W	5272	3 <sup>3/4</sup>	30	15 <sup>3/4</sup>	7
Bottom, 42"W	5274	3 <sup>3/4</sup>	42	15 <sup>3/4</sup>	10
Bottom, 48"W	5270	3 <sup>3/4</sup>	48	15 <sup>3/4</sup>	11
Top, 30"W	5276	1 <sup>1/2</sup>	30	17 <sup>3/4</sup>	7
Top, 42"W	5278	1 <sup>1/2</sup>	42	17 <sup>3/4</sup>	10
Top, 48"W	5279	1 <sup>1/2</sup>	48	17 <sup>3/4</sup>	11
Top Bracket & Shim	5392	-	-	-	1.7
Reinforced Top Bracket & Shim	5394	-	-	-	2.5

### LETTER & LEGAL ACCESSORIES

- **Specify finish color for:**  
 ACCESSORIES: TAB Color Chart

Top Trim Reinforcing Bar, 30"W	5291	1 <sup>1/4</sup>	29	3/8	2
Top Trim Reinforcing Bar, 42"W	5292	1 <sup>1/4</sup>	41	3/8	2
Plastic Post Cap	5380	-	-	-	0.5
Top Trim Filler Strip, 30"W	5288	1 <sup>1/4</sup>	30	7/8	2
Top Trim Filler Strip, 42"W	5289	1 <sup>1/4</sup>	42	7/8	2

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac


Twinfile Storage

File Trucks

# UNIT SPACEFINDER

## LETTER/LEGAL FILING ACCESSORIES

### Unit Boxes



### Description

**Model Number**   **Exterior Dimensions**  
Height   Width   Depth   **Ship Weight In Lbs.**

Plastic unit boxes are 4" or 6" wide, in letter or legal depths. They are molded into a single piece with a reinforced hanging hook at the top back of the box. Boxes have molded ribs to prevent records from sliding or slumping. 6" boxes have slots for file supports. The box has a surface finish to provide a semi-gloss appearance and maximum resistance to chipping.


☐ **Specify finish color for:**

BOXES AND FILE SUPPORTS: Ivory Beige; Cool Grey

### LETTER SIZE SHELVES

Letter 4" Plastic Box	5281	9	4 <sup>1/8</sup>	12	1
Letter 6" Plastic Box	5283	9	5 <sup>7/8</sup>	12	1.1
Legal 4" Plastic Box	5282	9	4 <sup>1/8</sup>	14 <sup>3/4</sup>	1.1
Legal 6" Plastic Box	5284	9	5 <sup>7/8</sup>	14 <sup>3/4</sup>	1.2
Label Holder - Set of 25 w/ inserts	5229	-	-	-	1
Inserts for 5229 - Set of 25	5231	-	-	-	0.3
File Support for 6" Boxes - Legal	6253	9 <sup>9/16</sup>	-	12 <sup>1/8</sup>	1
File Support for 6" Boxes - Letter	6254	9 <sup>9/16</sup>	-	9 <sup>5/16</sup>	1

### Components



☐ **Specify finish color for:**

ORGANIZERS: Ivory Beige; Cool Grey

Base Retainer Clips (Zinc Plate) 5228 - - - 1  
The base retainer clip must be ordered to secure the bottom Unit Spacefinder trim panel in situations where no bottom rail is specified.

Offset Anchor Plate (Zinc Plate)	5352	1/4	2 <sup>1/2</sup>	3 <sup>1/8</sup>	0.4
Adjustable Tie Rod (Ivory Beige)	5353	-	2	-	8
(adjustable 46" to 73" post to post on 3" centers)					
Tie Rod Adapter (Ivory Beige)	5354	2	2 <sup>1/2</sup>	2 <sup>1/2</sup>	0.4
Post Extender, 11"	5371	11	2 <sup>1/2</sup>	2 <sup>1/2</sup>	4.5
Post Extender, 13"	5373	13	2 <sup>1/2</sup>	2 <sup>1/2</sup>	5
Plastic Post Cap	5380	-	-	-	-
Range Finder (Double Face Tape)					
(black only)	5381	3 <sup>1/4</sup>	2 <sup>1/2</sup>	5 <sup>1/4</sup>	0.5
73" Rail Stop Bar	5398	-	-	-	3
84" Rail Stop Bar	5399	-	-	-	5

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

## PRODUCT SUMMARY AND SPECIFICATIONS

### PRODUCT SUMMARY

UniStor is a low cost, small footprint lateral file storage system designed to accommodate files with the use of TAB Unit Boxes. Through the use of end panels, hanging rails, support rails, bottom support rails, trim and Unit Boxes, both letter and legal size documents can be filed. The hanging rails are unique to TAB and allow the use of Unit Boxes which are included with every UniStor assembly. UniStor can be mounted on TAB's mobile carriages to create a high density storage solution.

### DIMENSIONS

UniStor is available in letter and legal size depths. Units are available in 36", 42" and 48" widths in both single-and double-faced assemblies. The units are freestanding and are available in 88 1/4" (7 opening) and 76 1/4" (6 opening).

### END PANELS

End panels consist of open and closed uprights. Open uprights consist of 18 gauge cold rolled steel posts rolled into a 2" wide hollow "T" shape with keyslot holes punched on 1 1/2" centers along the inner wall only. There are no holes on the surface of the post. The front and back posts are joined by welding 18 gauge spacers to maintain the required distance apart and add rigidity to the assembly. Center spacers are 3" high flat strips. Top and bottom spacers have an 11/16" stiffening flange. Uprights will be 88 1/4" or 76 1/4" high. The "T" uprights are used as common intermediate uprights and "L" uprights are used for row ends. Closed uprights have the same specifications as open uprights except the 18 gauge spacers are replaced by welding a 24 gauge closure sheet with a special offset stiffener flange at the bottom of the closure sheet.

### HANGING RAILS

The hanging rail is formed of 11 gauge hot roll pickled steel and formed into a "U" shaped design. Double sided units will share hanging rails with Unit Boxes hanging back to back. The rail is 11/16" high with flat tabs at either end. Semitubular rivets with a 7/16" diameter head is staked onto the tabs. All support rails will have a double rivet design on each end.

### SUPPORT RAILS

The support rails are formed from hot roll pickled steel and formed into a "U" shape. The 36" and 42" wide rails are 14 gauge steel and the 48" wide rail is 11 gauge steel. The rail is 11/16" high with flat tabs at either end. Semi-tubular rivets with a 7/16" diameter head is staked onto the tabs. All support rails will have a double rivet design on each end. The front of the Unit Box will sit on the top of the support rail.

### BOTTOM SUPPORT RAILS

The bottom support rail has the same specifications as the support rail but are equipped with single rivets and sit flush to the floor. This rail is formed into a "J" shape.

### UNIT BOXES

The plastic Unit Box is 4" wide and available in letter or legal sizes. High impact Polystyrene Unit Boxes are molded into a single piece with a reinforced hanging hook at the top back of the box. Unit Boxes have ribs on the bottom to prevent records from sliding or slumping. Unit Boxes are provided with every UniStor unit.

### RETRACTABLE REFERENCE SHELVES

Retractable reference shelf kits are optional. The shelf is 30" by 11 7/8". Mounting brackets and hardware are included. Specify color when ordering.

### TRIM

The top trim is formed from 22 gauge steel and snaps into position at the top of the unit.

### COLOR PLAN

UniStor is available in two colors, sand(-MH) and light gray(-MJ).

### ORDERING GUIDE

The following tables indicate the dimensions and shipping weights of individual units. All depths allow for side tab folders. One section in each row must be an Initial Section and the remainder of the row should be Additional Sections.

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


UniStor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


## ASSEMBLIES WITH UNIT BOXES - 7 OPENING

Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<input type="checkbox"/> Specify finish color for: Sand (-MH) and Light Gray (-MJ)						
SINGLE ENTRY - LETTER DEPTH						
36" Initial Unit	9800	88 <sup>1/4</sup>	36	13 <sup>1/2</sup>	217	119.8
36" Additional Unit	9801	88 <sup>1/4</sup>	36	13 <sup>1/2</sup>	217	102.8
42" Initial Unit	9802	88 <sup>1/4</sup>	42	13 <sup>1/2</sup>	244	134.3
42" Additional Unit	9803	88 <sup>1/4</sup>	42	13 <sup>1/2</sup>	244	117.3
48" Initial Unit	9804	88 <sup>1/4</sup>	48	13 <sup>1/2</sup>	298	163.8
48" Additional Unit	9805	88 <sup>1/4</sup>	48	13 <sup>1/2</sup>	298	146.8
DOUBLE ENTRY - LETTER DEPTH						
36" Initial Unit	9806	88 <sup>1/4</sup>	36	25 <sup>7/8</sup>	434	223.2
36" Additional Unit	9807	88 <sup>1/4</sup>	36	25 <sup>7/8</sup>	434	189
42" Initial Unit	9808	88 <sup>1/4</sup>	42	25 <sup>7/8</sup>	488	248.7
42" Additional Unit	9809	88 <sup>1/4</sup>	42	25 <sup>7/8</sup>	488	214.5
48" Initial Unit	9810	88 <sup>1/4</sup>	48	25 <sup>7/8</sup>	596	304.2
48" Additional Unit	9811	88 <sup>1/4</sup>	48	25 <sup>7/8</sup>	596	270
REFERENCE SHELF - LETTER DEPTH						
36" Reference Shelf Kit	9894	5/8	30	12	---	9.3
42" Reference Shelf Kit	9895	5/8	30	12	---	9.3
48" Reference Shelf Kit	9896	5/8	30	12	---	9.3
SINGLE ENTRY - LEGAL DEPTH						
36" Initial Unit	9812	88 <sup>1/4</sup>	36	16 <sup>1/2</sup>	217	134
36" Additional Unit	9813	88 <sup>1/4</sup>	36	16 <sup>1/2</sup>	217	113
42" Initial Unit	9814	88 <sup>1/4</sup>	42	16 <sup>1/2</sup>	244	150.1
42" Additional Unit	9815	88 <sup>1/4</sup>	42	16 <sup>1/2</sup>	244	132.1
48" Initial Unit	9816	88 <sup>1/4</sup>	48	16 <sup>1/2</sup>	298	182.4
48" Additional Unit	9817	88 <sup>1/4</sup>	48	16 <sup>1/2</sup>	298	164.4
DOUBLE ENTRY - LEGAL DEPTH						
36" Initial Unit	9818	88 <sup>1/4</sup>	36	31 <sup>7/8</sup>	434	251.6
36" Additional Unit	9819	88 <sup>1/4</sup>	36	31 <sup>7/8</sup>	434	215.4
42" Initial Unit	9820	88 <sup>1/4</sup>	42	31 <sup>7/8</sup>	488	280.3
42" Additional Unit	9821	88 <sup>1/4</sup>	42	31 <sup>7/8</sup>	488	244.1
48" Initial Unit	9822	88 <sup>1/4</sup>	48	31 <sup>7/8</sup>	596	341.4
48" Additional Unit	9823	88 <sup>1/4</sup>	48	31 <sup>7/8</sup>	596	305.2
REFERENCE SHELF - LEGAL DEPTH						
36" Reference Shelf Kit	9897	5/8	30	15	---	9.7
42" Reference Shelf Kit	9898	5/8	30	15	---	9.7
48" Reference Shelf Kit	9899	5/8	30	15	---	9.7



## ASSEMBLIES WITH UNIT BOXES - 6 OPENING

Description	Model Number	Exterior Dimensions In Inches			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<input type="checkbox"/> Specify finish color for: Sand (-MH) and Light Gray (-MJ)						
SINGLE ENTRY - LETTER DEPTH						
36" Initial Unit	9824	76 <sup>1/4</sup>	36	13 <sup>1/2</sup>	186	104.7
36" Additional Unit	9825	76 <sup>1/4</sup>	36	13 <sup>1/2</sup>	186	90.7
42" Initial Unit	9826	76 <sup>1/4</sup>	42	13 <sup>1/2</sup>	209	117.4
42" Additional Unit	9827	76 <sup>1/4</sup>	42	13 <sup>1/2</sup>	209	103.4
48" Initial Unit	9828	76 <sup>1/4</sup>	48	13 <sup>1/2</sup>	255	143.1
48" Additional Unit	9829	76 <sup>1/4</sup>	48	13 <sup>1/2</sup>	255	129.1
DOUBLE ENTRY - LETTER DEPTH						
36" Initial Unit	9830	76 <sup>1/4</sup>	36	25 <sup>7/8</sup>	372	195.4
36" Additional Unit	9831	76 <sup>1/4</sup>	36	25 <sup>7/8</sup>	372	167
42" Initial Unit	9832	76 <sup>1/4</sup>	42	25 <sup>7/8</sup>	418	217.8
42" Additional Unit	9833	76 <sup>1/4</sup>	42	25 <sup>7/8</sup>	418	189.6
48" Initial Unit	9834	76 <sup>1/4</sup>	48	25 <sup>7/8</sup>	510	266.2
48" Additional Unit	9835	76 <sup>1/4</sup>	48	25 <sup>7/8</sup>	510	238
REFERENCE SHELF - LETTER DEPTH						
36" Reference Shelf Kit	9894	5/8	30	12	---	9.3
42" Reference Shelf Kit	9895	5/8	30	12	---	9.3
48" Reference Shelf Kit	9896	5/8	30	12	---	9.3
SINGLE ENTRY - LEGAL DEPTH						
36" Initial Unit	9836	76 <sup>1/4</sup>	36	16 <sup>1/2</sup>	186	117.3
36" Additional Unit	9837	76 <sup>1/4</sup>	36	16 <sup>1/2</sup>	186	102.3
42" Initial Unit	9838	76 <sup>1/4</sup>	42	16 <sup>1/2</sup>	209	131.4
42" Additional Unit	9839	76 <sup>1/4</sup>	42	16 <sup>1/2</sup>	209	116.4
48" Initial Unit	9840	76 <sup>1/4</sup>	48	16 <sup>1/2</sup>	255	259.5
48" Additional Unit	9841	76 <sup>1/4</sup>	48	16 <sup>1/2</sup>	255	144.5
DOUBLE ENTRY - LEGAL DEPTH						
36" Initial Unit	9842	76 <sup>1/4</sup>	36	31 <sup>7/8</sup>	372	220.6
36" Additional Unit	9843	76 <sup>1/4</sup>	36	31 <sup>7/8</sup>	372	190.4
42" Initial Unit	9844	76 <sup>1/4</sup>	42	31 <sup>7/8</sup>	418	245.8
42" Additional Unit	9845	76 <sup>1/4</sup>	42	31 <sup>7/8</sup>	418	215.6
48" Initial Unit	9846	76 <sup>1/4</sup>	48	31 <sup>7/8</sup>	510	299
48" Additional Unit	9847	76 <sup>1/4</sup>	48	31 <sup>7/8</sup>	510	268.8
REFERENCE SHELF - LEGAL DEPTH						
36" Reference Shelf Kit	9897	5/8	30	15	---	9.7
42" Reference Shelf Kit	9898	5/8	30	15	---	9.7
48" Reference Shelf Kit	9899	5/8	30	15	---	9.7



# 4-POST SIDE-TRAC



Starter Deck Assembly



Add-on Deck Assembly

## Description

## Model Number

## Lbs

### Deck Assembly for 9" Deep Shelving

30"W Starter Deck Assembly	MM3001-0909-30	46
36"W Starter Deck Assembly	MM3001-0909-36	53
42"W Starter Deck Assembly	MM3001-0909-42	60
48"W Starter Deck Assembly	MM3001-0909-48	67
30"W Add-on Deck Assembly	MM3003-0909-30	46
36"W Add-on Deck Assembly	MM3003-0909-36	53
42"W Add-on Deck Assembly	MM3003-0909-42	60
48"W Add-on Deck Assembly	MM3003-0909-48	67

### Deck Assembly for 12" Deep Shelving

30"W Starter Deck Assembly	MM3001-1212-30	54
36"W Starter Deck Assembly	MM3001-1212-36	62
42"W Starter Deck Assembly	MM3001-1212-42	69
48"W Starter Deck Assembly	MM3001-1212-48	77
30"W Add-on Deck Assembly	MM3003-1212-30	54
36"W Add-on Deck Assembly	MM3003-1212-36	62
42"W Add-on Deck Assembly	MM3003-1212-42	69
48"W Add-on Deck Assembly	MM3003-1212-48	77

### Deck Assembly for 12" Deep Shelving

30"W Starter Deck Assembly	MM3001-1515-30	61
36"W Starter Deck Assembly	MM3001-1515-36	70
42"W Starter Deck Assembly	MM3001-1515-42	79
48"W Starter Deck Assembly	MM3001-1515-48	88
30"W Add-on Deck Assembly	MM3003-1515-30	61
36"W Add-on Deck Assembly	MM3003-1515-36	70
42"W Add-on Deck Assembly	MM3003-1515-42	79
48"W Add-on Deck Assembly	MM3003-1515-48	88


### Deck End Cap

Required when adding on to an existing system.

3014-0909	1
3014-1212	1
3014-1515	1

### Movable Carriages

30"W x 9" D	MM3004-09-30	18
36"W x 9" D	MM3004-09-36	20
42"W x 9" D	MM3004-09-42	22
48"W x 9" D	MM3004-09-48	24
30"W x 12" D	MM3004-12-30	20
36"W x 12" D	MM3004-12-36	22
42"W x 12" D	MM3004-12-42	24
48"W x 12" D	MM3004-12-48	26
30"W x 12" D	MM3004-15-30	21
36"W x 12" D	MM3004-15-36	23
42"W x 12" D	MM3004-15-42	25
48"W x 12" D	MM3004-15-48	27



Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks



# 4-Post SIDE-TRAC



A TYPICAL 3 + 2 COMBINATION  
REQUIRES:

- ☐ 1 STARTER DECK ASSEMBLY
- ☐ 1 ADD-ON DECK ASSEMBLY
- ☐ 2 MOVABLE CARRIAGES

SIDE-TRAC 4-Post system use carriages and a deck to create a lateral mobile system for 4-post shelving.

- ☐ The recommended number of movables in a SIDE-TRAC 4 Post configuration should not exceed six (6). Longer systems are acceptable depending on floor levelness.
- ☐ One starter deck assembly is required while add on deck assemblies are ordered as needed.
- ☐ Decks are available in Cool Grey or Sand.
- ☐ Fixed carriages for the back row are included in decking model numbers.
- ☐ Shelving not included, must be ordered separately
- ☐ System Width: decking will be 1/4" wider than back row shelving dimension.
- ☐ **System Depth:**

4 Post	System Depth
9" Deep	20 <sup>1/4</sup>
12" Deep	26 <sup>1/4</sup>
15" Deep	32 <sup>1/4</sup>

# 4-Post SIDE-TRAC

- The backs listed below are used on the SIDE-TRAC in seismic zone areas. These backs contain special hardware. If standard four post shelving backs are required see shelving price lists.

Description	Ship Weight In Lbs.	Model Number
CALIFORNIA UBC (UNIFORM BUILDING CODE) ANCHOR KIT		
Starter Deck Assembly (2 required)	2	MM3005
Add-on Deck Assembly (1/add-on)	2	MM3006
CALIF. UBC SHELVINGBACK ASSEMBLY FOR MOVABLE CARRIAGES		
30"W x 48" H	18	MM3007-30-48
36"W x 48" H	21	MM3007-36-48
42"W x 48" H	25	MM3007-42-48
48"W x 48" H	28	MM3007-48-48
30"W x 64" H	23	MM3007-30-64
36"W x 64" H	27	MM3007-36-64
42"W x 64" H	32	MM3007-42-64
48"W x 64" H	36	MM3007-48-64
30"W x 76" H	27	MM3007-30-76
36"W x 76" H	33	MM3007-36-76
42"W x 76" H	37	MM3007-42-76
48"W x 76" H	42	MM3007-48-76
30"W x 85" H	31	MM3007-30-85
36"W x 85" H	35	MM3007-36-85
42"W x 85" H	41	MM3007-42-85
48"W x 85" H	48	MM3007-48-85
30"W x 88" H	32	MM3007-30-88
36"W x 88" H	36	MM3007-36-88
42"W x 88" H	44	MM3007-42-88
48"W x 88" H	48	MM3007-48-88
CALIFORNIA UBC SHELVING BACKS FOR FIXED CARRIAGES		
30"W x 64" H	21	MM3008-30-64
36"W x 64" H	25	MM3008-36-64
42"W x 64" H	29	MM3008-42-64
48"W x 64" H	33	MM3008-48-64
30"W x 76" H	25	MM3008-30-76
36"W x 76" H	29	MM3008-36-76
42"W x 76" H	34	MM3008-42-76
48"W x 76" H	39	MM3008-48-76
30"W x 85" H	28	MM3008-30-85
36"W x 85" H	33	MM3008-36-85
42"W x 85" H	38	MM3008-42-85
48"W x 85" H	43	MM3008-48-85
30"W x 88" H	29	MM3008-30-88
36"W x 88" H	34	MM3008-36-88
42"W x 88" H	40	MM3008-42-88
48"W x 88" H	45	MM3008-48-88

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post Side-Trac

Twinfile Storage

File Trucks

# 4-Post SIDE-TRAC

- ☐ Overhead anti-tip is mandatory on 9" deep carriages and optional on 12" and 15" deep carriages



Description	Ship Weight In Lbs.	Model Number
<b>OVERHEAD ANTI-TIP CHANNEL (FIXED CARRIAGE)</b>		
30" Starter	3	MM3009-30
36" Starter	3	MM3009-36
42" Starter	4	MM3009-42
48" Starter	4	MM3009-48
30" Add-On	2	MM3010-30
36" Add-On	3	MM3010-36
42" Add-On	3	MM3010-42
48" Add-On	4	MM3010-48
<b>OVERHEAD ANTI-TIP BRACKET (MOVABLE CARRIAGES)</b>		
30" Section	7	MM3011-30
36" Section	9	MM3011-36
42" Section	10	MM3011-42
48" Section	11	MM3011-48
<b>KITS</b>		
Longer Levelers	2	MM3013

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## PRODUCT SUMMARY AND SPECIFICATION

### PRODUCT SUMMARY

Twinfile is a double-sided lateral filing system which can be easily accessed from either side. Each single unit has the capacity of two lateral cabinets back to back enclosed in a shell. The interior of the unit turns on a heavy duty rotating base within the shell. This allows access to all records filed within by simply pushing on the side edge of the interior unit to turn 180 degrees to the opposite side. Turn the interior unit 90 degrees and the inner panels act as doors completely enclosing the exterior. No foot pedals or levers are necessary to open or close the unit.

### GENERAL FILING CAPABILITIES

Twinfile can be ordered as letter or legal depth, and in six heights which can accommodate three, four, five, six, seven, or eight levels of filing. Twinfile units are modular in design. They can stand alone or be ganged together with the stand alone unit acting as an initial which shares its side panels with an additional unit. Banks of ganged units are an excellent solution in a high volume file area where access to both sides of the files would save filing and retrieval time.


### RECONFIGURABLE

Twinfile can be specified as a single purpose unit with a letter or legal filing application. Twinfile also accepts a variety of additional components which allows a custom configuration for a customer's individual needs and preferences. Should the need arise, the adjustable letter or legal shelves can be changed on location for other media components such as suspended filing frames or security drawers.

### COLOR PLAN

See TAB's current Color Selector for details and information regarding TAB's color selection and plan.

The extrusions (rubber edges) are available in Ivory, Beige, Cool Gray, Porcelain, Charcoal and Black. If no color is indicated, the extrusions will ship in the standard color of Black.



### STANDARD DELIVERY

Standard Twinfiles are available to ship from production 2 weeks after receipt of order in Mayville, WI. Shipment is FOB Mayville, WI.

### CASE CONSTRUCTION

Top panels and door outer panels are 18-gauge cold rolled furniture steel. End panels and door interior panels are constructed of 20-gauge cold rolled furniture steel. All steel components are washed, degreased, electrostatically painted and oven baked with a high grade textured finish.

All units are constructed with the inner panels providing interior strength as well as supporting interior components.

Each unit is shipped knocked down and is easily assembled with simple hand tools. Flexible vinyl strips form seals between the inner case and outer shell for safety and appearance. All exterior surfaces are smooth and free from projections which could cause injury or damage.

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## PRODUCT SUMMARY AND SPECIFICATION

### ROTATING BASE

The base is factory assembled and encloses the main bearing assembly. The heavy duty main bearing is equipped with 5/8" hardened carbon steel ball bearings. All moving parts are lubricated before shipment and should require no maintenance for the life of the unit.

The oversize ball bearings keep the center of gravity low in the unit and provide positive movement and constant stability even when the inner unit is unevenly loaded. The rotary system has a unique device which provides position control decent every 90 degrees to stabilize the unit while records are being accessed, or for secure closure. No foot pedals or levers are necessary to open or close the unit.

Each base is equipped with heavy duty 3" hex head leveling glides. These glides are easily accessible for adjustment from within the cabinet and will compensate for most floor irregularities.

### DOORS

Doors consist of two panels that are formed and welded for rigidity. The doors are fastened to a four piece frame and the rotating base and top to form a rigid interior unit which is the platform for the interior components. The interior panel of the door is pierced on 1/2" centers for height adjustment of the interior components.

### SHELVES

Shelves are constructed of 18-gauge cold rolled furniture steel, formed with a 3" high back and are slotted on one inch centers to accept file supports. Fully adjustable, the shelves provide additional rigidity to the interior unit. The bottom position of the unit is slotted to accept file supports with the addition of a divider support. This eliminates the need to specify a shelf for the bottom position.

### LOCKS

Locks are provided as a standard feature on every Twinfile unit to secure confidential documents and media. The standard lock provided is TAB's E002-AR. An alternate E-Series lock can be specified at no additional charge. 125 lock plug changes are available. Model numbers E002-AR through E313-AR, contact your local TAB Representative for more information.

### POSTING SHELF

The posting shelf is constructed of 20-gauge cold rolled furniture steel mounted on Accuride slides which fully retract when not in use.

### BACK PANELS

Back panels are constructed of 20-gauge cold rolled furniture steel. These panels are painted the same as the main structure selected.

### 3" DRAWERS

Constructed of 20-gauge cold rolled furniture steel, these drawers are formed with 1/2" slots to accommodate front to back dividers. Accuride slides provide full extension and smooth, even operation. The rollout suspension is equipped with a safety thumb latch release on the right hand side. The rollout must be fully retracted and the safety latch engaged prior to rotating.

### SECURITY DRAWERS

Security drawers are constructed of 20-gauge cold rolled furniture steel. The standard lock provided is TAB's D101-AR. An alternate D-Series lock can be specified at no additional charge. The rollout suspension is equipped with a safety thumb latch release on the right hand side. The rollout must be fully retracted and the safety latch engaged prior to rotating.

### PRIVACY PANELS

Privacy panels are constructed of 20-gauge cold rolled furniture steel. These panels mount in the center of the unit between the shelf backs to prevent access to the rear files.

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## PRODUCT SUMMARY AND SPECIFICATION

### FULL SHELF ROLLOUTS

Full shelf rollouts are constructed of 18-gauge cold rolled furniture steel phosphatized and powder painted with an environmentally correct finish.

The Twinfile full shelf rollout is designed to accept hanging file folders with a hanging file bar in the front position. The bottom and back of the rollout are slotted at 1" intervals for the placement of file supports.

The shelves fully extend on smooth action furniture glides. These suspension glides are a unique construction Accuride which permits full extension on smooth case hardened bearing. Each glide set has a manual thumb latch positioned on the right side to insure a positive closure.

### WALL CLOSURE STRIPS

Wall closure strips are constructed of 20-gauge cold rolled furniture steel. They are available painted to match the unit or wrapped with selected Guilford Grade 1 or 2 fabrics. These strips finish the appearance of units which are located next to a fixed wall. They also support optional back panels when only one side of a unit is left open.

### TOP CLOSURE STRIPS

Top closure strips are constructed of 20-gauge cold rolled furniture steel. These strips close the gap between the Twinfile unit and the wall for a finished appearance.

### RAILS

The Twinfile rails are constructed of 16-gauge cold rolled furniture steel channel formed at top and bottom edges for strength and rigidity. The ends of the rails are bent 90 degrees to form 3" deep flanges which attach with screws in the predrilled holes of the inner panels.

### 1" SPACER BARS


Specified to provide an additional 1" of width to Twinfile additional units. The additional width is essential for clearance when unit boxes and rails are incorporated with Twinfile or when folders deeper than 12 1/4" are specified (Non-TAB). Spacer bars are produced from 1" x 11/2" 16- gauge commercial grade rectangular steel tubing. Spacer bars are packaged as a set of (2) and are furnished with the hardware necessary for assembly.

### TOP SPACER BAR

The top spacer bar is constructed of 1" square 18-gauge square steel tubing with welded plates to cover the ends of the vertical members.

### WEIGHT LOAD CAPACITY

A seven high letter initial unit will withstand a total load of 780 lbs. which is 55.7 lbs. per shelf evenly loaded.



Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## ORDERING GUIDES

The following tables indicate the number of files required to form a row of designated length or filing capacity. One file in each row must be an initial; the remainder of the row should be additional units.

### ROW LENGTH

Find the length of the row or the filing capacity desired in the body of the table. Refer to the top row for the number of cabinets in that length row.

Number Of Units In A Row								
	1	2	3	4	5	6	7	8
Letter	3'1/2"	5'7 1/4"	8'2"	10'8 5/8"	13'3 3/8"	15'10"	18'4 3/4"	20'11 1/2"
Legal	3'9 1/2"	7'1/4"	10'3"	13'5 5/8"	16'8 3/8"	19'11"	23'1 1/4"	26'4 1/2"
	9	10	11	12	13	14	15	
Letter	23'6 1/8"	26'7 7/8"	28'7 1/2"	31'2 1/4"	33'9"	36'3 5/8"	38'10 3/8"	
Legal	29'7 1/8"	32'9 7/8"	36'1 1/2"	39'3 1/4"	42'6"	45'8 5/8"	48'11 3/8"	

### FILING CAPACITIES - LETTER

To determine the filing capacity in a row of files, refer to the top row for the quantity of cabinets in a row, and then read down to the height of the files.

Number Of Letter Units in A Row (Filing inches)								
	1	2	3	4	5	6	7	8
3H	144	288	432	576	720	864	1,008	1,152
4H	192	384	576	768	960	1,152	1,344	1,536
5H	240	480	720	960	1,200	1,440	1,680	1,920
6H	288	576	864	1,152	1,440	1,728	2,016	2,304
7H	336	672	1,008	1,344	1,680	2,016	2,352	2,688
8H	384	768	1,152	1,536	1,920	2,304	2,688	3,072
	9	10	11	12	13	14	15	
3H	1,296	1,440	1,584	1,728	1,872	2,016	2,160	
4H	1,728	1,920	2,112	2,304	2,496	2,688	2,880	
5H	2,160	2,400	2,640	2,880	3,120	3,360	3,600	
6H	2,592	2,880	3,168	3,456	3,744	4,032	4,320	
7H	3,024	3,360	3,696	4,032	4,368	4,704	5,040	
8H	3,456	3,840	4,334	4,608	4,992	5,376	5,760	

### FILING CAPACITIES - LEGAL

To determine the filing capacity in a row of files, refer to the top row for the quantity of cabinets in a row, and then read down to the height of the files.

Number Of Legal Units in A Row (Filing inches)								
	1	2	3	4	5	6	7	8
3H	180	360	540	720	900	1,080	1,260	1,440
4H	240	480	720	960	1,200	1,440	1,680	1,920
5H	300	600	900	1,200	1,500	1,800	2,100	2,400
6H	360	720	1,080	1,440	1,800	2,160	2,520	2,880
7H	420	840	1,260	1,680	2,100	2,520	2,940	3,360
8H	480	960	1,440	1,920	2,400	2,280	3,360	3,840
	9	10	11	12	13	14	15	
3H	1,296	1,800	1,980	2,160	2,340	2,520	2,700	
4H	1,728	2,400	2,640	2,880	3,120	3,360	3,600	
5H	2,160	3,000	3,300	3,600	3,900	4,200	4,500	
6H	2,592	3,600	3,960	4,320	4,680	5,040	5,400	
7H	3,024	4,200	4,620	5,040	5,460	5,880	6,300	
8H	3,456	4,800	5,280	5,760	6,240	6,720	7,200	

### TWINFILE - HEIGHT AND CLEARANCE GUIDE

Levels Of Letter - Legal Filing	3	4	5	6	7	8
Exterior Height	41 5/8	45 5/8	60 7/8	71 3/8	82	92 1/2
Clear Interior Height	34	41	54	64	75	85



# TWINFILE STORAGE SYSTEM

## ORDERING GUIDES

Component	Model Number	Interior Minimum Height Required
Letter Shelf	8548	4
Legal Shelf	8748	4
Pass Through Shelf Letter	8549	1
Pass Through Shelf Legal	8749	1
Posting Shelf Letter	8438	2
Posting Shelf Legal	8638	2
3 In Drawer - Letter	8503	3 <sup>1/2</sup>
3 In Drawer - Legal	8703	4 <sup>1/2</sup>
*Security Drawer - Letter	8440	10 <sup>1/2</sup>
*Security Drawer - Legal	8640	10 <sup>1/2</sup>
Full Shelf Rollout - Letter	8573	11
Full Shelf Rollout - Legal	8773	11

\* Security drawers require a flat shelf or another security drawer directly above to prevent entry.

### HOW TO ORDER LETTER OR LEGAL ASSEMBLIES WITH SHELVES

For convenience, Twinfile is available as a complete unit including the correct number of shelves for maximum vertical storage.

#### 1. STAND ALONE:

When ordering a single unit, determine the height desired or the filing capacity required by the application and order as an initial unit.

#### 2. GANGED:

Determine the capacity required for the application. Refer to the capacity charts. Select the correct height for the application from the left hand column, and move across the column to find the square which has the closest higher number in filing inches. Move up to the quantity row to determine the number of units required. Order one initial unit and the remainder as additional units.

#### 3. AGAINST A WALL:

Follow steps 1 and 2 above. To allow for turning space, units should be positioned 57/8" from the wall for letter depth units and 71/4" from the wall for legal depth units. Specify two wall closure strips the same height as the Twinfiles. A top gap closure strip may be specified for each unit ordered against a wall. These strips close the gap between the wall and the top of the files providing a finished appearance as well as preventing the accumulation of dust behind the files.

#### 4. GANGED OR STAND ALONE UNITS WITH ENCLOSED BACKS:

Follow steps 1 and 2 above. Specify two wall closure strips the same height as the Twinfiles and specify one same height back panel per each unit. Top gap closure strips are not necessary since the backpanels are formed with a right angle at the top which encloses the space necessary for the free rotation of the files.

#### 5. Flat shelf filing usually requires two or three file supports per shelf. Since Twinfile is double sided, order four or six file supports per level.

#### 6. A posting shelf may be desired in units five high and over. Specify two posting shelves per unit.

# TWINFILE STORAGE SYSTEM

## ORDERING GUIDES

### TWINFILE COMPONENT CLEAR INTERIOR DIMENSIONS

Component	Height	Width	Depth
Shelf - Letter	2 <sup>31/32"</sup>	23 <sup>11/16"</sup>	12 <sup>9/32"</sup>
Shelf - Legal	2 <sup>31/32"</sup>	29 <sup>11/16"</sup>	15 <sup>7/16"</sup>
Security Door- Letter	10 <sup>7/32"</sup>	22 <sup>25/32"</sup>	12 <sup>7/16"</sup>
Security Door - Legal	10 <sup>7/32"</sup>	28 <sup>25/32"</sup>	15 <sup>9/16"</sup>
3" Drawer - Letter	2 <sup>31/32"</sup>	22 <sup>11/16"</sup>	12"
3" Drawer - Legal	2 <sup>31/32"</sup>	28 <sup>11/16"</sup>	15"
3" Drawer w/ End Supports - Letter	6"	22 <sup>11/16"</sup>	12"
3" Drawer w/ End Supports - Legal	6"	28 <sup>11/16"</sup>	15"
Full Shelf Rollout - Letter	9 <sup>3/8"</sup>	22 <sup>3/4"</sup>	12 <sup>1/4"</sup>
Full Shelf Rollout - Legal	9 <sup>3/8"</sup>	28 <sup>3/4"</sup>	15 <sup>1/4"</sup>

The following table represents the length of a row of Twinfiles. Each row consists of one initial unit and all following units are additional. Additional assemblies equipped with Unit Spacefinder boxes and rails are 1" wider than regular Twinfile assemblies. Filing capacities are the same as Twinfile with flat shelves.

Row Length Calculations with USF Rails and Boxes								
	1	2	3	4	5	6	7	8
Letter	3'1 <sup>1/2"</sup>	5'8 <sup>1/4"</sup>	8'4"	10'11 <sup>5/8"</sup>	13'7 <sup>3/8"</sup>	16'4"	18'10 <sup>1/4"</sup>	21'6 <sup>1/2"</sup>
Legal	3'9 <sup>1/2"</sup>	7'11 <sup>1/4"</sup>	10'5"	13'8 <sup>5/8"</sup>	7'3 <sup>3/8"</sup>	20'4"	23'7 <sup>1/4"</sup>	26'11 <sup>1/2"</sup>
	9	10	11	12	13	14	15	
Letter	24'3 <sup>1/8"</sup>	26'9 <sup>7/8"</sup>	9'5 <sup>1/2"</sup>	32'1 <sup>1/4"</sup>	34'6"	37'4 <sup>5/8"</sup>	40'3 <sup>3/8"</sup>	
Legal	30'3 <sup>1/8"</sup>	33'6 <sup>7/8"</sup>	36'10 <sup>1/2"</sup>	20'2 <sup>1/4"</sup>	43'6"	46'9 <sup>5/8"</sup>	50'1 <sup>5/8"</sup>	

### INTERIOR CLEARANCES - STANDARD ASSEMBLIES

This chart represents the interior clearances between levels of filing in assembly units with rails and unit boxes.

Interior Clearances for Standard Assemblies with Rails and Boxes Custom Interiors May Vary									
	Top Pos.	Pos. 2	Pos. 3	Pos. 4	Pos. 5	Pos. 6	Pos. 7	Pos. 8	Total Interior Clearance
5H	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	11 <sup>3/8"</sup>				53 <sup>3/8"</sup>
6H	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	11 <sup>3/8"</sup>			63 <sup>7/8"</sup>
7H	10 <sup>5/8"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	11 <sup>3/8"</sup>		74 <sup>1/2"</sup>
8H	10 <sup>5/8"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	10 <sup>1/2"</sup>	11 <sup>3/8"</sup>	85"



# TWINFILE STORAGE SYSTEM

## ORDERING GUIDES

### HOW TO ORDER CUSTOMIZED ASSEMBLIES WITH USF RAILS AND BOXES

When specifying a custom built Twinfile with rails and unit boxes, refer to the following steps:

- Remember to plan each side of the Twinfile. The most common mistake is ordering only half of the components needed.
- Specify the right rail for the right position. There are four possible rail combinations based upon where they will be placed in a unit.
  - Fill an entire side of a unit: (1) Top Rail + ((1) Standard Rail x number of levels)
  - One row of rail and box filing only in any position other than the bottom position: (2) Top Rails
  - One row of rail and box filing only in the bottom position: (1) Top Rail + (1) Standard Rail
  - Several rows of rail and box filing starting in any position other than the top:  
Top Rail + ((1) Standard Rail x number of levels desired)
- Each level of box and rail storage requires:
  - Top position: 10 3/4" of vertical space = (2) Top Rails
  - Multiple positions other than bottom: 10 1/2" of vertical space = (1) Top Rail + ((1) Standard Rail x number of levels desired)
  - Bottom position: 11" of vertical space = (1) Top Rail + (1) Standard Rail
  - Single row any position other than top or bottom position: 10 3/4" = (2) Top Rails
- Order (4) 6" letter unit boxes for each level of unit box filing desired. Order (5) 6" legal unit boxes for each level of unit box filing desired. Remember to double the quantity of boxes if both sides of the Twinfile will have unit box storage.
- If the entire side of Twinfile is configured for unit box storage, a workshelf will not fit.
- If units are to be ganged, (1) set of 1" spacer bars and (1) top spacer must be specified for each additional section ordered. These spacer bars add 1" of width to the footprint of each additional unit. The top spacer bar is designed to close the gap between the sections caused when the 1" spacer is added.
- Unit boxes hang straight from the rails. There is no 5 degree tilt.
- Guides are not recommended with unit box storage because of the limited clearance between units.  
  
Three high and four high units with unit box storage are not practical because of sacrificed storage capabilities.




# TWINFILE STORAGE SYSTEM

## ORDERING GUIDES

### HOW TO ORDER CUSTOMIZED ASSEMBLIES

1. Twinfiles can be customized for a special application with a variety of individually ordered components. Twinfile shells are specified by the height or number of levels of filing or storage they will accommodate.
2. Determine the height of the shell required by the application and note the clear interior height available.
3. Order two components per level (one for each side). Unlike components may be mixed on a level. It is not necessary to order a flat shelf for the bottom position of any Twinfile shell.
4. If the bottom position will be used for flat side to side filing, specify two shelf backs to accommodate file supports.
5. For best results with standard filing applications, do not specify more than one component in a space. Standard flat filing letter and legal applications require 10 1/2 inches of interior height.
6. In some applications of special height media, it may be necessary to specify a maximum of components within a shell. Consult the chart for the minimum height required for individual components and the available interior space within shell units. Be sure the total number of interior inches required for components does not exceed the available inches in the shell height desired.
7. Do not install suspended filing frames above the fifth level. Do not install security drawers above the fourth level.
8. Flat shelf filing usually requires two or three file supports per shelf. Since Twinfile is double sided, order four or six file supports per level.
9. Ganged Twinfiles must be the same height. When Twinfiles are ganged, order one initial unit and the remainder as additional units.



*\*Initial and Additional  
Twinfile Shells Ganged*

#### 9. Against a wall:



If appropriate, follow steps 1 through 7 above. To allow for turning space, units should be positioned 57/8" from the wall for letter depth units and 7 1/4" from the wall for legal depth units. Specify two wall closure strips the same height as the Twinfiles.

A top gap closure strip may be specified for each unit ordered against a wall. These strips close the gap between the wall and the top of the files providing a finished appearance as well as preventing the accumulation of dust behind the files.

#### 10. Ganged or stand alone Twinfiles with enclosed backs:




If appropriate follow steps 1 through 7 above. Specify two wall closure strips the same height as the Twinfiles and specify one same height back panel per each unit.

Top gap closure strips are not necessary since the back panels are formed with a right angle at the top which encloses the space necessary for the free rotation of the files.



# TWINFILE STORAGE SYSTEM

## LETTER ASSEMBLIES WITH FLAT SHELVES



Description	Model	Exterior Dimensions			Clear Filing Inches	Ship Weight In Lbs.
	Number	Height	Width	Depth		

All Twinfile assemblies include the basic parts: tops, sides, base, and inner panels. Assemblies with shelves include the correct number of shelves required to complete the unit as well as a shelf back divider support in the bottom position. Complete assemblies with shelves use file supports or posting shelves. All assemblies are provided with a standard E002-AR lock

Assembly shells do not include any components. Individual components for each level must be specified.

The Twinfile exterior shell is available in TAB's four standard colors, and 11 optional colors. See Equipment Price List for selection. All interior components, inner panels, shelves, drawers and posting shelves, are painted to match the exterior. Accessory items, such as file supports, are furnished in Charcoal. End panels are painted or they can be ordered fabric wrapped with TAB Standard Grades and 2 fabric. When fabric end panels are desired, order as an additional unit and order the end panels with fabric as a separate line item.

Depths listed are actual depths with the units in the open or closed position. To allow the units to rotate properly allow the letter unit an additional 57/8" to the front and rear foot print.

☐ Specify finish color for:  
Twinfile

<b>42" THREE HIGH LETTER DEPTH - 34" CLEAR INTERIOR HEIGHT</b>						
Initial w/ Shelves	8400	41 <sup>5/8</sup>	36 <sup>1/2</sup>	25	144	273
Initial Shell Only	8401	41 <sup>5/8</sup>	36 <sup>1/2</sup>	25	144	245
Additional w/ Shelves	8402	41 <sup>5/8</sup>	30 <sup>3/4</sup>	25	144	242
Additional Shell Only	8403	41 <sup>5/8</sup>	30 <sup>3/4</sup>	25	144	214
<b>49" FOUR HIGH LETTER DEPTH - 41" CLEAR INTERIOR HEIGHT</b>						
Initial w/ Shelves	8404	48 <sup>5/8</sup>	36 <sup>1/2</sup>	25	192	306
Initial Shell Only	8405	48 <sup>5/8</sup>	36 <sup>1/2</sup>	25	192	266
Additional w/ Shelves	8406	48 <sup>5/8</sup>	30 <sup>3/4</sup>	25	192	269
Additional Shell Only	8407	48 <sup>5/8</sup>	30 <sup>3/4</sup>	25	192	229
<b>61" FIVE HIGH LETTER DEPTH - 54" CLEAR INTERIOR HEIGHT</b>						
Initial w/ Shelves	8408	60 <sup>5/8</sup>	36 <sup>1/2</sup>	25	240	353
Initial Shell Only	8409	60 <sup>5/8</sup>	36 <sup>1/2</sup>	25	240	301
Additional w/ Shelves	8410	60 <sup>5/8</sup>	30 <sup>3/4</sup>	25	240	307
Additional Shell Only	8411	60 <sup>5/8</sup>	30 <sup>3/4</sup>	25	240	255
<b>72" SIX HIGH LETTER DEPTH - 64" CLEAR INTERIOR HEIGHT</b>						
Initial w/ Shelves	8412	71 <sup>3/8</sup>	36 <sup>1/2</sup>	25	288	396
Initial Shell Only	8413	71 <sup>3/8</sup>	36 <sup>1/2</sup>	25	288	332
Additional w/ Shelves	8414	71 <sup>3/8</sup>	30 <sup>3/4</sup>	25	288	341
Additional Shell Only	8415	71 <sup>3/8</sup>	30 <sup>3/4</sup>	25	288	277
<b>82" SEVEN HIGH LETTER DEPTH - 75" CLEAR INTERIOR HEIGHT</b>						
Initial w/ Shelves	8416	82	36 <sup>1/2</sup>	25	336	434
Initial Shell Only	8417	82	36 <sup>1/2</sup>	25	336	358
Additional w/ Shelves	8418	82	30 <sup>3/4</sup>	25	336	379
Additional Shell Only	8419	82	30 <sup>3/4</sup>	25	336	303
<b>93" EIGHT HIGH LETTER DEPTH - 85" CLEAR INTERIOR HEIGHT</b>						
Initial w/ Shelves	8420	91 <sup>1/2</sup>	36 <sup>1/2</sup>	25	384	472
Initial Shell Only	8421	91 <sup>1/2</sup>	36 <sup>1/2</sup>	25	384	384
Additional w/ Shelves	8422	91 <sup>1/2</sup>	30 <sup>3/4</sup>	25	384	401
Additional Shell Only	8423	91 <sup>1/2</sup>	30 <sup>3/4</sup>	25	384	313

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder




Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## LEGAL ASSEMBLIES WITH FLAT SHELVES



Description	Model Number	Exterior Dimensions			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		

All Twinfile assemblies include the basic parts: tops, sides, base, and inner panel. Assemblies with shelves include the correct number of shelves required to complete the unit as well as a shelf back divider support in the bottom position. All assemblies are provided with a standard E002-AR lock. Complete assemblies with shelves use file supports or posting shelves.

Assembly shells do not include any components. Individual components for each level must be specified.

The Twinfile exterior shell is available in TAB's four standard colors, and 11 optional colors. See Equipment Price list for selection. All interior components, inner panels, shelves, drawers and posting shelves, are painted to match the exterior. Accessory items such as file supports are furnished in Charcoal. End panels are painted or they can be ordered fabric wrapped with standard TAB Grades 1 and 2 fabric. When fabric end panels are desired, order as an additional unit and order the end panels with fabric as a separate line item.

Depths listed are actual depths with the units in the open or closed position. To allow the units to rotate properly, allow the legal unit an additional 7 1/4" to the front and rear foot print.

☐ Specify finish color for:  
Twinfile

### 42" THREE HIGH LETTER DEPTH - 34" CLEAR INTERIOR HEIGHT

Initial w/ Shelves	8600	41 <sup>5/8</sup>	45 <sup>1/2</sup>	31	180	388
Initial Shell Only	8601	41 <sup>5/8</sup>	45 <sup>1/2</sup>	31	180	352
Additional w/ Shelves	8602	41 <sup>5/8</sup>	38 <sup>3/4</sup>	31	180	326
Additional Shell Only	8603	41 <sup>5/8</sup>	38 <sup>3/4</sup>	31	180	290

### 49" FOUR HIGH LETTER DEPTH - 41" CLEAR INTERIOR HEIGHT

Initial w/ Shelves	8604	48 <sup>5/8</sup>	45 <sup>1/2</sup>	31	240	426
Initial Shell Only	8605	48 <sup>5/8</sup>	45 <sup>1/2</sup>	31	240	374
Additional w/ Shelves	8606	48 <sup>5/8</sup>	38 <sup>3/4</sup>	31	240	358
Additional Shell Only	8607	48 <sup>5/8</sup>	38 <sup>3/4</sup>	31	240	306

### 61" FIVE HIGH LETTER DEPTH - 54" CLEAR INTERIOR HEIGHT

Initial w/ Shelves	8608	60 <sup>5/8</sup>	45 <sup>1/2</sup>	31	300	490
Initial Shell Only	8609	60 <sup>5/8</sup>	45 <sup>1/2</sup>	31	300	422
Additional w/ Shelves	8610	60 <sup>5/8</sup>	38 <sup>3/4</sup>	31	300	407
Additional Shell Only	8611	60 <sup>5/8</sup>	38 <sup>3/4</sup>	31	300	339

### 72" SIX HIGH LETTER DEPTH - 64" CLEAR INTERIOR HEIGHT

Initial w/ Shelves	8612	71 <sup>3/8</sup>	45 <sup>1/2</sup>	31	360	544
Initial Shell Only	8613	71 <sup>3/8</sup>	45 <sup>1/2</sup>	31	360	460
Additional w/ Shelves	8614	71 <sup>3/8</sup>	38 <sup>3/4</sup>	31	360	448
Additional Shell Only	8615	71 <sup>3/8</sup>	38 <sup>3/4</sup>	31	360	364

### 82" SEVEN HIGH LETTER DEPTH - 75" CLEAR INTERIOR HEIGHT

Initial w/ Shelves	8616	82	45 <sup>1/2</sup>	31	420	595
Initial Shell Only	8617	82	45 <sup>1/2</sup>	31	420	495
Additional w/ Shelves	8618	82	38 <sup>3/4</sup>	31	420	487
Additional Shell Only	8619	82	38 <sup>3/4</sup>	31	420	387

### 93" EIGHT HIGH LETTER DEPTH - 85" CLEAR INTERIOR HEIGHT

Initial w/ Shelves	8620	91 <sup>1/2</sup>	45 <sup>1/2</sup>	31	480	647
Initial Shell Only	8621	91 <sup>1/2</sup>	45 <sup>1/2</sup>	31	480	531
Additional w/ Shelves	8622	91 <sup>1/2</sup>	38 <sup>3/4</sup>	31	480	527
Additional Shell Only	8623	91 <sup>1/2</sup>	38 <sup>3/4</sup>	31	480	411

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac


Twinfile Storage

File Trucks



# TWINFILE STORAGE SYSTEM

## LETTER ASSEMBLIES WITH UNIT SPACEFINDER RAILS AND BOXES



Description	Model	Exterior Dimensions			Clear	Ship
	Number	Height	Width	Depth	Filing	Weight
					Inches	In Lbs.

All Twinfile assemblies with unit boxes and rails include the correct number of rails and 6" boxes. Additional units also include the 1" Spacer and Top Spacer. The 1" Spacer set allows the free turning of the unit and prevents side tab folders from rubbing folders in adjacent closed units. The Top Spacer closes the gap on the top between two units. All other basic parts are the same as flat shelf units.

Letter assemblies accommodate (8) 6" unit boxes per level (both sides). There is 3/4" clearance between levels of filing with unit boxes. The boxes slide easily on the rails to accommodate shifting the files when records are added. Boxes hang straight from the rails. There is no 5° tilt.

The units are available in TAB's four standard colors and 11 optional colors. See the Equipment Price list for selection. The Unit Boxes can be provided in Ivory Beige or Cool Grey. 1" Spacers and Top Spacers are painted to match the units. The rails are furnished in Charcoal.

Units accept standard wall closure strips, back panels, top closure strips or end panel sets.

A workshelf is not recommended since it sacrifices a row of filing.

Depths listed are with the units in the open or closed position. To allow the units to rotate properly, allow the letter units an additional 5 7/8" to the front and rear foot print.

- ☐ Specify finish color for:  
Twinfile

TF Init 5H Ltr USF	8552	60 <sup>5/8</sup>	36 <sup>1/2</sup>	25	240	336
TF Add 5H Ltr USF	8553	60 <sup>5/8</sup>	31 <sup>3/4</sup>	25	240	336
TF Init 6H Ltr USF	8554	71 <sup>3/8</sup>	36 <sup>1/2</sup>	25	288	408
TF Add 6H Ltr USF	8555	71 <sup>3/8</sup>	31 <sup>3/4</sup>	25	288	372
TF Init 7H Ltr USF	8556	82	36 <sup>1/2</sup>	25	336	447
TF Add 7H Ltr USF	8557	82	31 <sup>3/4</sup>	25	336	413
TF Init 8H Ltr USF	8558	92 <sup>1/2</sup>	36 <sup>1/2</sup>	25	384	486
TF Add 8H Ltr USF	8559	92 <sup>1/2</sup>	31 <sup>3/4</sup>	25	384	439

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac


Twinfile Storage

File Trucks



# TWINFILE STORAGE SYSTEM




## LEGAL ASSEMBLIES WITH UNIT SPACEFINDER RAILS AND BOXES



Description	Model Number	Exterior Dimensions			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
<p>All Twinfile assemblies with unit boxes and rails include the correct number of rails and 6" boxes. Additional units also include the 1" Spacer and Top Spacer. The 1" Spacer set allows the free turning of the unit and prevents side tab folders from rubbing folders in adjacent closed units. The Top Spacer closes the gap on the top between two units. All other basic parts are the same as flat shelf units.</p> <p>Legal assemblies accommodate (10) 6" unit boxes per level (both sides). There is 3/4" clearance between levels of filing with unit boxes. The boxes slide easily on the rails to accommodate shifting the files when records are added. Boxes hang straight from the rails. There is no 5° tilt.</p> <p>The units are available in TAB's four standard colors and 11 optional colors See Equipment Price list for selections. The Unit Boxes can be provided in Ivory Beige or Cool Grey. 1" Spacers and Top Spacers are painted to match the units. The rails are furnished in Charcoal.</p> <p>Units accept standard wall closure strips, back panels, top closure strips or end panel sets.</p> <p>A workshelf is not recommended since it sacrifices a row of filing.</p> <p>Depths listed are with the units in the open or closed position. To allow the units to rotate properly, allow the letter units an additional 7 1/4" to the front and rear foot print.</p> <p><input type="checkbox"/> Specify finish color for: Twinfile</p>						
TF Init 5H Lgl USF	8752	60 <sup>5/8</sup>	45 <sup>1/2</sup>	31	300	506
TF Add 5H Lgl USF	8753	60 <sup>5/8</sup>	38 <sup>3/4</sup>	31	300	440
TF Init 6H Lgl USF	8754	71 <sup>3/8</sup>	45 <sup>1/2</sup>	31	360	561
TF Add 6H Lgl USF	8755	71 <sup>3/8</sup>	38 <sup>3/4</sup>	31	360	485
TF Init 7H Lgl USF	8756	82	45 <sup>1/2</sup>	31	420	613
TF Add 7H Lgl USF	8757	82	38 <sup>3/4</sup>	31	420	527
TF Init 8H Lgl USF	8758	92 <sup>1/2</sup>	45 <sup>1/2</sup>	31	480	666
TF Add 8H Lgl USF	8759	92 <sup>1/2</sup>	38 <sup>3/4</sup>	31	480	571

# TWINFILE STORAGE SYSTEM

## LETTER ASSEMBLIES WITH FULL SHELF ROLLOUTS



Description	Model Number	Exterior Dimensions			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
Twinfile assemblies include the basic parts; tops, sides, bases, and inner panels. Assemblies with full shelf rollouts include lower five position rollouts and flat shelves for positions above level five. Five level assemblies have rollouts in all positions. By removing the hanging rail and adding optional File Supports (model 8529) the rollout accommodates flat filed side tab folders. <b>Hanging folders with top tabs will not fit.</b>						
See TAB Color Selector for available colors. See the Equipment Price list for selections. The full shelf rollouts are painted to match the cabinet shell.						
Units accept standard wall closure strips, back panels, top closure strips or end panel sets. Depths listed below are actual depths with the units in the open or closed position. To allow the units to rotate properly, allow the letter units an additional 57/8" to the front and rear foot print.						
<input type="checkbox"/> Specify finish color for: Twinfile						
<b>61" FIVE HIGH - ROLLOUTS POS 1-5, 54" CLEAR INTERIOR HEIGHT</b>						
TF Initial 5 High	8564	60 <sup>5/8</sup>	36 <sup>1/2</sup>	25	233	461
w/ Full Shelf Rollout - Letter						
TF Additional 5 High	8565	60 <sup>5/8</sup>	30 <sup>3/4</sup>	25	233	415
w/ Full Shelf Rollout - Letter						
<b>72" SIX HIGH - ROLLOUTS POS 1-5, 64" CLEAR INTERIOR HEIGHT</b>						
TF Initial 6 High	8566	71 <sup>3/8</sup>	36 <sup>1/2</sup>	25	282	504
w/ Full Shelf Rollout - Letter						
TF Additional 6 High	8567	71 <sup>3/8</sup>	30 <sup>3/4</sup>	25	282	449
w/ Full Shelf Rollout - Letter						
<b>82" SEVEN HIGH - ROLLOUTS POS 1-5, 75" CLEAR INTERIOR HEIGHT</b>						
TF Initial 7 High	8568	82	36 <sup>1/2</sup>	25	330	542
w/ Full Shelf Rollout - Letter						
TF Additional 7 High	8569	82	30 <sup>3/4</sup>	25	330	487
w/ Full Shelf Rollout - Letter						
<b>93" EIGHT HIGH - ROLLOUTS POS 1-5, 85" CLEAR INTERIOR HEIGHT</b>						
TF Initial 8 High	8570	92 <sup>1/2</sup>	36 <sup>1/2</sup>	25	378	580
w/ Full Shelf Rollout - Letter						
TF Additional 8 High	8571	92 <sup>1/2</sup>	30 <sup>3/4</sup>	25	378	509
w/ Full Shelf Rollout - Letter						

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder




Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## LEGAL ASSEMBLIES WITH FULL SHELF ROLLOUTS



Description	Model Number	Exterior Dimensions			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		

Twinfile assemblies include the basic parts; tops, sides, bases and inner panels. Assemblies with full shelf rollouts include rollouts for the lower five positions and flat shelves for positions above level five. Five level assemblies have rollouts in all positions. By removing the hanging rail and adding optional File Supports (model 8529) the rollout accommodates flat filed side tab folders. Hanging folders with top tabs will not fit. The legal rollouts also have slots at the rear in the Metric as well as letter position to accept an optional Legal to Letter Conversion Bar (model 8780) for suspended side-to-side filing of those material types. Optional Legal Front-To-Back Rails (model 8774) set the rollout up for letter depth front-to-back suspended filing.

NOTE: In front to back filing, due to the natural curve in most suspended files the files tend to bow out in front of the rollout and may "clip" file in an adjacent closed unit when the unit is rotated. A Legal Stop Angle (model 8782) may be placed in the bottom of the rollout to prevent files from bowing outward.

See TAB Color Selector for available standard colors. The full shelf rollouts are painted to match the cabinet shell.

Units accept standard wall closure strips, back panels, top closure strips or end panels sets. Depths listed below are actual depths with the units in the open or closed position. To allow the units to rotate properly, allow the legal units an additional 71/4" to the front and rear foot print.

- ☐ Specify finish color for:  
Twinfile

### 61" FIVE HIGH - ROLLOUTS POS 1-5, 54" CLEAR INTERIOR HEIGHT

TF Initial 5 High	8764	60 <sup>5/8</sup>	45 <sup>1/2</sup>	31	294	642
w/ Full Shelf Rollout - Legal						
TF Additional 5 High	8765	60 <sup>5/8</sup>	38 <sup>3/4</sup>	31	294	559
w/ Full Shelf Rollout - Legal						

### 72" SIX HIGH - ROLLOUTS POS 1-5, 64" CLEAR INTERIOR HEIGHT

TF Initial 6 High	8766	71 <sup>3/8</sup>	45 <sup>1/2</sup>	31	354	696
w/ Full Shelf Rollout - Legal						
TF Additional 6 High	8767	71 <sup>3/8</sup>	38 <sup>3/4</sup>	31	354	600
w/ Full Shelf Rollout - Legal						

### 82" SEVEN HIGH - ROLLOUTS POS 1-5, 75" CLEAR INTERIOR HEIGHT

TF Initial 7 High	8768	82	45 <sup>1/2</sup>	31	414	783
w/ Full Shelf Rollout - Legal						
TF Additional 7 High	8769	82	38 <sup>3/4</sup>	31	414	639
w/ Full Shelf Rollout - Legal						

### 93" EIGHT HIGH - ROLLOUTS POS 1-5, 85" CLEAR INTERIOR HEIGHT

TF Initial 8 High	8770	92 <sup>1/2</sup>	45 <sup>1/2</sup>	31	474	799
w/ Full Shelf Rollout - Legal						
TF Additional 8 High	8771	92 <sup>1/2</sup>	38 <sup>3/4</sup>	31	474	679
w/ Full Shelf Rollout - Legal						

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage


File Trucks

# TWINFILE STORAGE SYSTEM

## LETTER AND LEGAL SPECIAL APPLICATION TWINFILES



Description	Model	Exterior Dimensions			Clear	Weight
	Number	Height	Width	Depth	Filing Inches	In Lbs.
<b>61" FIVE HIGH INITIAL WARDROBE/FILING UNIT WITH FIXED COAT RACK</b>						
This panel height compatible Twinfile Wardrobe unit has the benefit of storing coats, sweaters, boots and personal items, as well as the filing capacity of 120 (letter) or 150 (legal) linear filing inches in a footprint that is only 361/2" wide by 25" deep (letter) or 451/2" wide by 31" deep (legal).						
Side one is the Wardrobe side. It includes a flat shelf mounted 12" from the top of the unit for the storage of purses, books and various personal items. The Fixed Coat Rack is attached underneath the shelf. The bottom of the wardrobe side is protected by a heavy duty, quick drying, vinyl mat.						
A simple turn reveals the filing side. The five positions have standard flat filing shelves for side-to-side storage of work related records.						
The Twinfile Wardrobe unit is an initial unit designed to provide wardrobe and filing storage in a shared workstation configuration, either cluster, panel systems or modular furniture. If desired however, additional units may be joined easily to the Wardrobe unit to form a bank of Twinfile storage.						
<input type="checkbox"/> Specify finish color for: Twinfile						
Wardrobe Init 5H Fixed						
Letter	8581	60 <sup>5/8</sup>	36 <sup>1/2</sup>	25	120	362
Legal	8781	92 <sup>1/2</sup>	36 <sup>1/2</sup>	25	150	470



Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks


# TWINFILE STORAGE SYSTEM

## LETTER AND LEGAL COMPONENTS

Description	Model Number	Exterior Dimensions			Clear Filing Inches	Ship Weight In Lbs.
		Height	Width	Depth		
Twinfile shells can be specified for a customer's unique application by ordering the interior components separate for each level of storage or filing. All Twinfile interior panels are pierced for the easy installation of components. Each level has two sides in which different components can be installed for total flexibility.						

Each level of storage has 10 1/2" free space and all components which will be used for standard letter or legal media require 10 1/2" of clearance. The chart shows the actual space required for each component. Only one component should be specified per level per side except in the case of flat filing shelves in units five high and over where a posting shelf can be installed above a shelf with no loss of filing space. All components with retracting suspensions should be fully retracted and files should be rear registered prior to rotating the unit.


Except where specified, all components are painted to match the cabinet shell.



### SHELF

Painted to match the cabinet shell. This shelf is specified where traditional flat filing is desired in levels above the bottom position. The shelf includes a back and bottom slotted on 1" centers for file supports. Two shelves are needed per level. The front edge of the shelf has a channel formed steel reinforcement for minimum deflection fully loaded. It is not necessary to specify a shelf for the bottom position, only a shelf back divider support is necessary.

- ☐ Specify finish color for:  
Shelf




Shelf - Letter	8548	3	24	12 1/4	-	6
Shelf - Legal	8748	3	30	15 1/4	-	8

### FULL SHELF ROLLOUTS

Painted to match the cabinet shell. The Twinfile full shelf rollout is designed to accept hanging file folders with a hanging file bar in the front position. If desired, the hanging file bar may be omitted and the rollout accepts standard Twinfile File Supports (model 8529) for flat side to side filing. The rollouts will still extend for easy access of all files at all levels. Do not install above level five.

The bottom and back of the rollout are slotted at 1" intervals for the placement of file supports in the positions most convenient to the system. The letter depth rollout includes a hanging file bar for the letter depth position. The legal depth rollout includes a hanging bar for the legal position. Slots provided in the rear of the legal rollout provide for letter depth and A4 metric depth filing with the use of the optional Conversion Bar (model 8780). With optional Front-to-Back Sliding Rails (model 8774) legal depth can accommodate two rows suspended front-to-back filing. Note: some hanging files have a natural outward curve that puts the edge of the file beyond the sides of the rollout. If this is the case, the files may "clip" files in a closed adjacent file. An optional Legal Stop Angle (model 8782) may be added to the bottom of the wrapper to prevent hanging files from bowing outward. Allow 11" interior space when planning for hanging files with top tabs.



The suspension glides are a unique construction Accuride™ which permits full extension on smooth case hardened bearings. Each glide set has a manual thumb latch to insure a positive closure. The thumb latch is positioned on the right side and the rollout is extended with the same hand motion. For safety reasons it is recommended that only one full shelf rollout be extended at a time and all shelves must be fully retracted and locked in place prior to rotating the unit.

- ☐ Specify finish color for:  
Rollout

Full Shelf Rollout - Letter	8573	10 1/2	23 7/8	12 5/8	22 3/4	16
Full Shelf Rollout - Legal	8773	10 1/2	29 7/8	15 5/8	28 3/4	22

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## LETTER AND LEGAL COMPONENTS



Description	Model Number	Exterior Dimensions			Ship Weight In Lbs.
		Height	Width	Depth	


### PASS THROUGH SHELF

Painted to match the cabinet shell. This shelf provides a flat unobstructed surface between the open sides. Can be specified when a Twinfile is shared between workstations offering access from either side. Specify two shelves per level. Will not support file dividers. Weight limit; Letter, 57 lbs., Legal, 90 lbs. The support panel is at the bottom.

Specified for the following positions only: 6H positions 1-4 from the top, 7H positions 1-5 from the top; 8H positions 1-6 from the top.

- ☐ Specify finish color for:  
Shelf

Letter	8549	1	24	12 <sup>1/2</sup>	5
Legal	8749	1	30	15 <sup>1/4</sup>	7




### SECURITY DRAWER

Painted to match the cabinet shell. Provides locking storage for small items, supplies, and confidential files. A divider (8502-8702) must be ordered for front to back suspended filing. Only one row of suspended filing per letter drawer. When specifying a security drawer, a shelf or another security drawer should be mounted directly above. It is furnished with the standard D101-AR lock. Other locks available by request. Do not install above level four (49"). The rollout suspension is equipped with a safety thumb latch release on the right hand side. The rollout must be fully retracted and the safety latch engaged prior to rotating.

- ☐ Specify finish color for:  
Drawer

Letter	8440	10 <sup>1/2</sup>	23	12 <sup>1/4</sup>	17
Legal	8640	10 <sup>1/2</sup>	29	15 <sup>1/4</sup>	22



### 3" DRAWER

Painted to match the cabinet shell. This drawer is slotted on 1/2" centers and accepts a 3" high divider support (8504-8704), magnetic follower (8520) and follow blocks (8527-8528) for front to back filing of cards, checks, microfiche, microfilm, and compact disks. The rollout suspension is equipped with a safety thumb latch release on the right hand side. The rollout must be fully retracted and the safety latch engaged prior to rotating.

- ☐ Specify finish color for:  
Drawer

Letter	8503	3	23	12 <sup>1/4</sup>	12
Legal	8703	3	29	15 <sup>1/4</sup>	14

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder






Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## LETTER AND LEGAL COMPONENTS



### Description

### Model Number

### Exterior Dimensions Height Width Depth

### Ship Weight In Lbs.

#### SHELF BACK - DIVIDER SUPPORT

Available in Charcoal only. The shelf back divider support is installed only in the bottom position between the two sides. They are required to provide a slotted file back in which file supports fit for flat side to side filing in the bottom position. Two supports are needed on the bottom shelf only. They are furnished with complete assemblies. They must be specified when building a custom assembly from components.

Shelf Divider Support - Letter

8437

3

24

3

4

Shelf Divider Support - Legal

8637

3

30

3

5

#### POSTING SHELF

Painted to match the cabinet shell. This retractable shelf provides a handy worksurface for posting or sorting records within the file area. Units five high and over can accommodate a posting shelf without sacrificing filing space.

☐ Specify finish color for:

Shelf

Posting Shelf - Letter

8438

2

23

12<sup>1/4</sup>

9

Posting Shelf - Legal

8638

2

29

15<sup>1/4</sup>

10

#### 1" SPACER

Painted to match the cabinet shell. Specified to provide an additional 1" of width to Twinfile Additional units. The additional width is essential for clearance when unit boxes and rails are incorporated with Twinfile or when folders deeper than 12<sup>1/4</sup>" are used (non-TAB).

1" Spacers are universal and can be used with letter or legal Twinfile units.

☐ Specify finish color for:

1" Spacer

1" Spacer 3H (set of 2)

8531

41<sup>5/8</sup>

1

1<sup>1/2</sup>

11

1" Spacer 4H (set of 2)

8532

48<sup>5/8</sup>

1

1<sup>1/2</sup>

12

1" Spacer 5H (set of 2)

8533

60<sup>5/8</sup>

1

1<sup>1/2</sup>

15

1" Spacer 6H (set of 2)

8534

71<sup>3/8</sup>

1

1<sup>1/2</sup>

17

1" Spacer 7H (set of 2)

8535

82

1

1<sup>1/2</sup>

19

1" Spacer 8H (set of 2)

8536

92<sup>1/2</sup>

1

1<sup>1/2</sup>

22

#### TOP SPACER

Painted to match the cabinet shell. The top spacer provides a means of closing the gap created on the top of the Twinfile when 1" spacers (vertical) are positioned between units. Closing the top gap presents a finished appearance and prevents the accumulation of dust and debris between the files.

☐ Specify finish color for:

1" Spacer

Top Spacer - Letter

8538

1<sup>1/2</sup>

1

25

2

Top Spacer - Legal

8738

1<sup>1/2</sup>

1

31

3

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac



Twinfile Storage

File Trucks



# TWINFILE STORAGE SYSTEM

## LETTER AND LEGAL COMPONENTS



Description	Model Number	Exterior Dimensions			Ship Weight In Lbs.
		Height	Width	Depth	

### 1" SPACER ASSEMBLY FOR BACK PANELS

Painted to match the cabinet shell. Specified when Additional units with 1" Spacers require enclosed backs, allowing access to the files from one side only. All Additional assemblies with Unit Spacefinder Rails and Boxes have 1" Spacers included. Other Additional units may have 1" Spacers if they contain media deeper than 12 1/4". This 1" Spacer Assembly for Back Panels closes the 1" vertical gap between two back panels and the horizontal front to back gap at the top.

- ☐ Specify finish color for:  
1" Spacer Assembly

3H - Letter	8588	41 <sup>5/8</sup>	1	5 <sup>7/8</sup>	5
4H - Letter	8589	48 <sup>5/8</sup>	1	5 <sup>7/8</sup>	6
5H - Letter	8590	60 <sup>7/8</sup>	1	5 <sup>7/8</sup>	6
6H - Letter	8591	71 <sup>3/8</sup>	1	5 <sup>7/8</sup>	8
7H - Letter	8592	82	1	5 <sup>7/8</sup>	9
8H - Letter	8593	92 <sup>1/2</sup>	1	5 <sup>7/8</sup>	10
3H - Legal	8788	41 <sup>5/8</sup>	1	7 <sup>1/4</sup>	5
4H - Legal	8789	48 <sup>5/8</sup>	1	7 <sup>1/4</sup>	6
5H - Legal	8790	60 <sup>7/8</sup>	1	7 <sup>1/4</sup>	8
6H - Legal	8791	71 <sup>3/8</sup>	1	7 <sup>1/4</sup>	9
7H - Legal	8792	82	1	7 <sup>1/4</sup>	10
8H - Legal	8793	92 <sup>1/2</sup>	1	7 <sup>1/4</sup>	11

### TOP RAIL

Available in Charcoal only. Specified at the top position or when starting unit box storage in any position. (2) top rails are specified when only one row (other than bottom position) of unit box filing is desired in a mixed media application. One row of unit box filing in the bottom position only requires (1) top rail and (1) standard rail. Unit boxes hang straight from the rail without the 5 degree tilt found in regular unit box and post storage.

Top Rail - Letter	8546	2 <sup>1/2</sup>	24	3	2
Top Rail - Legal	8746	2 <sup>1/2</sup>	30	3	2

### STANDARD RAIL

Available in Charcoal only. Specified to support unit boxes in all positions other than top, starting, or single rows of unit box storage. One rail required per each level of filing. If only one level of unit box filing is desired at the bottom position of a unit (1) top rail and (1) standard rail are required. Unit boxes hang straight from the rail without the 5 degree tilt found in regular unit box and post storage.

Standard Rail - Letter	8545	3 <sup>1/8</sup>	24	3	3
Standard Rail - Legal	8745	3 <sup>1/8</sup>	30	3	3


### WARDROBE FIXED ASSEMBLY WITH SHELF

The shelf is painted to match the cabinet shell. This assembly is for custom ordered Twinfiles or to add to an existing Twinfile. The Fixed Rail Coat Rack is designed to be attached to the bottom of a Twinfile Flat Shelf. This assembly package includes the Fixed Rail, the Flat Shelf, hardware and installation instructions.

The Fixed Rail is constructed of oval-profiled heavy gauge plated steel tubing. The Flat Shelf is a standard Flat Filing Shelf. The suggested position for the shelf is 12" from the top of the cabinet for storage of personal items.

- ☐ Specify finish color for:  
Shelf

Letter	8579	5 <sup>1/2</sup>	24	12 <sup>9/16</sup>	8
Legal	8779	5 <sup>1/2</sup>	30	15 <sup>11/16</sup>	10



Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder



Unistor & 4-Post  
Side-Trac

Twinfile Storage



File Trucks

# TWINFILE STORAGE SYSTEM



## LETTER AND LEGAL COMPONENTS




8440 with 8502 divider



8503 with 8506 end supports



8534 with 8520 magnetic follower



Description	Model Number	Exterior Dimensions			Ship Weight In Lbs.
		Height	Width	Depth	
<b>FILE SUPPORT</b>					
Available in Charcoal only. Provides support for flat side to side files. Two or more may be specified per flat shelf. Accepts 8530-8730 spacer rods.					
File Support Letter - Legal	8529	9 <sup>5/8</sup>	12 <sup>1/4</sup>	1/8	1
<b>SECURITY DRAWER DIVIDER</b>					
Available in Charcoal only. Provides support to hang suspended files front to back in the security drawer.					
Letter	8502	9 <sup>1/4</sup>	12 <sup>1/4</sup>	1/8	1.5
Legal	8702	9 <sup>3/4</sup>	15 <sup>1/4</sup>	1/8	2
<b>ACCESSORIES FOR 3" DRAWERS</b>					
Available in Charcoal only. The 3" high divider and follow blocks divide the drawer into smaller segment for small media filing. The 6" high divider support, with the 6" high end supports, provide support for side to side filing of top tab folders.					
<b>3" H DIVIDER SUPPORT FOR 3" DRAWER</b>					
Letter	8504	3	12 <sup>1/4</sup>	1/8	1
Legal	8704	3	15 <sup>1/4</sup>	1/8	1.2
<b>END SUPPORTS (SET OF 2) FOR 3" DRAWER</b>					
Letter	8506	6	12 <sup>1/4</sup>	1/8	2
Legal	8706	6	15 <sup>1/4</sup>	1/8	2
<b>6" H DIVIDER SUPPORT FOR 3" DRAWER</b>					
Letter	8505	6	12 <sup>1/4</sup>	1/8	2
Legal	8705	6	15 <sup>1/4</sup>	1/8	2.2
<b>FOLLOW BLOCK</b>					
3x3 Letter or Legal	8527	3	3	3	0.5
6x6 Letter or Legal	8528	6	3	3	1
<b>SPACER RODS</b>					
Furnished in zinc plate only. Fits through the file supports to shorten the depth of letter or legal shelf.					
Spacer Rod - Letter	8530	1/4	23	-	0.6
Spacer Rod - Legal	8730	1/4	29	-	0.6
<b>MAGNETIC FOLLOWER</b>					
Available in Charcoal only. Provides support in applications where a regular file support does not work in a shelf or drawer. Should not be used with the storage of electronic media. This is a universal product which works in letter or legal depth applications.					
Magnetic Follower	8520	7	7 <sup>1/2</sup>	4 <sup>1/2</sup>	2
<b>CD STOP</b>					
The CD Stop, when applied to a divider support, holds CD cases snugly in place and eliminates possible damage when the drawer is opened or closed. The snug fit eliminates the need for follow blocks for front to back support. The CD Stop is a dark color foam strip cut to the length of the divider support for the 3" drawer and is furnished with a self adhesive backing.					
CD Stop - Letter	8547	2	1/4	12	-
CD Stop - Legal	8747	2	1/4	15	-

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage


File Trucks

# TWINFILE STORAGE SYSTEM

## LETTER AND LEGAL ACCESSORIES




Description	Model Number	Exterior Dimensions			Ship Weight In Lbs.
		Height	Width	Depth	
<b>FRONT TO BACK RAILS - LEGAL TO LETTER</b> Furnished in plated steel. These rails (set of three) convert legal depth full shelf rollouts and legal hanging frames to letter depth suspended front to back filing. Due to the natural tendency of hanging files to bow outward, a Legal Stop Angle (model 8782) may be specified to hold the file in place.	8774	1	1	1	2




<b>LEGAL STOP ANGLE</b> Furnished in plated steel. These rails (set of three) convert legal depth full shelf rollouts and legal hanging frames to letter depth suspended front to back filing. Due to the natural tendency of hanging files to bow outward, a Legal Stop Angle (model 8782) may be specified to hold the file in place.	8782	1 1/2	28	1 1/2	2
--	------	-------	----	-------	---

<b>CONVERSION BAR - LEGAL TO LETTER</b> Furnished in plated steel. This optional bar is added to the extra slots in the rear of the legal full shelf rollout to accept Metric or Letter depth hanging side-to-side files.	8780	1	29 7/8	1/4	1
--	------	---	--------	-----	---



<b>FIXED COAT HANGER</b> The Fixed Rail is constructed of oval-profiled heavy gauge plated steel tubing. This Fixed Coat Hanger is designed to attach to the bottom of any Twinfile Flat Filing Shelf. Specified when a Twinfile unit is being customized in the field or from the factory.					
TF Catch Coat Rod - Letter	8576	2 1/2	1 1/2	7 7/16	2
TF Catch Coat Rod - Legal	8776	2 1/2	1 1/2	10 7/16	3

<b>CATCH TRAY</b> Furnished in heavy duty, quick drying black vinyl. The mat is sized to protect the bottom shelf of the Twinfile from damage due to wet raincoats, boots or umbrellas.					
TF Catch Tray - Letter	8577	1/2	22 11/16	11 9/32	1
TF Catch Tray - Legal	8777	1/2	26 7/16	14 7/16	2



<b>PRIVACY PANELS</b> Painted to match the cabinet shell. Installed vertically between the inner side panels, the privacy panel prevents access through the shelves to files in other components on the opposite side.					
<input type="checkbox"/> Specify finish color for: Panels					
Privacy Panel 5H - Letter	8630	15	24	-	5
Privacy Panel 6H - Letter	8631	20	24	-	7
Privacy Panel 7H - Letter	8632	31	24	-	10
Privacy Panel 8H - Letter	8633	41	24	-	12
Privacy Panel 5H - Legal	8630	15	30	-	6
Privacy Panel 6H - Legal	8631	20	30	-	9
Privacy Panel 7H - Legal	8632	31	30	-	13
Privacy Panel 8H - Legal	8633	41	30	-	16

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## LETTER AND LEGAL ACCESSORIES



Wall Closure Strip with Back Panel

Description	Model Number	Exterior Dimensions			Ship Weight In Lbs.
		Height	Width	Depth	
<b>WALL CLOSURE STRIPS</b>					
Painted to match the cabinet shell or fabric wrapped. When Twinfile units are specified against a wall, the strip closes the gap between the wall and the unit providing the necessary additional space for free rotation of the unit. Closure strips are also specified to support back panels.					
<input type="checkbox"/> Specify finish color for: Strip					
Wall Closure Strip 3H - Letter	8459	41 <sup>5/8</sup>	3	5 <sup>7/8</sup>	8
Wall Closure Strip 4H - Letter	8460	48 <sup>5/8</sup>	3	5 <sup>7/8</sup>	10
Wall Closure Strip 5H - Letter	8461	60 <sup>7/8</sup>	3	5 <sup>7/8</sup>	13
Wall Closure Strip 6H - Letter	8462	71 <sup>3/8</sup>	3	5 <sup>7/8</sup>	15
Wall Closure Strip 7H - Letter	8463	82	3	5 <sup>7/8</sup>	18
Wall Closure Strip 8H - Letter	8464	92 <sup>1/2</sup>	3	5 <sup>7/8</sup>	21
Wall Closure Strip 3H - Legal	8659	41 <sup>5/8</sup>	3 <sup>1/2</sup>	7 <sup>1/4</sup>	9
Wall Closure Strip 4H - Legal	8660	48 <sup>5/8</sup>	3 <sup>1/2</sup>	7 <sup>1/4</sup>	11
Wall Closure Strip 5H - Legal	8661	60 <sup>7/8</sup>	3 <sup>1/2</sup>	7 <sup>1/4</sup>	12
Wall Closure Strip 6H - Legal	8662	71 <sup>3/8</sup>	3 <sup>1/2</sup>	7 <sup>1/4</sup>	15
Wall Closure Strip 7H - Legal	8663	82	3 <sup>1/2</sup>	7 <sup>1/4</sup>	17
Wall Closure Strip 8H - Legal	8664	92 <sup>1/2</sup>	3 <sup>1/2</sup>	7 <sup>1/4</sup>	19

### TOP CLOSURE STRIP

Painted to match the cabinet shell. Top closure (optional) strips fill the gap between the top of the Twinfile unit and the wall when wall closure strips are used. They are not necessary when back panels are specified. If desired, one top closure strip is ordered for each unit in a bank of Twinfiles. Closing the gap gives a finished appearance and prevents an accumulation of debris behind the file.

☐ Specify finish color for:  
Strip


Top Closure Strip - Letter	8477	-	24	5 <sup>7/8</sup>	4
Top Closure Strip - Legal	8677	-	30	7 <sup>1/4</sup>	6

### BACK PANELS

Painted to match the cabinet shell or fabric wrapped. Back panels are specified to close off the back of a Twinfile for security or appearance reasons. Wall closure strips are required when back panels are ordered.

☐ Specify finish color for:  
Panel

Back Panel 3H - Letter	8441	41 <sup>5/8</sup>	30 <sup>11/16</sup>	5 <sup>7/8</sup>	20
Back Panel 4H - Letter	8442	48 <sup>5/8</sup>	30 <sup>11/16</sup>	5 <sup>7/8</sup>	23
Back Panel 5H - Letter	8443	60 <sup>7/8</sup>	30 <sup>11/16</sup>	5 <sup>7/8</sup>	28
Back Panel 6H - Letter	8444	71 <sup>3/8</sup>	30 <sup>11/16</sup>	5 <sup>7/8</sup>	33
Back Panel 7H - Letter	8445	82	30 <sup>11/16</sup>	5 <sup>7/8</sup>	37
Back Panel 8H - Letter	8446	92 <sup>1/2</sup>	30 <sup>11/16</sup>	5 <sup>7/8</sup>	42
Back Panel 3H - Legal	8641	41 <sup>5/8</sup>	38 <sup>11/16</sup>	7 <sup>7/8</sup>	26
Back Panel 4H - Legal	8642	48 <sup>5/8</sup>	38 <sup>11/16</sup>	7 <sup>7/8</sup>	30
Back Panel 5H - Legal	8643	60 <sup>7/8</sup>	38 <sup>11/16</sup>	7 <sup>7/8</sup>	37
Back Panel 6H - Legal	8644	71 <sup>3/8</sup>	38 <sup>11/16</sup>	7 <sup>7/8</sup>	44
Back Panel 7H - Legal	8645	82	38 <sup>11/16</sup>	7 <sup>7/8</sup>	50
Back Panel 8H - Legal	8646	92 <sup>1/2</sup>	38 <sup>11/16</sup>	7 <sup>7/8</sup>	55



Back Panel with Wall Closure Strip

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder


Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# TWINFILE STORAGE SYSTEM

## LETTER AND LEGAL ACCESSORIES



Description	Model Number	Exterior Dimensions			Ship Weight In Lbs.
		Height	Width	Depth	
END PANEL SETS					
Painted to match the cabinet shell or fabric wrapped. End panel sets are all that are needed when an additional unit is converted to a standalone unit in the field. Each set includes all of the hardware necessary for attaching.					
<input type="checkbox"/> Specify finish color for: End Panel Set					
End Panel Set 3H - Letter	8482	41 <sup>5/8</sup>	25	3	31
End Panel Set 4H - Letter	8483	48 <sup>5/8</sup>	25	3	37
End Panel Set 5H - Letter	8484	60 <sup>7/8</sup>	25	3	46
End Panel Set 6H - Letter	8485	71 <sup>3/8</sup>	25	3	55
End Panel Set 7H - Letter	8486	82	25	3	62
End Panel Set 8H - Letter	8487	92 <sup>1/2</sup>	25	3	71
End Panel Set 3H - Legal	8682	41 <sup>5/8</sup>	30 <sup>7/8</sup>	3 <sup>1/2</sup>	62
End Panel Set 4H - Legal	8683	48 <sup>5/8</sup>	30 <sup>7/8</sup>	3 <sup>1/2</sup>	68
End Panel Set 5H - Legal	8684	60 <sup>7/8</sup>	30 <sup>7/8</sup>	3 <sup>1/2</sup>	83
End Panel Set 6H - Legal	8685	71 <sup>3/8</sup>	30 <sup>7/8</sup>	3 <sup>1/2</sup>	96
End Panel Set 7H - Legal	8686	82	30 <sup>7/8</sup>	3 <sup>1/2</sup>	108
End Panel Set 8H - Legal	8687	92 <sup>1/2</sup>	30 <sup>7/8</sup>	3 <sup>1/2</sup>	120

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# FILE TRUCKS

## TRUCKS

### General Purpose Trucks



#### Description

Three-shelf general purpose truck with 2 fixed and 2 swivel casters or 4 swivel casters with 13 1/2" of clear space between shelves. The truck is designed to transport card trays, forms, disk packs, cartons, etc. Their narrow width simplifies maneuvering in limited work areas. Use the counter height top as an extra work surface. Truck handle is furnished in a smooth Black scratch resistant finish. Truck is available in Cool Grey

	Model Number	Height	Width	Depth	Ship Weight In Lbs.
W/2 fixed, 2 swivel casters	1850	37 <sup>3/8</sup>	30	20 <sup>1/8</sup>	82
W/4 swivel casters	1851	37 <sup>3/8</sup>	30	20 <sup>1/8</sup>	82

#### Options

4 Rubber Corner Bumpers	1854	1	2 <sup>1/4</sup>	3/4	0.5
4 Installed Rubber Cmr Bumpers	1855	1	2 <sup>1/4</sup>	3/4	0.5

### Unit File Truck



Single entry unit file truck with 3 fixed shelves and 2 fixed and 2 swivel casters. Each shelf is designed to hold up to (8) 4" letter or legal unit boxes or (5) 6" letter or legal unit boxes, or file supports. Capacity is 102 linear filing inches. Truck is available in Cool Grey.

Unit Trucks	5254	45 <sup>1/4</sup>	36	16	60
-------------	------	-------------------	----	----	----

#### Options

Posting Shelf	5255	1	34	15 <sup>7/8</sup>	11
Cool Grey Laminate Insert f/5255	5256	7/8	33 <sup>3/4</sup>	15 <sup>3/4</sup>	12
File Support f/letter/legal media	1900	6 <sup>3/8</sup>	12	1 <sup>1/32</sup>	1

Letter and legal depth multi purpose truck with 2 fixed and 2 swivel casters or 4 swivel casters. Trucks include one top rail, 2 C-rails, and top. Unit boxes are not included with Multi-Purpose File Trucks. For single entry truck order (7) 4" letter or legal unit boxes per level - (21) total boxes with 84 LFI - or (5) 6" letter or legal unit boxes - (15) total boxes with 84 LFI. Truck is available in Cool Grey.

### Multi-Purpose File Trucks



Letter Depth w/2 fixed, 2 swivel casters	1870	43 <sup>3/8</sup>	32	18	97
Same as above except 4 swivel casters	1871	43 <sup>3/8</sup>	32	18	98
Legal Depth w/2 fixed, 2 swivel casters	1872	43 <sup>3/8</sup>	32	21	104
Same as above 4 swivel casters	1873	43 <sup>3/8</sup>	32	21	105

#### Plastic Unit Boxes

Models designated \* are available in Ivory Beige or Cool Grey

Letter 4" Plastic Box	5281*	9	4 <sup>1/8</sup>	12	1
Letter 6" Plastic Box	5283*	9	5 <sup>7/8</sup>	12	1.1
Legal 4" Plastic Box	5282*	9	4 <sup>1/8</sup>	14 <sup>3/4</sup>	1.1
Legal 6" Plastic Box	5284*	9	5 <sup>7/8</sup>	14 <sup>3/4</sup>	1.2
Label Holder-Set of 25 w/inserts	5229				1
Insert for 5229-Set of 25	5231				0.3
File Support for 6" Boxes-lgl	6253*	9 <sup>9/16</sup>		12 <sup>1/8</sup>	0.3
Letter 4" Plastic Box	5281*	9 <sup>9/16</sup>		9 <sup>5/16</sup>	0.3

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks

# FILE TRUCKS

## TRUCKS

Multi-Purpose File Trucks



Description	Model Number	Exterior Dimensions			Ship Weight In Lbs.
		Height	Width	Depth	
Cool Grey truck for media transport. It adapts to 3480 storage. The basic Letter depth truck can be furnished with 2 fixed and 2 swivel casters or 4 swivel casters. The legal depth truck is available with 2 fixed and 2 swivel or 4 swivel casters. The basic truck body is the same as furnished in the 1870 and 1871 except without the rails. The basic trucks can accept three rows of racks or rails. The positions for installation from the bottom shelf are: 93/16", 203/16" and 313/16". Racks and rails are accessory items and are shipped not installed. Installation is available through an RFQ only.					
<b>Letter Depth</b>					
W/2 fixed and 2 swivel casters	1874	43 <sup>3/8</sup>	32	18	86
W/4 swivel casters	1875	43 <sup>3/8</sup>	32	18	87
<b>Legal Depth</b>					
W/2 fixed and 2 swivel casters	1876	43 <sup>3/8</sup>	32	21	96

Terms & Conditions

Designer Cabinets

Spacefinder Cabinets

Unit Spacefinder

Unistor & 4-Post  
Side-Trac

Twinfile Storage

File Trucks



## About TAB

As the recognized leader in the records and information management industry, we develop custom solutions that enable our clients to organize, access and manage critical information. We offer top quality filing systems, media storage equipment and specialists that solve complex records and information management challenges. With more than 55 years of experience, we serve clients in a variety of industries including legal, finance, healthcare, insurance, manufacturing, education and government.

Spacefinder™, Twinfile™, SIDE-TRAC™, TAB-TRAC™, and POWER-TRAC™ are registered trademarks of TAB Products Co LLC.

## TAB SOLUTIONS



### PROFESSIONAL SERVICES

*Design &  
Complex*

*Implement  
Solutions*



### FILING SYSTEMS

*Increase Information  
Access & Productivity*



### TECHNOLOGY SOLUTIONS

*Software Solutions for  
Identification and Management  
of Critical Information*



### STORAGE SYSTEMS

*Maximize Storage  
& Optimize Space*



CONTACT ONE OF OUR  
REPRESENTATIVES TODAY.

### T.E. Berry & Associates

PO Box 9606

Wichita, KS 67277-0606

316 942-4100

[info@teberry.com](mailto:info@teberry.com)